US ARMY MEDICAL BIOENGINEERING RESEARCH AND DEVELOPMENT LABORATORY ANNUAL. (U) ARMY MEDICAL BIOENGINEERING RESEARCH AND DEVELOPMENT LAB FORT. J N ALBERTSON FID-R133 129 1/2 UNCLASSIFIED **01** OCT 82 F/G 6/5 NL



MICROCOPY RESOLUTION TEST CHART NATIONAL BUREAU OF STANDARDS-1963-A

AD-A 133 129

REPORT MEDDH-288 (R1)

US ARMY MEDICAL BIOENGINEERING RESEARCH AND DEVELOPMENT LABORATORY ANNUAL PROGRESS REPORT FY82

US ARMY MEDICAL BIOENGINEERING RESEARCH AND DEVELOPMENT LABORATORY Fort Detrick
Frederick, MD 21701

1 October 1982

Annual Progress Report for Period 1 October 1981 - 30 September 1982

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED.

US ARMY MEDICAL RESEARCH AND DEVELOPMENT COMMAND Fort Detrick Frederick, MD 21701





83 09 25 014

NOTICE

Disclaimer

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

Disposition

Destroy this report when it is no longer needed. Do not return it to the originator.

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION	READ INSTRUCTIONS BEFORE COMPLETING FORM			
1. REPORT NUMBER	2. GONT, ACCRESION NO	3. RECIPIENT'S CATALOG NUMBER		
	4133129			
4. TITLE (and Subtitle)	amah amd	5. TYPE OF REPORT & PERIOD COVERED		
US Army Medical Bioengineering Rese Development Laboratory	earch and	1 Oct 1981 - 30 Sep 1982		
Annual Progress Report FY82		6. PERFORMING ORG. REPORT NUMBER		
l same sages sages		- PERFORMING ONG. REPORT ROMBER		
7. AUTHOR(e)		8. CONTRACT OR GRANT NUMBER(*)		
JOHN N. ALBERTSON, JR., COL MSC				
9. PERFORMING ORGANIZATION NAME AND ADDRESS		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS		
US Army Medical Bioengineering Rese	AREA & WORK UNIT NUMBERS			
Development Laboratory				
Fort Detrick, Frederick, MD 21701	See Reverse			
11. CONTROLLING OFFICE NAME AND ADDRESS		12. REPORT DATE		
US Army Medical Research and Develo	1 October 1982			
Fort Detrick, Frederick, MD 21701		13. NUMBER OF PAGES 172		
14. MONITORING AGENCY NAME & ADDRESS(If differen	15. SECURITY CLASS. (of thie report)			
	UNCLASSIFIED			
	15a. DECLASSIFICATION/DOWNGRADING SCHEDULE			
16. DISTRIBUTION STATEMENT (of this Report)				
Approved for public release; distri	bution unlimited	i.		
17. DISTRIBUTION STATEMENT (of the abetract entered	in Block 20, il different fro	a Report)		
18. SUPPLEMENTARY NOTES	 			
19. KEY WORDS (Continue on reverse side il necessary an				
Evacuation, Chemical Decontamination		=		
Materiel, Environmental Fate, Field Field X-Ray Equipment, Hazardous/Tox				
Military Pollutants, Occupational He				
Pesticide Dispersal, Pesticide Dispo				
20. ABSTRACT (Continue on reverse olds If responsely and				
The Annual Progress Report, Fiscal Y				
the US Army Medical Bioengineering R				
jects authorized by The Surgeon Gene				
Medical Research and Development Com	mand; and suppor			
US Army Medical Research and Develop	ment Command.			

64717A 3S464717D832.BB.049

IDIOLACOTETES	
UNCLASSIFIED CURITY CLASSIFICATION OF THIS PAGE(When Be	nte Betered)
CURTIFICATION OF THIS PAGE WAS DE	
Block 10.	
61101A 3A161101A91C.00.010	62720A 3E162720A835.AA.123
61101A 3A161101A91C.00.011	62720A 3E162720A835.AA.127 62720A 3E162720A835.AA.145
61101A 3A161101A91C.00.012	62720A 3E162720A835.AA.146
61101A 3A161101A91C.00.013	62720A 3E162720A835.AA.149
61101A 3A161101A91C.00.014	62720A 3E162720A835.AA.152
61101A 3A161101A91C.00.015	62720A 3E162720A835.AA.154
61101A 3A161101A91C.00.065	62720A 3E162720A833.AA.134 62720A 3E162720A835.AA.157
61101A 3A161101A91C.00.066	62720A 3E162720A835.AA.157
61101A 3A161101A91C.00.067	62720A 3E162720A633.AA.156 62720A 3E162720A835.AA.159
61101A 3A161101A91C.00.068	02/2UA 3E102/2UA033.AA.139
61101A 3A161101A91C.00.069	62772A 3S162772A874.BA.221
61101A 3A161101A91C.00.318	62772A 3S162772A674.BA.221
61101A 3A161101A91C.00.321	62772A 3S162772A674.BA.222 62772A 3S162772A874.BA.223
61101A 3A161101A91C.00.324	62772A 3S162772A674.BA.223
61101A 3A161101A91C.00.326	62772A 3S162772A674.BA.224 62772A 3S162772A874.BA.225
	62772A 3S162772A674.BA.225
61101A 3E161102BS04.AA.002	62772A 3S162772A874.BA.227
61102A 3M161102BS10.AS.331	62772A 3S162772A874.BA.228
	62772A 3S162772A874.BA.232
63732A 3S463732D836.AA.002	62772A 3S162772A874.BA.235
63732A 3S463732D836.BA.003	62772A 3S162772A874.BA.236
63732A 3S463732D836.BB.004	607704 0W1607704071 OP 061
63732A 3S463732D836.AA.005	62720A 3M162770A871.CB.261 62720A 3M162770A871.CB.262
63732A 3S463732D836.BA.006	62720A 3M162770A671.CB.262
63732A 3S464732D836.PA.007	
63732A 3S464732D836.BA.008	62720A 3M162770A871.CB.264
	62720A 3M162770A871.CB.265
62734A 3M162734A875.BB.221	62720A 3M162770A871.CB.266
62734A 3M162734A875.BB.222	£97774 981£97774070 04 041
62734A 3M162734A875.BB.223	62777A 3E162777A878.CA.241
62374A 3M162734A875.BB.224	
62374A 3M162734A875.BB.226	
62374A 3M162734A875.BA.227	
62374A 3M162734A875.BB.232	
64717A 3S464717D832.AA.003	
64717A 3S464717D832.BB.004	
64717A 3S464717D832.BA.012	
64717A 3S464717D832.AA.014	
64717A 3S464717D832.BB.015	
64717A 3S464717D832.BA.041	
64717A 3S464717D832.BA.042	
64717A 3S464717D832.AA.044	
64717A 3S464717D832.AA.045	
64717A 3S464717D832.AA.046	
64717A 3S464717D832.AA.047	
64717A 3S464717D832.CA.048	
647174 39464717D832 BB 040	

PREFACE

The United States Army Medical Bioengineering Research and Development Laboratory (USAMBRDL), a subordinate unit of the United States Army Medical Research and Development Command (USAMRDC), is located at Fort Detrick, Maryland. Current mission is:

Conducts research and development on medical, dental and pest management material on a continuing basis for the Army and on an as-required basis for the Navy and Air Force. Performs research and development on new delivery systems for insecticide dispersal to control arthropods. Constructs prototypes and test models of selected medical equipment and performs developmental testing of them. Performs research and development for Corps of Engineers on militarily unique pollutants from Army industrial operations. Conducts health hazard assessment for material developers of smokes, obscurants and synfuels. Conducts research and development of soldier occupational health hazards, e.g., solids, liquids, toxic gases and synfuels; devises strategies to eliminate exposure or define criteria for safe exposure standards.

MANPOWER

	1 Oct 81 Authorized	Actual	30 Sep 82 Authorized	Actual
Officer	20	20	. 19	21
Enlisted	13	14	15	13
Civilian	102	94	<u>101</u>	99
TOTAL	135	128	135	133

Professional disciplines represented in the organization include:

Aquatic Biology
Biostatistics
Biomedical Maintenance Technology
Chemistry
Analytical
Biochemistry
Polymer
Computer Sciences
Engineering Crafts and Drafting
Entomology
Environmental Microbiology

Engineering
Biomedical
Chemical
Electrical
Electronics
Mechanical
Sanitary/Environmental
Graphic and Photographic Arts
Operating and Photographic Arts
Operating Room Nursing
Pharmacology

Toxicology

Accession For

NTIS GRA&I
DTIC TAB
Unannounced
Justification

By
Distribution/
Availability Codes

Avail and/or Special

BUDGET

IN-HOUSE

PROJECT	ALLOTMENT	% Obligation	% Disbursement
91 C	\$ 100,000	99	9 9
S04	94,000	98	98
S10	139,000	97	96
835	1,301.000	89	47
875	436,000	98	98
871	300,000	98	98
874	545,000	95	75
·87 8	630,000	98	97
83 6	190,000	97	97
993	62,000	97	97
832	485,000	98	98
M22	73,000	<u>95</u>	50
TOTAL DIRECT	\$4,355,000	95	79
REIMBURSABLES	811,188	_83	<u>75</u>
TOTAL FUNDS AVAILABLE	\$5,166,188	93	78

COMPARISON FY81 to FY82:

	ALLOTMENT	% Obligation	7 Disbursement		
F Y81	\$4,434,328	92	82		
FY82	5,166,188	93	78		

TABLE OF CONTENTS

PREFACE1
IN-HOUSE LABORATORY INDEPENDENT RESEARCH
Interaction of Army-Relevant Pesticide Compounds with Trickling Filter Microorganisms in Vitro11
Oxidation of Phenols and Amines Under Wastewater Treatment Conditions13
Development of Thin-Layer Chromatographic Procedures (TLC) for the Rapid Analysis of Traces of Pesticides in Wastewater
Investigation of the Formation of Trichloroacetic Acid During Water Chlorination17
Development of Chromatographic Method for Separation and Quantitative Analysis of Hocl, NH ₂ cl,NHcl ₂ , and Ncl ₃
Evaluation of the Effect of an Antifoam Addition to Beef Extract Eluent on the Recovery of Enteroviruses From Water and Wastewater21
Trihalomethane (THM) Degradation23
Silver Chloride Photovoltaic Cell25
Formation and Evaluation of Specific Adsorbent Surfaces27
Fate of Cl ₂ in the Presence of UV Light29
Bacteriological Mechanism of 1,3-Dinitroenzene Biodegradation31
Feasibility of Using Adsorption Cartridges to Trap Traces of G-Agents From Water
Feasibility of Using NMR- p and Flow Injection Analyses to Characterize Chemistry of Phosphorus Smokes
Investigation of the Effects of Larval Density and Water Volume on the Susceptibility of Mosquito Larvae to Varying Concentrations of Insecticides

STATE TO STATE OF THE STATE OF

IDENTIFICATION AND HEALTH EFFECTS OF MILITARY POLLUTANTS39
Basic Research in Aquatic Toxicology41
PEST MANAGEMENT SCIENCE BASE43
Pest Management Science Base45
COMBAT MEDICAL MATERIEL47
Field Clinical Analysis System49
Pesticide Formulations, Controlled-Release, Environmentally Compatible51
Form/Fit/Function Study for ISO/TEMPER53
Radio Paging System55
Delousing Outfit, Power-Driven57
Steam Vacuum Pulse Sterilizer (SVP) System59
Ethylene Oxide Sterilization (EOS) System61
MEDICAL SYSTEMS IN NONCONVENTIONAL ENVIRONMENTS
Evaluation of Foreign Medical Materiel For Use in a Contaminated Environment
Technical Feasibility Testing (TFT) of Delivery Systems For Chemical Warfare Medicaments
Development of Resuscitative Equipment for Mass Casualties in a Chemical Warfare Environment69
Patient Decontamination Apparatus71
Hardening of Medical Materiel Against Chemical Warfare Agents73
Resuscitation Device, Individual, Chemical
Colorimetric Methods for Determining Chemical Agents in Water and on Patients
COMBAT MEDICAL MATERIEL79
Bag, Patient Holding and Evacuation, Prototype Design and Fabrication81
Optometry Set. Field. Combat83

	Pesticide Dispersal Unit, Solid, Helicopter Slung85
	Environmental Protection Containers for Medical Supplies87
	Low Capacity Radiographic System, Field89
	High Capacity Radiographic System, Field91
	Pesticide Dispersal Unit, Portable, Backpack93
	Bag, Aidman's, Redesign of95
	X-Ray Film Processor, Dental, Portable, Field97
	Trap, Mosquito, Light, Collapsible101
	Aerosol Generator, ULV, Skid Mounted103
	Sprayer, Powered, ULV, Portable105
ENVI	RONMENTAL QUALITY TECHNOLOGY107
	Chemical Fate of Military Compounds109
	Microbiological Fate of Military Compounds111
	Environmental Fate of 2,4,6-Trichloroaniline: Microbial Interactions
	Microbial Fate of Military-Relevant Petroleum Oil Fogs115
	Screening of Military Chemicals for Toxicity to Aquatic Organisms117
	Evaluation of Filtration Techniques for Disposal of Operational Wastes From Army Pest Management Programs119
	Environmental Fate Studies of 3,4,6-Trichloroaniline121
	Reverse Osmosis Systems123
	Treatment of Nitramines and Nitrobodies125
	Evaluate DimethlyInitrosamine127
CARE	OF COMBAT CASUALTY129
	Protective Containers, Field, Medical Devices
	Refrigerator, Medical, Field133
	Sterilizer, Surgical Instrument and Dressing

System for Medical Gas Generation137
Pyrogen-Free Integrated System Support139
Digital Radiography141
Whole Body Diagnostic X-Ray Scanner143
Tactical Ambulance Adaptation, Feasibility Study of145
Field Gurney147
Vital Signs Monitor for High Noise/Vibration Environment149
Apparatus, X-Ray, Dental, Field151
PREVENTION OF MILITARY DISEASE HAZARDS153
Vector Control Methods, Material, Equipment155
Integrated Pest Management - Black Flies157
Pest Management-Arthropod Control159
Evaluation of Skid Mounted and Special Purpose Pesticide Dispersal Equipment161
Pesticide Dispersal Evaluation Set
Integrated Pest Management - Mosquitoes165
HEALTH HAZARDS OF MILITARY MATERIEL167
Field Provision of Nonpyrogenic Water169
DISTRIBUTION LIST
MANUSCRIPTS CLEARED FOR PUBLICATION/PRESENTATION

THE TRANSMISSION OF THE PROPERTY OF THE PROPER

IN-HOUSF LABORATORY INDEPENDENT RESEARCH

CANADAN CARBARAN INDANAN INCARANC

					I. AGENCY ACCESSION		2. DATE OF SUMMARY			REPORT CONTROL STIMBOL		
RESEARCH	AND TECHNOLOGY	r work unit s	UMMARY	DA OG 0674			82 1	82 10 01			R&E(AR)636	
& DATE PREV SUMRY	4. KIND OF SUMMARY	B. SUMMARY SCTY	S. WORK SECURITY	7. REGR	A DING	04 DI	68'N INSTR'S		SPECIFIC I		. LEVEL OF SUM	
81 10 01	D. CHANGE	U	U				NL) mg	A WORK UNIT	
10. NO./CODES:®	PROGRAM ELEMENT	PROJECT	NUMBER	TASK A	REA N	UMBER			PORK UNIT	NUMBE		
e. PRIMARY	61101A	3A16110	1A91C		00		318	A	PC F16	6		
b. CONTRIBUTING												
c. CONTRIBUTING								Ti ni				
, and the second	1 TITLE (Procedo with Security Closelitication Code) (U) Development of an Automated Toxicant Screening Test											
Based on the Ventilatory Responses of Fish												
12. SCIENTIFIC AND TE	CHNOLOGICAL AREAS											
005900 Envi	ronmental Bio	logy; 0168	00 Toxicol	gy:	0129	00 Pt	ysiolo	gy				
13. START DATE 14. ESTIMATED COMPLETION DATE				IS FUN	DING AG	SENCY		16.	PERFORM	ANCE ME	HOD	
7910		8309		<u> </u>	DA			丄	C. I	n-Ho	n-House	
17. CONTRACT/GRANT							E & PROF	15510H	L MAN YES	i ► FUI	IDS (In thousands)	
& DATES/EFFECTIVE:		EXPIRATION:			PRECE	DINE	1			1		
b. HUMBER:*				FISCAL 82			0.2			_ 06		
C. TYPE:		& AMOUNT:		YEAR	CURRE	INT				Í		
& KIND OF AWARD:		f. CUM. AMT.		L		83		0.1		<u> </u>	07	
19. RESPONSIBLE DOD	DRGANIZATION			20. PER	FORMIN	G ORGANI	EATION					
HAME:* US A	rmy Medical E	ioengineer	ing	NAME:	υ	JS Arn	y Medi	cal	Bioen	gine	ring	
Rese	arch & Develo	pment Labo	ratory	Research & Development Laboratory								
ADDRESS:* Fort	Detrick, Fre	derick. MD	21701	ADDRESS: Fort Detrick, Frederick, MD 21701								
	-	-						-		•		
				PRINCIP	AL INV	ESTIGATO	R (Fumish 58)	W II V.	S. Academic	[net/fuller	y	
RESPONSIBLE INDIVIDUAL			wame. van der Schalie, W.H.									
NAME. Trudeau, T.L., COL			TELEPHONE: (301) 663-7627; AUTOVON 343-7627						343-7627			
TELEPHONE: (301) 663-2434; A	UTOVON 343	-2434	SOCIAL SECURITY ACCOUNT NUMBER:								
BI. GENERAL USE				ASSOCIA	TE INV	ESTIGATO	RS					
Foreign Int	elligence Not	Applicabl	e	NAME:								
L				NAME:							POC+DA	

- (U) Fish; (U) Toxicants: (U) Automated: (U) Ventilatory: 23. TECHNICAL OBJECTIVE, 24 APPROACH, 26. PROGRESS (Pumlah In
- 23. (U) Evaluation of a screening test designed to estimate the chronic toxicity of materials to fish by a technique requiring considerably less time and expense than currently available methods. The test will be used in conjunction with a program to assess the environmental hazards associated with Army-relevant materials.
- 24. (U) A microcomputer-based system will be used to monitor the ventilatory patterns of 30 bluegill sunfish exposed in groups of five to a series of toxicant concentrations. The lowest concentration affecting the ventilatory patterns will be compared to literature values for the lowest concentration of the same toxicant affecting bluegill survival, growth or reproduction during long-term exposure. The ability of the ventilatory monitoring system to predict chronic toxic effect levels will then be determined.
- 25. (U) 8110 8209. A preliminary carrier solvent test using acetone was followed by a test using the organochlorine pesticide chlordane (top concentration 8.91 µg/L). After 6 days of exposure, there were no pronounced changes in any ventilatory parameter of fish exposed to either acetone or chlordane, with the possible exception of fish at the high acetone concentration (396 mg/L). These fish showed an increased variability in gill purge rate.

TITLE: Development of an Automated Toxicant Screening Test Based on the Ventilatory Responses of Fish

FUNDING: PY - 13K; CY - 6K; BY - 7K

PROBLEM DEFINITION: Current methods for determining the chronic effects of toxic materials on fish are costly and time consuming. A faster, less expensive screening test to estimate chronic-effect levels would be quite useful. One possible method is based on recent evidence indicating a relationship between the concentration of a toxicant causing chronic effect on fish growth, reproduction, and survival and the concentration causing abnormal fish ventilatory patterns. The goal of this project is to test this relationship using an automated system for monitoring the ventilatory signals of fish.

IMPORTANCE: The number of materials reaching the environment and posing a potential threat to aquatic organisms is continually increasing. Only a very small number can be tested using full life cycle tests with fish. The development of a sensitive screening test that could be used to estimate chronic toxic effect concentrations would save time, money, and would help set testing priorities so that limited resources could be used for those materials having the greatest potential toxicity.

APPROACH: An automated system has been developed to monitor the ventilatory patterns of 30 bluegill sunfish. Toxicants tested will be those for which the chronic toxicity to bluegills has already been determined. Comparison of these literature values with effect levels found in the ventilatory monitoring tests should indicate the usefulness of the monitoring system as a screening test for chronic toxicity.

ACHIEVEMENTS: A new test chamber and electrode arrangement were utilized during FY82 to minimize ventilatory signal deterioration due to certain orientations of the fish in the test chamber. This substantially improved the accuracy of the computerized system. Bluegills were then tested for their responses to chlordane (an organochlorine pesticide) and acetone (the carrier solvent used for the chlordane). Apparent changes in ventilatory parameters were evident only at the highest concentration of acetone tested (396 mg/L); half this concentration was therefore used in the subsequent chlordane test. Bluegills exposed at up to 8.91 μ g/L chlordane for 6 days showed no evidence of response in any ventilatory parameter. Bluegill ventilatory changes are therefore not good predictors of chlordane chronic toxicity, since the chronic "no effect" chlordane concentration is between 0.54 and 1.22 μ g/L.

RESEARCH AND TECHNOLOGY WORK UNIT SUMMARY				I. AGENCY ACCESSION			2. DATE OF SU	MARY	REPORT CONTROL SYMBOL		
RESEARCH	AND TECHNOLOGY	r work unit s	UMMARY	DA	OG 86	591	82 09 30		DD-DRAE(AR)636		
& BATE PREV SUMPRY	4. KIND OF SUMMARY	S. SUMMARY SCTY	S. WORK SECURITY	. REGR	ADING	14 DH	B'N INSTR'N	SE SPECIFIC		. LEVEL OF SUM	
81 10 01	K.COMPLETION	υ	U	l l n		NL		D 100	A. WORK UMT		
10. NO./CODES:* PROGRAM ELEMENT PROJECT NUMBER			TASK AREA NUMBER WORK UNIT NUMBER								
& PRIMARY	61101A	3A16110	1A91C		00		011	APC F	167		
. CONTRIBUTING											
c. CONTRIBUTING											
11 TITLE (Procede with	Security Classification Code	' (U) Int	eraction of	Arm	y-Rele	evan	t Pesti	cide Con	npound	is with	
Trickling F	ilter Microor				•				•		
18. SCIENTIFIC AND TE	CHNOLOGICAL AREAS										
005900 Envi	ronmental Bio	logy: 0101	00 Microbio	logy	: 0078	300	Hvgiene	and Sar	nitati	ion	
13. START DATE		14. ESTIMATED COM	PLETION DATE	18 FUN	HE AGEN	Č V		14. PERFORM			
8110		8209			DA		C. In-House				
17. CONTRACT/ GRANT		~ · · · · · · · · · · · · · · · · · · ·	IS. RESOURCES ESTIMATE		- PROFESS	IONAL MAN YR		h FUNDS (In thousands)			
A DATES/EFFECTIVE:		EXPIRATION.			PRECEBIN	•	1		1		
<i>p.</i> MUMBER:*				FISCAL 82		,	0.3		05		
G TYPE:		& AMOUNT:		YEAR	82 CURRENY		1	<i></i>	1		
& KIND OF AWARD:		f. CUM. AMT.			87	a a	1 4	0.0	J	00	
19. RESPONSIBLE DOD	DREANIZATION	<u> </u>		20. PER	-					· Y	
HAME:* IIS A	rmy Medical B	inengineer	1 no	NAME.	IIS	Arm	y Medica	al Ricer	ngine	erino	
	arch & Develo	_	•				•		_	_	
_	Detrick, Fre	•	•	Research & Development Laboratory Fort Detrick, Frederick, MD 21701							
1010	betrick, rie	derick, Ind	21701	i	roi		etrick,	rieder	ick, i	an 21701	
				PRINCIP	AL INVEST	IGATOR	(Fumish SSAN	II U.S. Academi	c Inelitution	-1	
RESPONSIBLE INDIVIDU	IAL			NAME.							
NAME: Trudeau, T.L., COL				Bausum, H.T. **Telephone: (301) 663-7207; AUTOVON 343-7207							
	•		0/0/		_ (-		DD3-/2	D/; AUT	OVON .	343-7207	
TELEPHONE: (3)) 663-2434; A	ULUVUN 343		1	TE INVEST						
Paraias Tat	allianna Nat	A1611	_	NAME:							
rocergu Inc	elligence Not	Applicabl	e	NAME:							
	RACH with Sensity Classic	20100 0000		WANTE:						POC · DA	

- (U) Pesticides: (U) Sewage Treatment: (II) Microorganisms: (U) Trickling Filter
- 23. (U) To determine the effect of pesticide compounds on oxygen uptake and nitrification by the microbiota of trickling filter influent and trickling filter effluent. To determine the persistence/disappearance of each compound over short time intervals in the presence of these organisms. Assessment of the fate and effects of low-level pesticides reaching sewage treatment plants forms part of the evaluation of the activated carbon adsorption/filtration system for pesticide removal developed by this Laboratory and the US Army Training and Doctrine Command.
- 24. (U) Approximately seven pesticides will be separately tested, both as pure compounds and as practical formulations to assess their effect, at various concentrations, on oxygen uptake and nitrification. Primary settled sewage and trickling filter effluent from the Frederick municipal treatment plant will be tested in modifications of the standard biochemical 0_2 demand test. Effluent will be included because of its content of sloughed biomass from the filter medium. Prolonged incubation will be used to observe effects on nitrification. For determination of rate of 0_2 uptake over short time intervals, wastewater at very; low dilution levels will be used.
- 25. (U) 8109 8209. Shift in emphasis from 02 uptake to pesticide sedimentation, to complete the latter and effect technology transfer. Factorial series of experiments designed, initiated, and now nearing completion, to determine partition of seven Armyrelevant pesticides in both primary and secondary sewage sedimentation. Wastewater obtained from two treatment plants, Frederick and Fort Detrick for use in laboratory jar-test determination, with and without addition of flocculating agents. Abstract of paper for ACS presentation, Sep 82, Kansas City, MO, approved.

TITLE: Interaction of Army-Relevant Pesticide Compounds with Trickling Filter Microorganisms in vitro

FUNDING: PY - OK; CY - 5K; BY - OK

PROBLEM DEFINITION: To determine the effect of pesticide compounds on oxygen uptake and nitrification by the microbiota of trickling filter influent and trickling filter effluent. To determine the persistence or disappearance of each compound over short time intervals in the presence of these organisms.

IMPORTANCE: Little is known of the fate or effects of pesticide compounds at low level reaching domestic sewage treatment plants. This has been identified as a research need, particularly in connection with the evaluation of the activated carbon adsorption/filtration system for pesticide removal developed by this Laboratory and the US Army Training and Doctrine Command. The proposed work will explore one avenue leading toward laboratory-based prediction of no-effects levels and other facets of the effects and fate of low-level hazardous wastes in biological aerobic treatment processes.

APPROACH: The pesticide compounds will be studied individually, both as pure compounds and as formulations, to determine their effects on 0_2 consumption and on nitrification in both trickling filter influent and trickling filter effluent. Effluent will be included because it is expected to contain sloughed biomass from the filter medium. For these studies, replicate BOD bottles will be used, and pesticide concentration will be varied. Prolonged incubation will be used to observe effects on nitrification. For determination of rate of 0_2 uptake over short time intervals, wastewater at very low dilution levels, or undiluted, will be used. Pesticides studied will be baygon, diazinon, dimethoate, dursban, malathion, ronnel and 2,4-D low volatile ester.

ACHIEVEMENTS: Shift in emphasis from 02 uptake to pesticide sedimentation, to complete the latter and effect technology transfer. Factorial series of experiments designed, initiated, and now nearing completion, to determine partition of seven Army-relevant pesticides in both primary and secondary sewage sedimentation. Wastewater obtained from two treatment plants, Frederick and Fort Detrick, for use in laboratory jar test determination, with and without added flocculating agent. Partition to sediments reached 90 to 96 percent for dursban, ronnel, and 2,4-D ester, and 80 to 90 percent for diazinon, using either lime or FeCl3 as flocculant. Dimethoate and baygon showed very little tendency to sediment but underwent extensive hydrolysis at pH >10. Malathion also underwent alkaline hydrolysis above pH 9.5, while with FeCL3 as flocculant at pH 4 to 5.5, about 60 percent appeared in sediments.

PRESENTATION: Bausum, H.T. and W.H. Dennis, Jr. Persistence and Partition of Pesticides in Primary Sewage Sedimentation. Abstract for Oral Presentation at Division of Pesticide Chem., American Chemical Society, Kansas City, MO, Sep 82, and for publication in Division of Pesticide Chemistry, ACS, Proceedings.

RESEARCH AND TECHNOLOGY WORK UNIT SUMMARY				1. AGENCY ACCESSION 2.					DD-DRAE(AR)636		
				DA OG 8690			82 09 30				
	4. KIND OF SUMMARY	S. SUMMARY SCTY		/ REGR	ADING	1	P'H IMSTR'N	ON SPECIFIC D		LEVEL OF SUM	
81 10 01	K. COMPLETIO	N U	U			<u> </u>	VIL.	Ckyas C] MO	A WORK WHIT	
16. NO./CODES:*	PROGRAM ELEMENT	MENT PROJECT NUMBER				UMBER		WORK UNIT			
. PRIMARY	61101A	3A16110	1A91C	00 012 APC F168					68		
b. CONTRIBUTING											
c. CONTRIBUTING		<u> </u>		<u>i</u>							
	Socurity Classification Code	•								_	
	on of Phenols	and Amine	s under Was	stewa	ter	Treat	ment Cor	ditions			
12. SCIENTIFIC AND TE	CHNOLOGICAL AREAS										
007800 Hygi	ene and Sanit	ation: 012	100 Organic	: Che	mist	ry					
13. START DATE		14. ESTIMATED COMP	PLETION DATE	IS FUNI	DING AG	ENCY		14. PERFORMA	NCE METH	00	
8110		8209		Ĺ	DA		1 C. 1		n-House		
IT. CONTRACT/GRANT	· _			16. RESOURCES ESTIMATE			& PROFESSI	& PROFESSIONAL MAN YRS & FUNDS (IN M			
A DATES/EFFECTIVE:		EXPIRATION:			PRECE	DINE					
P MARREW:				FISCAL 82		82	0.2		08		
G TYPE:		4 AMOUNT:		YEAR	CURRE	NY					
& KIND OF AWARD:		f. CUM. AMT.		83		lac	0.0	00			
19. RESPONSIBLE DOD C	PREMIZATION			20. PER	PORMIN	ORGANIZA	TION				
HAME:* US A	rmy Medical E	Bioengineer	ing	HAME:	ľ	IS Arm	v Medica	l Bioen	ginee	ring	
	arch & Develo	_	_	1		-			_	•	
_	Detrick, Fre	•	•	Research & Development Laboratory Fort Detrick, Frederick, MD 21701							
	beeriew, ite	detter, in	21/01	}	•	OLC D	ect ton,	LICUCLE	CR, 11	21701	
				PRINCIP	AL INVE	ESTIGATOR	(Furnish SSAN I	l U.S. Academic ;	(netitu sion)		
RESPONSIBLE INDIVIDU	AL.			NAME:* RUPPOWE V D							
		าร		Burrows, E.P. TELEPHONE: (301) 663-2036; AUTOVON 343-2036						43 <u>-</u> 2036	
NAME: Trudeau, T.L., COL TELEPHONE: (301) 663-2434: AUTOVON 343-2434				SOCIAL	SECUR		NT NUMBER:	o, Mulu	A OIA 3	+ J~4UJ0	
11. GENERAL USE	1 003-7434: 1	MICACIA 343	-7434	ASSOCIA	TE INV	ESTIGATORS	-				
Foreign Tot	allianna Nat	· Annlinchi	_		-						
Loterau tur	Foreign Intelligence Not Applicable					MAME: Rosenblatt, D.H.					
	BACH with Sarvelly Place!									POC:DA	

- (U) Chlorine Dioxide; (U) Wastewater; (II) Detoxification; (II) Organic Chemistry
- 23. (U) To further our understanding of the mechanisms of oxidation of phenols and amines under conditions relevant to wastewater treatment and chemical detoxification processes.
- 24. (U) The approach, involving kinetic and product studies of oxidation of chlorophenols by ${\rm ClO}_2$, and kinetic studies of oxidation of amines by alkaline ferricyanide, is detailed in the accompanying proposal.
- 25. (U) 8110 8209. Results of the ferricyanide oxidation study were unexpected, and the scope of the reaction was broader than anticipated. Thus, virtually the entire period was spent pursuing the study to completion. Rates of oxidation of three amines were determined over the pH range 3.7-13.4, and a retarding effect of ferrocyanide was observed over this entire range. These results showed that two different mechanisms are operative: reversible rate-determining electron transfer from amine at high pH, and reversible rate-determining hydrogen transfer from ammonium cation at intermediate and low pH. These findings are a substantial contribution to our understanding of the action of one electron oxidants in chemical disinfection and detoxification processes, and have been submitted for publication in Journal of Organic Chemistry. With this phase of the oxidation study complete, the work unit is terminated.

- North Control of the Control of th

TITLE: Oxidation of Phenols and Amines under Wastewater Treatment Conditions

FUNDING: PY - OK; CY - 8K; BY - OK

PROBLEM DEFINITION: Chlorophenols are formed slowly on treatment of phenol with excess chlorine dioxide (Clo_2) in dilute aqueous solutions. They are important environmental pollutants, and their fate on treatment with Clo_2 has not been investigated. Ferricyanide, like Clo_2 , is a one-electron oxidant which reacts with amines to give products similar to those of Clo_2 . The results of two earlier investigations suggested a Clo_2 -like mechanism for ferricyanide at pH 8.8 and a different mechanism at pH >11. Thus, the mechanisms of ferricyanide oxidation remain to be investigated.

IMPORTANCE: Reactions of ClO₂ with certain classes of compounds, notably amines, phenols, and olefins have been investigated in some detail, but until very recently such studies were not carried out under water treatment conditions. Thus, in order to facilitate assessments of relative safety, further knowledge of the aqueous organic chemistry of ClO₂ is essential. Similarly, further study of other oxidants chemically similar to ClO₂ in aqueous solutions may be relevant to their use in detoxification of chemical agents.

APPROACH: Kinetic studies of the oxidations of 2- and 4-chlorophenol will be done in a stopped-flow spectrophotometer measuring disappearance of ClO₂ under pseudo-first order conditions and utilizing a Wylbur program Wajon 2 to determine rate constants. Organic product analyses will be made by HPLC. Stoichiometry of the oxidations will be determined through quantitative analysis of the inorganic products by ion chromatography. Kinetic studies of the oxidation of amines by ferricyanide at pH's between 8.8 and 11 will be made, and the effect of added ferrocyanide determined. Unlike that of ClO₂, this reaction is sufficiently slow to measure by repetitive scans in a UV-visible spectrophotometer.

ACHIEVEMENTS: The results of the ferricyanide oxidation study were unexpected, and the scope of the reaction broader than anticipated initially. Virtually the entire period was spent pursuing this study to completion. Thus, rates of oxidation of three amines were determined over the pH range 3.7-13.4, and a retarding effect of ferrocyanide was observed over this entire range. Two different mechanisms were indeed found operative; however, the ClO₂-like mechanism (reversible rate-determining electron transfer from amine) was predominant at pH >11, while in the lower pH range the mechanism involved reversible rate-determining hydrogen transfer from ammonium cation. A manuscript detailing these findings has been submitted for publication in Journal of the American Chemical Society.

PUBLICATIONS: Burrows, E.P. and D.H. Rosenblatt. Competitive Pathways in Chlorine Dioxide Oxidation of Amines: Amide Formation from Cyclic Amines. Technical Report 8109.

Burrows, E.P. and D.H. Rosenblatt. Mechanism of Oxidation of Trialkylamines by Ferricyanide in Aqueous Solution. For publication in Journal of the American Chemical Society.

Brueggemann, E.E., J.E. Wajon, C.W.R. Wade, and E.P. Burrows. Analysis of Unquenched Reaction Mixtures of Chlorine Dioxide and Phenols by Reversed Phase High Performance Liquid Chromatography. For publication in Journal of Chromatography.

		- WORK 1111 - 2		I. ACEN	CY ACCE	10000	2. DATE OF SU	MARY	REPORT CONTROL SYNGOL			
RESEARCH	AND TECHNOLOGY	WORK UNIT S	UMMART	DA	OG	<u>0658</u>]	82 09	30	DD-D	R&E(AR)636		
& DATE PREV SUMPRY	4. KIND OF SUMMARY	S. SUMMARY SCTY	S. WORK SECURITY	. REGR	ADING	94 DH	BO'N INSTR'N	Sh SPECIFIC		LEVEL OF SUM		
81 10 01	K. COMPLETIC	N U	ប				NL		D 140	A WORK UNIT		
10. NO./CODES: ⁰	PROGRAM ELEMENT	PROJECT	NUMBER	TASK AREA NUMBER WORK UNIT NUMBER								
& PRIMARY	61101A	3A16110	1A91C		00		321	APC F16	59			
S. CONTRIBUTING												
C. CONTRIBUTING				<u> </u>								
· .	Security Cinesification Code		elopment of						Proce	edures		
	he Rapid Anal	ysis of Tr	aces of Per	stici	<u>des</u>	<u>in Wa</u>	stewate	<u>r </u>				
12. SCIENTIFIC AND TEC												
012100 Orga	nic Chemistry	<u>v: 012700 P</u>	hysical Che	mist	TY			Tis. PERFORM	Auce met			
			CE HOW DAVE			,	•	[
7910		8209		ļ	DA				In-Hoi			
		EXPIRATION:		IS. RES	PRECEC	ESTIMATE THE	A PROPESS	IONAL MAN YR	5 6 701	IOS (In thousands)		
A DATES/EFFECTIVE:		EXPIRATION:			l		1		1			
b NUMBER:* G Type:		d AMOUNT:		PISCAL	CURREN	<u> 82</u>	+	0.2	-			
A KIND OF AWARD:					.		i		1			
19. RESPONSIBLE DOD C	PREANIZATION	f. CUM. AMT.		30. PER		R 3 ORGANIZ		0-ү		<u> </u>		
		<u>. </u>	<u> </u>	NAME .								
	rmy Medical B	•••	•	-			y Medic					
_	arch & Develo	•	•	ADDRES	8			-		oratory		
Fort	Detrick, Fre	derick, MD	21701	1	F	ort D	etrick,	Freder	ick, i	ID 21701		
				PRINCIP	AL INVE	STIGATOR	r (Pumish SEAN	il II S. Academi	: Inelihation	•		
RESPUNSIBLE INDIVIDU	IAL.			PRINCIPAL INVESTIGATOR (Pumich SSAN II U.S., Academic Inelitation) NAME.**								
		Wade, C.W.R. TELEPHONE: (301) 663-7207: AUTOVON 343-7207										
	eau, T.L., CO		2424	SOCIAL	. SECURI	(JUL)	DD3-72	U/; AUT	DVUN :	545-/20/		
21. GENERAL USE) 663-2434; A	ULLOVON 34 3	= / 4 34	ASSOCIA	TE INVE	STIGATOR	15					
Foreign Total	allianna Nas	A==1d=c+1	_	NAME:	The second	h	m v					
roreign int	elligence Not	Applicapt	e	HAME:	Try	bus,	T.M.			POC • DA		
EL KEVNORGE /Procedo	BACH mills towelly Classic	celles Cadil										

- (U) Thin-Layer Chromatography: (II) Mixed Pesticides: (U) Analysis: (II) Westewater 13. Technical Objective. 24 Approach, 25. Products individual paragraphs identified by number. Procedo lost of each with Security Classification Code.)
- 23. (U) To develop a rapid field method for the detection of traces of pesticides in effluent from Army carbon adsorption/filtration and sludge treatment systems. The methods may be used for detection of other pollutants such as dyes, munitions, and toxic substances in water.
- 24. (U) Results of literature searches and newly developed methods will be combined to give a thin-layer chromatographic procedure in which a single adsorbent and a solvent system can be used to separate mixtures of organophosphorus and carbamate pesticides. In addition, a technique will be developed for quantitation of the results at the time of analysis.
- 25. (U) 8110 8209. The thin-layer chromatographic (TLC) procedure, using silica gel and hexane/acetone (V/V, 8/3) to separate and identify aqueous mixtures of the pesticides, baygon, diazinon, dursban, dimethoate, malathion, and vapona, has been successfully developed and is now being used by pest control operators at Ft. Eustis, VA. Ft. Eustis has purchased its own TLC equipment and is using the technique to monitor its untreated and treated wastewater. Presentations on the TLC method were given at the September National Meeting of the American Chemical Society and at the June Mid-Atlantic Reginal Meeting of the American Chemical Society.

TITLE: Development of Thin-Layer Chromatographic Procedures (TLC) for the Rapid Analysis of Traces of Pesticides in Wastewater

FUNDING: PY - 11K; CY - 10K; BY - 0K

PROBLEM DEFINITION: The disposal of treated wastewater at Army pest control facilities requires on-the-spot chemical analyses. Laboratory equipment and highly trained personnel will not be available at these stations. The objective of this work is to develop the simplest thin-layer chromatographic system that one can use in the field to detect pesticides in the treated water. A second objective is to quantitate the concentration of pesticide.

IMPORTANCE: Federal, State, and DA regulations prohibit the discharge of pesticide waste into sewer systems, into the soil, or into bodies of water unless the pesticide concentrations are below certain preestablished safe levels. To comply with these regulations, as well as reduce the storages of hazardous wastes, operators at Army pesticide waste treatment facilities need a simple reliable system for determining the level of pesticides in treated wastewater and for selecting the procedure for wastewater disposal.

APPROACH: Thin-layer chromatographic procedures found in the literature for specific pesticides and new methods will be evaluated and adapted to identify single solvent system and absorbent with potential for separation of mixture of pesticides.

ACHIEVEMENTS: In FY82, the TLC method of field analysis of pesticides in aqueous waste was continued at Ft. Eustis, VA. The procedure and results were presented at the April National Meeting of the American Chemical Society and as part of the presentation on the adsorption/filtration system at the Middle Atlantic Regional Meeting of the American Chemical Society. Technical assistance was given to Ft. Eustis, VA, in the selection and purchase of TLC equipment for field use by pest control operators. The method is now operational.

PRESENTATION: Wade, C.W.R., W.H. Dennis, Jr., and T.M. Trybus. Quantitative Analyses of Pesticides by TLC under Field Conditions. Oral presentation at American Chemical Society Meeting at Las Vegas, Nevada.

RESEARCH AND TECHNOL	OGY WORK UNIT SUMMARY	DA OG 9548	82 09 30	DD-DRAE(AR)636
8 BAYE PREV SUM'RY A KIND OF SUMMARY 81 10 01 K. COMPLET	J		B'H INSTR'N OL SPECIFIC	DATA- D. LEVEL OF SUM
10. NO./CODES:* PROGRAM ELEME		TASK AREA NUMBER	WORK UNIT) NO
A PRIMARY 611UIA	3A161101A91C	00	Ul3 APC F	
b. CONTRIBUTING				
c. CONTRIBUTING		 		
TITLE (Procedo with security Closelfication During Water Chlorina)	-	of the Format	ion of Trichlor	coacetic Acid
	Biology; 007800 Hygiene			
13. START DATE	14. ESTIMATED COMPLETION DATE	IL FUNDING AGENCY		ANCE METHOD
8110	8209	DA		In-House
• • • • • • • • • • • • • • • • • • • •	************	18. RESOURCES ESTIMATE	& PROFESSIONAL MAN YR	b FUNOS (In thousands)
& DATES/EFFECTIVE:	EXPIRATION:			
b. NUMBER:*	4 AMOUNT:	PISCAL 82	0.1	03
S TYPE:		i i		00
M. RESPONSIBLE DOD ORGANIZATION	f. CUM. AMT.	20. PERFORMING ORGANIZ	0.0	00
•	Bioengineering Laboratory Trederick, MD 21701	Resear	y Medical Bioer ch & Developmer etrick, Frederi	nt Laboratory lck, MD 21701
NESPONSIBLE INDIVIDUAL NAME: Trudeau, T.L., YELEPHONE: (301) 663-2434; BI. GENERAL USE Foreign Intelligence 1	AUTOVON 343-2434	MAME:* Denni	OVON 343-2036	
A SEVENDE CONTROL STAN OF STANDS FOR		NAME:		POC:DA

EL KEYNOROS (Procedo EACH with Sensitiv Classification Code)

(U) Chlorination; (U) Water; (U) Trichloroacetic Acid; (U) Formation

23. TECHNICAL OBJECTIVE. 24. APPROACH, 25. PROGRESS (Pumish Individual perographs identified by number. Procedo test of each with Security Classification Code.)

- 23. (U) During FY77, trichloroacetic acid (TCA) was discovered by accident in Fort Detrick tapwater at the level of ~50 ppb. This may or may not be a function of water chlorination as practiced at the Fort Detrick water plant. It is our objective to look carefully at the chlorination of natural water, determine the effect of Cl₂ dose, rate of TCA formation and seasonal variations. This is a basic research study that retains the proficiency of chemistry staff and will, in the long run, aid in solving more practical Army environmental or chemical problems.
- 24. (U) The present method of analysis will be modified in order to cut down on amount of time for GC analysis. Raw water will be taken to the Frederick treatment plant and dosed with HOCl at various levels. The amount and rate of formation of trichloroacetic acid will be measured.
- 25. (U) 8110 8209. A rapid and sensitive method has been devised for analysis of trichloroacetic acid (TCA) in water based on extraction of 10 mL of acidified sample with 1 mL diisopropyl ether, treating the ether extract with gaseous CH_2N_2 and analyzing the resulting extract by GC/EC. Sensitive to 5 µg/L TCA in water. When settled Monocacy river water is chlorinated to 4 mg/L FAC, TCA is formed gradually, reaching a maximum of 35 µg/L after 6 hours. The same water dosed with FAC from 2 to 20 mg/L Cl showed increasing concentrations of TCA with increasing dose of Cl after 16 hours. The highest dose yielded 130 µg/L TCA. TCA was found in tapwater of Fort Detrick, Frederick City, and Baltimore City.

milable lo confractore upen priAmater's emproval

TITLE: Investigation of the Formation of Trichloroacetic Acid during Water Chlorination

FUNDING: PY - OK; CY - 3K; BY - OK

PROBLEM DEFINITION: To quantitatively determine the level of trichloroacetic acid in Monocacy River water before and after chlorination, determine the effect of chlorine dose on amount produced, determine the rate of formation and assess possible adverse effects by a survey of chemical and biological literature.

IMPORTANCE: During FY77, trichloroacetic acid was discovered by accident in laboratory tapwater at the 50 ppb level. Subsequent informal investigations showed this substance to be present in Frederick City and Baltimore City tapwaters as well, but not in unchlorinated well water. To the best of our knowledge, trichloroacetic acid heretofore has never been observed nor suspecte: in tapwater.

APPROACH: A gas chromatographic method using electron capture has been devised to analyze waters containing as low as 1 ppb of trichloroacetic acid. The level of trichloroacetic acid will be monitored in raw water before and after chlorination to various levels from 0.2 to 10 ppm Cl. Parameters will be Cl dose and time. Concurrent with lab studies, a literature survey will be made.

ACHIEVEMENTS: A rapid and sensitive method has been devised for analysis of trichloroacetic acid (TCA) in water based on extraction of 10 mL of acidified sample with 1 mL diisopropylether, treating the ether extract with gaseous CH_2N_2 and analyzing the resulting extract by GC/EC. Sensitive to 5 µg/L TCA in water. When settled Monocacy river water is chlorinated to 4 mg/L FAC, TCA is formed gradually, reaching a maximum of 35 µg/L after 6 hours. The same water dosed with FAC from 2 to 20 mg/L Cl showed increasing concentrations of TCA with increasing dose of Cl after 16 hours. The highest dose yielded 130 µg/L TCA. TCA was found in tapwater of Ft. Detrick, Frederick City and Baltimore City.

RESEARCH AND TECHNOLOGY WORK UNIT SUMMARY						9549	82 (19		DD-DR&E(AR)636		
81 10 01	4. KIND OF SUMMARY K. COMPLETIO		S. WORK SECURITY	7. REGR	DING	9	NL		ACCESS A WORK UNIT		
10. NO./CODES:*	PROGRAM ELEMENT	PROJECT		TASK AREA NUMBER WORK UNIT NUMBER							
. PRIMARY	61101A	3A16110	IA9IC		00		014	APC F17	1		
. CONTRIBUTING											
c. CONTRIBUTING											
	soculty Classification Code, ative Analysi :MNOLOGICAL AREAS		•			· ·	ohic Meti	nod for	Separation		
008300 Inor	ganic Chemist	ry; 007800	Hygiene at	nd Sa	nita	ation					
13. START DATE		14. ESTIMATED COM	LETION DATE	18. FUNC	NNG AC	BENCY		16 PERFORM	ANCE METHOD		
8110		8209		1	DA.		1	C. 1	In-House		
IT. CONTRACT GRANT				10. RES		ESTIMAT	E & PROFESS	OHAL MAN YR	b. FUNDS (In thousands)		
A DATES/EFFECTIVE:		EXPIRATION:			PHECE	BINE					
P HOMPEN:				FISCAL		82).1	03		
C TYPE:		d AMOUNT:		YEAR	CUMME	MY					
& KIND OF AWARD:		f. CUM. AMT.		<u> </u>		83		0.0	00		
19. RESPONSIBLE DOD C	RGANIZATION			30. PERI	ORMIN	G ORGANI	EA TION		1		
Rese	rmy Medical B arch & Develo Detrick, Fre	pment Labo	ratory	NAME *	I	Reseau	-	velopmen	ngineering nt Laboratory lck, MD 21701		
nesponsible individu name. Trud relephone: (301 21. general use Foreign Int	HAME TELEP SOCIAL ASSOCIA	HONE: SECUI	Denni (301) RITY ACCO	UNT NUMBER:	Jr.	POC: DA					

I, KEYBORDS (Procedo BACH with Sensity Classification Code)

- (U) Water; (U) Analysis; (U) FAC; (U) Combined Chlorine; (U) HPLC
- 23. TECHNICAL OBJECTIVE. 34. APPROACH, 35. PROGRESS (Furnish Individual paragraphs identified by number. Procede text of each with Socurity Classification Gods.)
- 23. (U) Various colorimetric methods have been developed to measure free chlorine in water ($\rm HOC1/OC1^-$). Only one method (syringaldazine) can reliably distinguish HOCl from NH₂Cl and NHCl₂. It would be useful to have an analytical method that would qualitatively and quantitatively distinguish all chlorine species ($\rm HOCl$, NH₂Cl, NHCl₂ and NCl₃) in water.
- 24. (U) Various active chlorine (free and combined) species will be subjected to analysis by high pressure liquid chromatography (HPLC). Conditions will be sought for their separation.
- 25. (U) 8110 8209. Reverse phase high performance liquid chromatography (RP-HPLC) employing UV-detection was able to identify monochloramine (NH₂Cl) in glass distilled/deionized water at moderate to high concentrations (> 150 ppm). We were unable to detect aqueous solutions of hypochlorous acid (HOCl) and dichloramine (NHCl₂) by this method at concentrations of 260 and 170 ppm, respectively. Aqueous solutions of HOCl (260 ppm), NH₂Cl (189 ppm) and NHCl₂ (170 ppm) were UV scanned from 350 to 200 nanometers (1 A.U.F.S.). NH₂Cl showed modest absorption of UV light at 243 nm. HOCl (260 ppm) and NHCl₂ (170 ppm) showed no absorption of UV light (350 to 200 nm) at 1 A.U.F.S.

TITLE: Development of Chromatographic Method for Separation and Quantitative Analysis of HOCl, NH₂Cl, NHCl₂, and NCl₃

FUNDING: PY - OK; CY - 3K; BY - OK

PROBLEM DEFINITION: Various colorimetric methods have been developed to determine free chlorine (HOCl or OCl) in water. Only one method can reliably distinguish HOCl from NH2Cl and NHCl2 (syringaldazine method). All methods developed are for field use and there has been little effort to accurately characterize the free and combined chlorine species present in chlorinated raw water.

IMPORTANCE: It would be useful to develop an analytical method that would qualitatively and quantitatively distinguish HOCl (OCl) and all species of combined chlorine (NH₂Cl, NHCl₂, and NCl₃). This would be too sophisticated for field use, but valuable in research studies.

APPROACH: Solutions of various free and combined chlorine species will be prepared and subjected to analysis by high pressure liquid chromatography (HPLC). Present HPLC columns should be sufficiently inert to allow passage of active-Cl species without interaction of column packings (reverse-phase C₁₈ type) and yet allow partitioning between the packing and mobile phase.

ACHIEVEMENTS: Aqueous monochloramine (NH₂Cl) was detected at moderate to high concentrations (> 150 ppm) by reverse phase high performance liquid chromatography (RP-HPLC). Aqueous solutions of HOCl (260 ppm) and NHCl₂ (170 ppm) could not be detected by this method at this time.

RESEARCH AND TECHNOLOGY WORK UNIT SUMMARY						CESSION	2. DATE OF SE	MINRY	A	REPORT CONTROL SYMBOL	
RESEARCH	AND TECHNOLOGY					0654	82 10		i_		REE(AR)636
& BATE PREV SUM'RY	4. KIND OF SUMMARY	S. SUMMARY SCTY	S. WORK SECURITY	7. REGR	DING	94. 0	M68'N NSTR'N	ON SPE	CIFIC DA	TA-	LEVEL OF SUM
81 10 01	D. CHANGE	U	Ü	<u> </u>		l	NL	_ Ckvs	<u>. D</u>	100	A TORK WHIT
10. NO./CODES:*	PROGRAM ELEMENT	PROJECT	NUMBER	TASK A	REA I	NUMBER		WOR	K UNIT N	UMBER	
. PRIMARY	61101A	3A16110	1A91C		00		324	APC	F172		
b. CONTRIBUTING			······································								
C. CONTRIBUTING											
	Socurity Classification Code	(U) Eva	luation of								
Beef Extrac	t Eluent on t	he Recover	y of Enter	oviru	<u>ses</u>	from	Water a	nd W	<u>astew</u>	ater	<u> </u>
2. SCIENTIFIC AND TE											
005900 Envi	ronmental Bio	logy; 0101	00 Microbio	ology	<u>: 0</u>	<u>07800</u>	Hygiene	and	Sani	tati	on
		ł	CETION DATE	1.2 70		DENCY	ı	10. 76			
7910		8309		 	DA			C		-Hou	
				10. RES	PHEC	S ESTIMAT	E & PROFEE	SIONAL M	AH YRS	L FUN	DS (In thousands)
A DATES/EFFECTIVE:		EXPIRATION:		1							
P HAMPEN:		4 AMOUNT:		FISCAL	टणमम	82_		0.1		-	_01
G TYPE:					[1	_			
e. KIND OF AWARD:	DEGAMIZATION	I. CUM. AMT.		30. PC 91	TO STATE OF	83	ZATION	0-1	_	Ц	<u></u>
		<u> </u>		1				_ L_			
	rmy Medical B	•	•	N AME:			my Medio		_		_
	arch & Develo	•	•	ADDRES				•	•		oratory
ADDRESS:* Fort	Detrick, Fre	derick, MD	21701	1	•	Fort	Detrick,	Free	deric	k, M	ID 21701
							OR (Pumiek SSAA				
	••			NAME:	-				enantes lu		•
RESPONSIBLE INDIVIOU				72.00			or, G.W.				
	eau, T.L., CC		0/0/	*****	escu.	(301) 663-23	340;	AUTOV	ON 3	343-2340
TELEPHONE: (30)) 663-2434; A	WIOVON 343	-24.14	1		ESTIGATO					
	-11/			NAME:			/me				
roreign int	elligence Not	Applicable	е	NAME:							
Z KEYWORDS (Procedo	BACH with Somethy Classic	sallen Codo)		1 ~~==:							POC • DA

- (U) Virus: (U) Antifoam: (U) Environmental Waters: (II) Detection.

 12. TECHNICAL OBJECTIVE, 24 APPROACH, 25. PROGRESS (Furnish Individual peragraphs identified by number. Proceeds test of each with Security Classification Code.
- 23. (U) To evaluate the effect of an antifoam additive to beef extract eluent on the recovery of enteroviruses from water and wastewater. This work will provide improved capability for virus assay in current microbiological evaluations of the Army's new technology field water treatment systems (reverse osmosis water purification units).
- 24. (U) The Bentonite system for virus recovery will be compared with the new charge-modified (AMF-CUNO) filters. Attempts will be made to locate the actual site of the antifoam B enhancing activity.
- 25. (U) 8110 8209. Preliminary replicate results with the AMF-CUNO charged filters (IMDS) gave excellent recovery of poliovirus from tapwater when compared to the Bentonite Virus Concentration System. Approximately 10% of the virus was recovered in the filtrates. The IMDS filter apparently removed the virus enhancing activity of antifoam B.

TITLE: Evaluation of the Effect of an Antifoam Addition to Beef Extract
Eluent on the Recovery of Enteroviruses from Water and Wastewater

FUNDING: PY - 5K; CY - 1K; BY - 1K

PROBLEM DEFINITION: All methods used to concentrate viruses from various water environments employ filters to trap these viruses. The viruses are then recovered using high pH, organic eluents which foam considerably during elution from the filters.

IMPORTANCE: To improve the ability to detect viruses in environmental waters, and to reduce the physical and aerosol hazards during elution from these filters.

APPROACH: The Bentonite virus-recovery system will be compared with the new charge-modified (AMF-CUNO) filters in the presence or absence of 0.18% antifoam B in the beef extract eluent. An attempt will be made to determine the actual site of antifoam B virus enhancing activity.

ACHIEVEMENTS: Preliminary replicate results with the AMF-CUNO charge-modified filters (IMDS) gave excellent recovery of poliovirus from tapwater when compared to the Bentonite virus-concentration system. However, ca. 10% of the seeded virus was recovered in the IMDS filtrates. The charged filters apparently removed the virus enhancing activity of antifoam B.

DESEADON	AND TECHNOLOGY	Y WORK HART S	IMMARY				2. DATE OF SU		REPORT CONTROL STMEEL	
					OG 8		82 09	_30		R&E(AR)636
& DATE PREV SUM'RY			S. WORK SECURITY	7. REGRA	DING	F	IO'N INSTR'N	CONTRACTOR	ACCESS	D. LEVEL OF SUM
81 10 01	K. COMPLETIC	N U	U			<u></u>	NL	Ckyes	□ 	A WORK USUT
10. NO./CODES:*	PROGRAM ELEMENT	PROJECT		TASK AREA NUMBER WORK UNIT NUMBER						
- PRIMARY	61101A	3A16110	1A91C		00		015	APC F	173	
b. CONTRIBUTING										
c. CONTRIBUTING				<u> </u>						
•-	Socurity Classification Code			_						
	methane (THM)	Degradati	on							
18. SCIENTIFIC AND YES										
008300 Inor	ganic Chemist	ry; 012100	Organic Ch	nemis	try					
13. START DATE		14. ESTIMATED SOME	LETION DATE	IL PUNE	HNG AGEN	CY		IS. PERFORM	HANCE ME	THOD
8110		8209			DA		<u> </u>	C.	In-Ho	use
17. CONTRACT/GRANT				10. RESC	DURCES ES		A PROFESS	HOMAL MAN YR	5 b FU	HDS (In showards)
& DATES/EFFECTIVE:		EXPIRATION:			PRECEDIA	14				
Numper:*				FISCAL	8	2		0.2		13
C TYPE:		& AMOUNT:		YEAR	CURRENT					
& KIND OF AWARD:		f. CUM. AMT.			8			0.0		00
19. RESPONSIBLE DOD (RGANIZATION			30. PERF	ORMINGO	RGANIZ	ATION			
HAME:* US A	rmy Medical B	ioengineer	ing	HAME:	US	Arm	y Medic	al Bioe	ngine	ering
Rese	arch & Develo	pment Labo	ratory	1	Re	sear	ch & De	velopme	nt Lai	boratory
_	Detrick, Fre	-	-	ADDRESS	· Fo	rt D	etrick,	Freder	ick.	MD 21701
	•	•		l			·		•	
				PRINCIP	AL INVEST	IGATOR	(Furnish SSAN	il U.S. Ac odos i	c (motifulla	•
RESPONSIBLE INDIVIOU	AL			NAME:	' H	oke.	S.H.			
NAME: Trudeau, T.L., COL TELEPHONE: (301) 663-2036;									OVON	343-2036
TELEPHONE: (301) 663-2434: AUTOVON 343-2434 SOCIAL SECURITY ACCOUNT NUMBER:										
21. GENERAL USE ASSOCIATE INVESTIGATORS										
Foreign Int	elligence Not	Applicable	2	HAME:	Baxt	er.	Laj.			
2			-	NAME:		,				POC:DA

- (U) Trihalomethanes;
 (U) Catalytic Degradation (II) Photocatalytic Degradation: (II) Organic Chemistry
 (3. TECHNICAL OBJECTIVE.* 24 APPROACH, 25. PROGRESS (Furnish Individual perspeptio Identified by number. Procede test of each with Security Closesticottem Code.)
- 23. (U) The Army treats most of its drinking water and effluent from wastewater treatment plants with ${\rm Cl}_2$ to kill bacteria. This process produced THMs which are suspected carcinogens. The objective of this project is to develop a method for the photocatalytic degradation of THMs in chlorinated Army drinking water and effluents.
- 24. (U) Trihalomethanes will be exposed to UV light in the presence of various metal catalysts and photosensitizing dyes. By varying the time of exposure to light and catalyst concentrations, we can evaluate the various methods for THM degradation.
- 25. (U) 8110 8209. It was found that Zn metal effectively degrades THMS in the absence of UV light. The degration of THMs with time and the formation and degradtion of several reaction intermediates were studied. Results of this study will be reported in the near future.

TITLE: Trihalomethane (THM) Degradation

FUNDING: PY - OK; CY - 13K; BY - OK

PROBLEM DEFINITION: We will attempt to develop a method for the photocatalytic degradation of THMs in chlorinated Army drinking waters and wastewater effluents.

IMPORTANCE: The Army treats most of its drinking water and effluents from wastewater treatment plants with ${\rm Cl}_2$ to kill bacteria. This process produces THMs which are suspected carcinogens. If we can develop a method for degrading THMs, the hazards of carcinogens in Army drinking water will be greatly reduced and discharge water will be safer for the environment. These advantages would apply to the private sector as well.

APPROACH: A mixture of THMs will be exposed to UV light in the presence of various metal catalysts and photosensitizing dyes. Parameters such as UV light intensity, time of exposure, and amount of catalyst will be varied to determine the optimum conditions for THM degradation for each catalyst.

ACHIEVEMENTS: It was found that Zn metal effectively degrades THMs in the absence of UV light. The degradation of THMs with time and the formation and degradation of several reaction intermediates were studied. A rough draft of these findings for journal publication is 95% complete.

PUBLICATION: Burns, M. (Summer Student), L. Baxter, and S.H. Pake:
Catalytic Degradation of Trihalomethanes, Abstract for presentation at Middle
Atlantic Regional ACS Meeting, Newark, DE.

RESEARCH AND TECHNOLOGY WORK UNIT SUMMARY					CY ACC	ESSION	1 2	2. DATE OF SUMMARY			REPORT CONTROL STREEL	
RESEARCH	AND TECHNOLOG			1	• OG	3111		82 10	01		DD-DI	R&E(AR)636
& DATE PREV SUM'RY	4. KIND OF SUMMARY		S. WORK SECURITY	7. REGR	ADING	-		'H 1857#'N	ON SPEC			LEVEL OF SUM
81 10 01	D. CHANGE	U	U	<u></u>			N.	L	T YES	_	HO	A WORK UNIT
10. NO./CODES:®	PROGRAM ELEMENT	PROJECT		TASK	AREA N	UMBER					NUMBER	
. PRIMARY	61101A	3A16110	1A91C		00			066	APC I	7174		
b. CONTRIBUTING												
c. CONTRIBUTING				Ι								
11 TITLE (Procede with)	Security Classification Code	,•										
	Chloride Phot	ovoltaic Co	ell									
12. SCIENTIFIC AND TEC												
	ersion Techni											
13. START DATE		14. ESTIMATED COMP	PLETION DATE	IS FUN	DING AG	ENCY			16. PERF	ORMAN	ICE MET	HOD
8007		8309		L	DA				C.	In	-Hou	se
17. CONTRACT/GRANT				10. RES	OURCES		TE	A PROFESS	OHAL MAI	YRS	b FUN	DS (In thousands)
& DATES/EFFECTIVE:		EXPIRATION:			PRECE	DINE						
pr MAMPEN:				FISCAL		82			0.1		l	05
G TYPE:		4 AMOUNT:		YEAR	CURRE	NT						
& KIND OF AWARD:		f. CUM. AMT.				83			1.1		<u> </u>	01
19. MESPONSIBLE DOD C	RGANIZATION			20. PER	FORMA	ORGAI	HIZAT	FION				
HAME: US A	rmy Medical B	ioengineer:	ing	HAME:*	U	S Ar	my	Medica	1 Bic	eng	inee	ring
Resea	arch & Develo	pment Labor	ratory]	R	esea	rc	h & Dev	elopu	ent	Lab	oratory
ADDRESS:* Fort	Detrick, Fre	derick, MD	21701	ADDRES	•:• F	ort	De	trick,	Frede	ric	k. M	D 21701
	•	-		1				•			•	
				PRINCIP	AL INVE	ESTIGAT	OR (Furnish SSAN	II U.S. Ace	paic p	e i i fution)
RESPONSIBLE INDIVICU	AL			NAME. Hoke, S.H.								
NAME: Trude	eau, T.L., CO	L		TELE	HONE:	(301) i	663-203	36; AU	JTOV	ON 3	43-2036
TELEPHONE: (301)) 663-2434: A	UTOVON 343-	-2434	SOCIA	L SECUR	HTY AC	COUN	T NUMBER:	•			
21. GENERAL USE				ASSOCIA	TE INVE	ESTIGAT	ORS					
Foreign Inte	elligence Not	Applicable	2	HAME:								
	ZACH WIS Somethy Classic	-		NAME:								POC: DA

(U) Photocell; (U) Solar Cell; (U) Photovoltaic

13. TECHNICAL OBJECTIVE. 24 APPROACH, 25. PROGRESS (Pumish Individual perspenses identified by number. Procede text of each with Security Classification Code.

- 23. (U) To determine whether or not a photocell can be constructed using silver chloride to produce electricity from light. This photovoltaic cell could provide a "silent" source of power to operate electronic monitoring instrumentation at remote military sites.
- 24. (U) Initially a literature search will be conducted. Then a photocell will be designed and constructed. Parameters will be varied in order to determine the optimum conditions for converting sunlight to electricity.
- 25. (U) 8109 8209. A literature search conducted during FY81 indicated no research activity on this type of photocell. Materials and chemicals have been ordered and assembled. A preliminary cell has been designed. This cell has demonstrated that electricity can be produced from sunlight using AgCl. A new cell has been designed and constructed in order to optimize its efficiency.

TITLE: Silver Chloride Photovoltaic Cell

FUNDING: PY - 7K; CY - 5K; BY - 1K

PROBLEM DEFINITION: To design a photovoltaic cell from silver chloride and determine the optimum conditions for operation.

IMPORTANCE: The Army is a leader in developing new techniques. This photocell could provide an economical source of electrical energy to remote installations and would prove valuable, therefore, to both the military and private sectors.

APPROACH: Using various cell designs, several parameters such as pH, chlorine concentration, light intensity, and wavelength are being studied.

ACHIEVEMENTS: A literature search has indicated no research activity in this area. The optimum pH for operating this cell is approximately 2. The cell does produce electrical power when Cl₂ is added. The present cell has been modified in order to increase the Cl₂ production of the Ag/AgCl electrode. An offshoot of this project has given rise to another study on what happens to Cl₂ in the presence of UV light.

				I. AGEN	CY ACC	ESSIC	۳.	2. DATE OF	SUMMA	MA ₂	REPORT	CONTROL STREET.
RESEARCH	AND TECHNOLOG	Y WORK UNIT S	UMMARY	DA	OG	31	46	82	09 3	o ˈ	DD-D	R&E(AR)636
& DATE PREV SUM'RY	4. KIND OF SUMMARY	S. SUMMARY SCTY	S. WORK SECURITY	7. REGR	ADING	F	& DA	0'N MSTR	M OF	SPECIFIC	DATA -	. LEVEL OF SUM
81 10 01	K. COMPLETIO	N U	บ					NL	-			A WORK UNIT
10. NO./CODES:*	PROGRAM ELEMENT	PROJECT	HUMBER	TASK /	AREA I	UMB	ER			PORK UNI	T NUMBE	R
- PRIMARY	61101A	3A16110	1A91C		00			067	A	PC_F1	7.5	
B. CONTRIBUTING				<u> </u>								
c. CONTRIBUTING								1657 6 1 111 1165 6				
11 TITLE (Procedo with	Security Classification Code) •										1
(U) Formati	on and Evalua	ation of Sp	ecific Adso	orben	t S	urf	ace	s				
18. SCIENTIFIC AND TE	CHNOLOGICAL AREAS											
007800 Hygi	ene and Sanit	tation: 008	000 Indust	cial	Pro	ces	8:	012100	Or	eanic	Chem	istry
13. START DATE		14. ESTIMATED SOM	PLETION DATE	IS FUNI	DING A	BENCY	, -		1.0	PERFOR	IANCE ME.	THOD
8008		8209			_DA			<u> </u>		_c	In-Ho	use
17. CONTRACT, GRANT				10. RES				a PROF	E8510H	AL MAN Y	ts b PU	HDS (In thousands)
& DATES/EFFECTIVE:		EXPIRATION:			PRECI	EDIME		1			- 1	
™ NUMBER:*				FISCAL	टणलक	82			_هـ	4		-10
G TYPE:		4 AMOUNT:		YEAR	CUMMI	ENT		i	•		1	
& KIND OF AWARD:		f. CUM. AMT.		<u> </u>		83			_			00
19. RESPONSIBLE DOD	ORGANIZATION			30. PER	FORMH	COR	SAMI 1	ATION				
HAME:* US A	rmy Medical 1	Bioengineer	ing	HAME.	1	iis .	Arm	y Med:	fcal	Rige	noine	erino
	arch & Develo							•			-	boratory
_	Detrick, Fre	•	•	ADDRES						•		MD 21701
		,	21/01	Į.				CCLIC	., .	Leact	LCK,	21/01
				PRINCIP	PAL INV	EST!	ATO	(Fundah 5	AN II U	.S. Academ	ic (melliwala	-)
RESPUNSIBLE INDIVIDA	JAL			MAME	•	Kıı	1 ka	rni,	D. W.			
HAME: Trud	eau, T.L., Co	nt.		TELE	PHONE:					• AITT	OVON	343-2036
) 663-2434:		-2434	SOCIA	L SECU	MITY.	ACCO	UNT NUMBI	EO JO	, AUI	OFUN	J-J-20J0
21. GENERAL USE				ASSOCIA	TE (NY	ESTIC	ATO	15				
Foreign Int	elligence Not	Annlicahi	_	NAME:	:							
l . o. o. gii Liic	ciribence not	. whhiteani		NAME								DOC+DA
THE WENT OF A PROCESS	EACH with Somethy Closell	Teation Code)										TOO TOTAL

(U) Adsorption; (U) Pesticides; (U) Dyes;

(U) Mechanism: (II) Wastewater: (II) Hazardous Waste
23. TECHNICAL OBJECTIVE. 24. APPROACH. 25. PROGRESS (Pumilal Individual paragraphs Identified by number. Proceeds text of each with Security Classification Code.;

- 23. (U) The claims were made by Dicky and Associates that hydrophilic silica gels can be made to form specific adsorbent surfaces for organic molecules like dye stuffs. The objective of the present investigation was to test the hypothesis and prepare high potency adsorbent surfaces on silica gel for pesticides and other toxic pollutants in wastewater.
- 24. (U) It was planned to prepare specific silica gel adsorbents for methyl orange, ethyl orange, p-chlorophenyl methyl sulfone, malathion, and chlordane and evaluate their properties as adsorbents for the specific substances.
- 25. (U) 8110-8209. The study of the adsorption isotherms clearly showed that silica gels do form definite specific surfaces for the compounds mentioned in 24 above. It is found that the specific adsorption property of the silica gels is enhanced by further modifications of the specific surfaces by the suitable adjustment of the hydrophilicity, porocity, and affinity of the gels by using the techniques of partial phase-reversion in the course of formation of the gels by polymerization. Actually the specific silica gels prepared for α -chlordane and malathion had high specificity and selectivity after phase reversion by treatment with trimethyl-chlor-silane. The abstract has been submitted for publication in Research News Letter (USAMRDC) and an article has been prepared for publication in Environ. Sci. & Tech.

rellable to contractors upon erifinator's engrove

TITLE: Formation and Evaluation of Specific Adsorbent Surfaces

FUNDING: PY - 10K; CY - 10; BY - 0K

PROBLEM DEFINITION: This study involves the preparation of specific adsorbent surfaces on silica gel under acid pH and aluminum hydroxide in alkaline pH for ethyl orange or methyl orange, and evaluation through the study of adsorption isotherms. This study may lead to the study of the cross-linked homo and block copolymers for dyes and pesticides.

IMPORTANCE: In basic chemistry, this study is important in elucidation of the behavior of Si and Al gels as template-like specific adsorbents for any organic molecules. This may lead to the preparation of high potency adsorbents for the pollutants in wastewater, facilitating the treatment of wastewater for removal of toxic substances.

APPROACH: The preparation and evaluation of silica gels in the presence of methyl or ethyl orange, and also chlorophenyl methyl sulfone, in order to reproduce and establish the data available in literature. Then the same techniques may be established for other pesticides and pollutants. The silica gels can be modified by aluminum hydroxide or chlorosilicon compounds, to suit the adsorbent surfaces to the structure of the pollutants.

ACHIEVEMENTS: It was found that many toxic pollutants in wastewater could be specifically adsorbed by silica gels prepared in the presence of these pollutants. The specific silica gel adsorbents, prepared for ethyl orange, p-chlorophenyl methyl sulfone, malathion, and chlordane, exhibited this property. The detailed study of the adsorption isotherms of these adsorbents for specific adsorbates demonstrated that the specific template-like surfaces were really formed by the polymerizing orthosolicic acid in the acid phase in the presence of these substances. The p-chlorophenyl methyl sulfone, a-chlordane, and malathion showed extra specificity even after treatment with trimethyl-chloro-silane to cause phase reversion.

PUBLICATION: Kulkarni, R.K. and T. Trybus. Preparation of Specific Selection Adsorbents for Pollutants in Wastewater. Article for publication in MRDC Research Newsletter.

DESEADON	RESEARCH AND TECHNOLOGY WORK UNIT SUMMARY					ESMON	12	DATE OF SU		REPORT CONTROL SYMBOL	
REJEARCH	AND TECHNOLOG				OG	931	4	82 10	01	DD-D	R&E(AR)636
& DATE PREV SUMAY	4. KIND OF SUMMARY	S. SUMMARY SCTY	S. WORK SECURITY	7. REGR	A DING	50	D16 8	'H MSTR'N	SA SPECIFIC	DATA -	P. LEVEL OF SUM
81 10 01	D. CHANGE	U	Ü			_	Ì	VL			A WORK UNIT
10. NO./CODES:*	PROGRAM ELEMENT	PROJECT	NUMBER	TASK	AREA N	UMBE	J		MOUK THE	T NUMBE	R
. PRIMARY	61101A	3A16110	1A91C		00		\perp	065	APC F	176	
b. CONTRIBUTING							_				
c. CONTRIBUTING											
11 TITLE (Procede with	Socurity Classification Code	,•									
(U) Fate of	Clo in the I	Presence of	UV Light				_				
12. SCIENTIFIC AND TE	CHNOLOGICAL AREAS	 							-		
008300 Inor	ganic Chemist	ry: 007800	Hygiene a	nd Sa	nite	tio	n				
IS START DATE		14. ESTIMATED COMP	PLETION DATE	IS FUN	DING AG	ENCY			16. PERFOR	IANCE ME	THOD
8110		8309	· · · · · · · · · · · · · · · · · · ·		DA			<u> </u>	c.	In-Ho	use
17. CONTRACT/GRANT				10. RES	OURCES		ATE	A PROFESS	HDS (In Severands)		
& DATES/EFFECTIVE:		EXPIRATION.			PRECE						
P. HOMPEN:				FISCAL	CURRE	82			0.1		12
G TYPE:		4 AMOUNT:		YEAR	CURRE	MY		{		1	
& KIND OF AWARD:		f. CUM. AMT.		<u>i </u>		83			0.1	_1	02
19. RESPONSIBLE DOD	DRGANIZATION			20. PER	FORMIN	GORGA	HIZA	TION			
HAME:* US A	rmy Medical I	Bioengineer	ing	NAME:	Į	JS A	rmy	Medic	al Bioe	ngine	ering
Rese	arch & Develo	pment Labo	ratory	į .	F	Rese	arc	h & De	velopme	nt La	boratory
ADDRESS:* Fort	Detrick, Fre	derick. MD	21701	ADDRES	s:• Į	ort	D€	etrick.	Freder	ick.	MD 21701
	·	•		Į.				•		•	
				PRINCIP	AL INV	ESTIGA	ton (Furnish SSAN	lf U.S. Academi	c (notifude	~
RESPONSIBLE INDIVIDU	AL			HAME	•	Hok	e.	S.H.			
MAME. Trud	eau, T.L., Co)L		TELES	HOME:	(30	1)	663-20	36: AUT	OVON	343-2036
) 663-2434:		-2434	SOCIA	L SECUP			-			
B1. GENERAL USE				ASSOCIA	TE INV	ESTIGA	TORS				
Foreign Int	elligence Not	Applicabl	e	MAME:							
	_			NAME:							POC: DA
OF STANDAR / Beat and	EACH with Somethy Classic	sation Code)			,						

- (U) Chlorine; (II) Degradation; (U) Photolysis
- 23. TECHNICAL OBJECTIVĒ,® 24. APPROACH, 26. PROGRESS (Punish individual paradrāpha Idontified by number. Procedo lest of each with Socurity Classification Cado.)
- 23. (U) Most of the water the Army consumes is chlorinated. Also, the water from Army wastewater treatment plants is chlorinated before it is returned to the environment. Because chlorinated Army water is exposed to UV light, we need to know the fate of Cl₂.
- 24. (U) We will conduct a literature search and consult with knowledgeable researchers in this area of interest. Then we will study the photodegradation of ${\rm Cl}_2$ at different pH and attempt to identify the reaction products and intermediates. The ion chromatograph will be used to identify some of the reaction products.
- 25. (U) 8110 8209. Degradation curves of $\rm Cl_2$ and formation curves of $\rm O_2$ have been constructed. From these curves and from indications in the literature, additional reaction products besides $\rm O_2$ and $\rm Cl^-$ are formed.

TITLE: Fate of Cl₂ in the Presence of UV Light

FUNDING: PY - OK; CY - 12K; BY - 2K

THE SECTION OF THE PROPERTY OF THE PROPERTY OF

PROBLEM DEFINITION: We will study the photodegradation of Cl₂ at different pH and attempt to identify the reaction products and intermediates.

IMPORTANCE: Most of the water the Army consumes is chlorinated. Also, the water from Army wastewater treatment plants is chlorinated before it is returned to the environment. Because chlorinated Army water is exposed to UV light, we need to know the fate of Cl₂.

APPROACH: Bottles containing dissolved Cl_2 in H_2O at different pH will be placed under a UV light. The bottles will be removed periodically and analyzed for possible oxygenated chlorine intermediates and products such as Cl and O_2 . The ion chromatograph, chlorine titrator, ion selective electrodes and associated equipment will be used to conduct the analyses.

ACHIEVEMENTS: Degradation curves of Cl_2 and formation curves of O_2 have been constructed. From these curves and from indications in the literature, additional reaction products besides O_2 and Cl_1 are formed.

RESEARCH AND TECHNOLOGY WORK UNIT SUMMARY					CA VCCI	ISSION [®]	2. DATE OF SU	MARY*	REPORT CONTROL STREET			
RESEARCH	AND TECHNOLOG					6380		30	DD-DR&E(AR)636			
& DATE PREV SUM'RY	4. KIND OF SUMMARY	i .	S. WORK SECURITY	7. REGR	ADING	94 DI	60'H MSTR'H	Sh SPECIFIC		. LEVEL OF SUM		
81 10 01	K. COMPLETIC	N U	U				NL		□ mo	A. WORK UNIT		
16. NO./CODES:*	PROGRAM ELEMENT	PROJECT		TASK A	AREA N	UMBER		WORK UNI		1		
& PRIMARY	61101A	3A16110	1A91C		00		326	APC F1	77			
b. CONTRIBUTING												
C. CONTRIBUTING												
	Security Classification Code											
	ological Mech	nanism of 1	,3-Dinitro	benze	ne B	iodeg	radatio	n				
12. SCIENTIFIC AND TEC												
	ene and Sanit											
13. START DATE		14. ESTIMATED COM	PLETION DATE	IS PUNI	DING AGO	ENCY		16. PERFORM	IANCE MET	MOD		
8010		8209		ļ	DA				In-Ho	nse		
17. CONTRACT/ GRANT				16. RES	OURCES	ESTIMATE		IONAL MAN YR	5 b FU	106 (In thousands)		
& DATES/EFFECTIVE:		EXPIRATION:		1			1		1			
P. HOMPEU:				FISCAL	CURRE	82		0.2		_03		
G TYPE:		& AMOUNT:		YEAR	CONNE	44			Ì			
& KIND OF AWARD:		f. CUM. AMT.				83		0.0		00		
18. RESPONSIBLE DOD C	RGANIZATION		<u> </u>	30. PEN	PORMIN G	ORGANIZ	MOITA					
name:* US A	rmy Medical H	Bioengineer	ing	NAME:*	U	S Ara	y Medic	al Bioe	ngine	ering		
Rese	arch & Develo	pment Labo	ratory		R	esear	ch & De	velopme	nt Lal	boratory		
ADDRESS:* FORT	Detrick, Fre	derick, MD	21701	ADDRES	· F	ort I	etrick,	Freder	ick, l	MD 21701		
				1								
				PRINCIP	AL INVE	STIGATO	R (Furnish SSAN	il U.S. Ac odop i	c (nellfuller	v		
RESPONSIBLE INDIVIDUAL					MAME: Mitchell, W.R.							
HAME: Trud	eau, T.L., Co)L		TELEP	HOME:	(301)	663-25	38; AUT	OVON :	343-2538		
TELEPHONE: (301) 663-2434; <i>[</i>	WTOVON 343	-2434	10CIA	L SECUR	TY ACCO	UNT NUMBER:					
21. GENERAL USE			•	ASSOCIA	TE INVE	STIGATO	RS .					
Foreign Int	elligence Not	Applicabl	e	NAME:								
	Sach with teachir Classic			HAME:						POC:DA		

(U) 1,3-Dinitrobenzene; (U) Biodegradation; (U) Bacterial 25. TECHNICAL OBJECTIVE, 24 APPROACH, 25. PROGRESS (

- 23. (U) To investigate the mechanism of 1,3-dinitrobenzene biodegradation. The compound is a major by-product of munitions manufacture, and, as such, is a major component of environmental discharges from munitions manufacture and loading and processing operations.
- 24. (U) A mixed culture growing on 1,3-dinitrobenzene as a sole carbon source will be plated, purified, and reinoculated into medium containing the compound. Organisms growing on the compound as pure cultures, or in combinations will be identified. Major intermediates in the pathway leading to benzene ring cleavage will be identified, as will the oxygenase functioning to cleave the ring.
- 25. (U) 8010 8209. Three organisms have been isolated from the 1,3-dinitrobenzene mixed culture on standard bacteriological medium which will degrade the test compound. All of the isolates have major toxonomic properties most similar to those of the genus Pseudomonas. Following repeated passage of the organisms on Standard Methods Agar with or without the test compound, the capability to degrade 1,3-dinitrobenzene was lost. Organisms comprising the 1,3-dinitrobenzene mixed culture are highly specific for the degradation of that compound and neither structural analogues nor other munitions pollutants could be substituted as carbon sources.

Individual microorganisms from the mixed culture would not grow on 1,3dinitrobenzene as a sole carbon source following serial passage. An isolate was obtained which would grow on 100 µg/mL test compound in the presence of 10 µg/mL yeast extract. Cell free preparations of these organisms were not active in modifying or degrading 1,3-dinitrobenzene even in the presence of reduced cofactors. The same preparations appeared to modify but not degrade the aromatic metabolic intermediate catechol.

<u>Averlable lu contractora upon originator's esproval</u>

TITLE: Bacteriological Mechanism of 1,3-Dinitrobenzene Biodegradation

FUNDING: PY - 9K; CY - 3K; BY - 0K

PROBLEM DEFINITION: The purpose is to identify the microorganism or microorganisms responsible for the biodegradation of 1,3-dinitrobenzene.

IMPORTANCE: Previous studies indicate that 1,3-dinitrobenzene compound is only partially biodegraded and will not serve as a sole source for microbial growth, but a mixed culture has been developed at USAMBRDL which will grow on and completely degrade the compound. An understanding of the organisms and enzyme systems involved could serve as a starting point for the development of strains of microbes capable of degrading a variety of nitro-substituted benzene derivatives.

APPROACH: Mixed culture microorganisms growing in 1,3-dinitrobenzene as a sole carbon source will be plated, purified, and reinoculated into medium containing the compound. Organisms growing on the compound as pure cultures, or in known combinations, will be identified by standard bacteriological techniques.

ACHIEVEMENTS: Three organisms have been isolated from the 1,3-dinitrobenzene mixed culture on Standard Methods agar which will degrade the test compound upon reinoculation. All of the isolates have major taxonomic properties most similar to those of the genus Pseudomonas: Gram negative rods, polar flagella oxidase positive (weak), catalase positive. Following repeated passage on the medium with or without the test compound, the capability to degrade 1,3-dinitrobenzene was lost. Results of studies designed to evaluate the adaption of the microorganisms to other aromatic compounds as carbon sources indicated that the degradation of 1,3-dinitrobenzene by the microorganisms was highly specific. Neither structural analogues nor other munitions pollutants could be substituted for 1,3-dinitrobenzene. Compounds tested included phenol, maninophenol, aniline, m-nitroaniline, o-dinitrobenzene, p-dinitrobenzene, nitrobenzene, trinitrobenzene, dinitroaniline, resorcinol, cresol, benzoate, protocatechuate, catechol, and m-nitrophenol.

An isolate was obtained which would grow on 100 μ g/mL 1,3-dinitrobenzene test compound in the presence of 10 μ g/mL yeast extract. Cell-free preparations of this organism were not active in modifying or degrading 1,3-dinitrobenzene even in the presence of reduced cofactors; nor did the preparations modify or degrade the analogues m-nitrophenol, m-nitroaniline, m-aminophenol, or resorcinol as judged by lack of oxygen uptake or decrease in substrate following incubation. The same preparations appeared to modify the aromatic metabolic intermediate catechol, but not protocatechuate.

PUBLICATIONS: Mitchell, W.R. and W.H. Dennis. Biodegradation of 1,3-Dinitrobenzene. Environmental Science and Engineering.

Mitchell, W.R., W.H. Dennis, and E.P. Burrows. Microbial Interactions with Several Munitions Compounds: 1,3-Dinitrobenzene, 1,3,5-Trinitrobenzene, and 3,5-Dinitroaniline. Technical Report 8201.

RESEARCH	AND TECHNOLOG			DA	OG 70	· 1	82 09	30		CONTROL SYMBOL R&E(AR)636
82 10 01	K. COMPLETION		e. WORK SECURITY	7. REGRA	MHG ⁴		nt meta'n	SPECIFIC CONTRACTOR	DATA- ACCESS	A WORK UNIT
10. NO./CODES:*	PROGRAM ELEMENT	PROJECT	NUMBER	TASK AF	REA NUMBI	ER		WORK UNI	THUMBE	R
- PRIMARY	61101A	3A16110	1A91C		00		068	APC F1	79	
. CONTRIBUTING										
c. CONTRIBUTING							200			
Traces of G	Security Classification Code G-Agents from		sibility o	f Usin	g Ads	orp	tion Ca	rtridge	s to	Trap
12. SCIENTIFIC AND TE	CHNOLOGICAL AREAS									
	nic Chemistry						0 Bloch			
18. START DATE		14. ESTIMATED COM	PLETION DATE	IS FUNDI	NG AGENCY	-		16. PERFORM	IANCE ME	THOD
8110		8209		<u> </u>	DA.			C.	In-Ho	use
17. CONTRACT/GRANT					JRCES ESTI	MATE	A PROFESS	IONAL MAN YR	s h FU	NDS (In Mousands)
& DATES/EFFECTIVE:		EXPIRATION:		[[PRESEDING					
₽ #UMPE#:*				FISCAL	82			0.0		
G TYPE:		4 AMOUNT:		YEAR	UNNEWY					
& KIND OF AWARD:		f. CUM. AMT.			83			0.0		00
19. RESPONSIBLE DOD				30. PERF	MING ORG	ANIZ	TION			
HAME:* US A	rmy Medical E	Bioengineer	ing	H AME:*	US A	Arm	y Medic	al Bioe	ngine	ering
Rese	arch & Develo	pment Labo	ratory	1	Rese	ear	ch & De	velopme	nt Lai	boratory
ADDRESS:* Fort	Detrick, Fre	derick, MD	21701	ADDRESS:	For	t D	etrick,	Freder	ick,	MD 21701
				1						
				PRINCIPA	L INVESTIG	ATOR	(Pumish SSAN	H U.S. Academi	c jneilhelle:	v
RESPUNSIBLE INDIVIDU	JAL			NAME:*	Den	nni	s, W.H.			
NAME. Trud	leau, T.L., Co)L		TELEPH	ONE: (30	01)	663-20	36; AUT	OVON	343-2036
TELEPHONE: (301) 663-2434; <i>A</i>	UTOVON 343	-2434	SOCIAL	SECURITY A	ccou	NT NUMBER:			
21. GENERAL USE				ASSOCIAT	E INVESTIG	ATOR	3			
Foreign Int	elligence Not	Applicabl	e	NAME:	Wade,	C.	W.R.			
							nce. A.	В		POC:DA
EZ. KEYWORDS (Procedo	EACH with Somethy Classifi	(U) Water; (U) G-A	gents	; (U) Adso	rption	Cartr	idges:

- (U) Nerve Agents; (U) Detection Limits

 13. TECHNICAL OBJECTIVE, 24 APPROACH, 25. PROGRESS (Purnick Individual persprayer identified by number. Procede test of each with Security Classification Code.)
- 23. (U) The XM272 water test kit, used by the Army, was developed to detect chemical nerve agents in water at a level of 0.02 to 0.005 mg/L. Presently, detection at such low levels cannot be achieved. Adsorption cartridges could be used to concentrate such agents from water in order to detect low-level concentrations of agents with the XM272 test kit. We will determine the feasibility of this approach.
- 24. (U) Aqueous solutions of G-agents (5 and 20 ppb) will be passed through SEP PAK C₁₈ absorption cartridges (a product of Waters Associates, Inc.). The absorbed agents will be eluted from the cartridges with methanol and onto an acetylcholinesterase test ticket. Enzyme inhibition will be determined.
- 25. (U) 8107 8209. No progress was made because we were unable to bring the needed G-agents into this Laboratory or unable to carryout this plan at a secured laboratory.

TITLE: Feasibility of Using Absorption Cartridges to Trap Traces of G-Agents from Water

FUNDING: PY - 15K; CY - 0K; BY - 0K

PROBLEM DEFINITION: To adsorb G-agents from water (at the 0.005 mg/L level) onto SEP PAK C_{18} cartridges and elute the agents from the cartridges. The eluates will be applied to the acetycholinesterase test tickets and the presence or absence of enzyme inhibition determined.

IMPORTANCE: The XM272 water test kit was developed by the Army to detect chemical agents in water. At present, it is required that nerve agents be detected in water at the 0.005 mg/L level. The acetylcholinesterase test ticket, which is a component of the XM272 kit, cannot detect G-agents at this level. FY81 work showed that organophosphorus pesticides could be absorbed from water at the 0.005 mg/L level by using SEP PAK C₁₈ absorption cartridges. Furthermore, the pesticides could be eluted from the SEP PAK cartridges with methanol. This technique may work with G-agents.

APPROACH: Solutions of G-agents at the 0.005 mg/L level will be made. An aliquot of 100 mL will be pushed through a SEP PAK C_{18} cartridge with a glass Luer-tip syringe. The absorbed agent will be eluted from the SEP PAK C_{18} cartridge with 1 mL of methanol. This eluate will be tested for acetylcholinesterase inhibition.

ACHIEVEMENTS: No progress was made because we were unable to bring the needed G-agents into this Laboratory or unable to carry out this plan at a secured laboratory.

PUBLICATION: Dennis, W.H., Jr., C.W.R. Wade, A.B. Rosencrance, T.M. Trybus, and E.E. Bruggemann. Concentration of Trace Amounts of Organophosphoris Pesticides from Water by Sep Pak C₁₈ Cartridges. Technical Report 8107.

RESEARCH	RESEARCH AND TECHNOLOGY WORK UNIT SUMMARY				DA OG 9315 82			82 10 01 REPORT CONTROL STREET CONTR		
8 DATE PREV SUMPRY	D. Change	8. SUMMARY SCTY ⁸	E. WORK SECURITY). REGR	\DING [®]		_	STECIFIC O	CCESS	A WORK UNIT
10. NO./CODES:*	PROGRAM ELEMENT	PROJECT		TASK A	REA NUME	ER		WORK UNIT		
a PRIMARY	61101A	3A16110	IA91C		00		069	APC F18	J	
b. CONTRIBUTING										
c. CONTRIBUTING						2				
ľ	rize Chemistr				ng NMR	(,}	and Fl	ow Inje	ction	Analyses
	HHOLOGICAL AREAS	•			กกหสกก	Tno	roanic	Chemist	rv	
012700 Phys	ical Chemistr	y; 016800	Toxicology				- 50			
19. START DATE		14. ESTIMATED COMP	PLETION DATE	IS FUNC	HIG AGENC	Y		16. PERFORMA		-
8110		8309			DA			C. I	n-Hous	е
17. CONTRACT/GRANT				10. RES	OURCES EST		& PROFESSIO	HAL MAN YRS	L FUND	(In thousands)
& DATES/EFFECTIVE:		EXPIRATION:			PRECEDING					
NUMBER:*				PISCAL	82	<u> </u>	0	.1	1	07
C TYPE:		& AMOUNT:		YEAR	CUMBERT				1	
& KIND OF AWARD:		f. CUM. AMT.		<u> </u>	83			.1		07
19. RESPONSIBLE DOD C				30. PERI	PORMING OR		-			
	rmy Medical B	_	•	NAME:		-		1 Bloen	-	
	arch & Develo	•	•		Res	earc	h & Dev	elopmen	t Labo	ratory
ADDRESS:* FORT	Detrick, Fre	derick, MD	21701	ADDRES	• For	t De	trick,	Frederi	ck, MD	21701
				PRINCIP	AL INVESTI	GATOR (Furnish SSAN II	U.S. Academic (ne il fution)	
RESPONSIBLE INDIVIDU	AL			HAME!		•	C.W.R.			
NAME. Trud	eau, T.L., Co	L		TELEP	номе: (3	01)	663-203	6; AUTO	VON 34	3-2036
TELEPHONE: (301) 663-2434; A	UTOVON 343	-2434	SOCIAL	. SECURITY	ACCOU	NT NUMBER:			
21. GENERAL USE				ASSOCIA	TE INVESTI	GATORS				
Foreign Intelligence Not Applicable					NAME: Hoke, S.H.					
_				NAME:						POC:DA

(U) NMR-31P; (U) Flow Injection Analysis

- 23. (U) The objective of this work is to determine the feasibility of using flow injection analysis/high performance liquid chromatography (FIA/HPLC) and nuclear magnetic resonance spectroscopy-phosphorus-31 (NMR-31P) for rapid analyses of phosphorus aerosols, Army smokes used to screen soldiers and equipment. Current analytical procedures require several hours to days to complete chemical characterization.
- 24. (U) The primary combustion product of white and red phosphorus is phosphorus pentoxide. Vapors of the pentoxide will be hydrolyzed and examined with NMR-31P and flow injection analyses. The data will be compared with data collected from TLC, HPLC, ion chromatography, and GC/MS studies. Similarly, combustion products from white phosphorus felt and red phosphorus/butyl rubber will be hydrolyzed in the vapor phase and analyzed. Attention will focus on trace levels of detection, difficulty of analyses, quality of collected data, and total characterization. Findings will be provided to in-house, extramural, and other inhalation and toxicological studies.
- 25. (U) 8110-8209. The NMR spectrometer was modified to measure ³¹P, and flow injection analyses (FIA) instrumentation was evaluated and found to be useful for rapid analyses. Acquisition of FIA capability is being investigated. Ion chromatography is being explored as a useful complement. Analyses of standard solutions and combustion mixtures is planned for FY83.

13. TECHNICAL OBJECTIVE, \$ 24 APPROACH, 28. PROGRESS (Pumish Individu

TITLE: Feasibility of Using NMR-31P and Flow Injection Analyses to Characterize Chemistry of Phosphorus Smokes

FUNDING: PY - OK; CY - 7K; BY - 7K

PROBLEM DEFINITION: White phosphorus (white phosphorus/felt) is used and red phosphorus (red phosphorus/butyl rubber) is being studied by the Army as smoke screens for troops and equipment. Evaluation of the hazardous nature of these smokes is contingent upon chemical analyses during inhalation exposure of animals. Currently, the analyses are so time consuming that the results become available long after the exposure. No time is allowed for readjustments or for determination of the status of the system.

IMPORTANCE: The value of the inhalation studies may be jeopardized because the results of the analyses may show that the actual conditions and the desired programmed conditions are two different to be useful. Rapid analyses should be cost effective and provide data at the most useful time.

APPROACH: Literature data indicate that phosphorus pentoxide is the primary combustion product of red and of white phosphorus and that in a humid atmosphere the oxide is hydrolyzed to phosphoric acids. In this study phosphorus pentoxide vapors will be hydrolyzed with humid air and the resulting products will be characterized by NMR-³¹P and flow injection analysis. A similar hydrolysis and characterization will be done on the combustion products of white phosphorus/felt and red phosphorus/butyl rubber. A comparative evaluation will be made of the data. Eventually, a comparative evaluation of the NMR-³¹P and flow injection analyses will be compared to data collected from TLC, HPLC, ion chromatography and GC/MS analyses. The application and usability of NMR-³¹P and flow injection analyses as separate or complementary methods of characterizing smokes will be established for in-house, extramural and toxicological studies. One can take samples from a chamber and provide characterizations within minutes, if these techniques prove useful.

ACHIEVEMENTS: Preliminary work, acquisition of some chemicals, and the adsorption of the NMR for ³¹P studies were all that could be done. Efforts were concentrated on quality assurance measurements in chemistry. Completion of the QA requirements should allow more time in FY83.

DESEAD	RESEARCH AND TECHNOLOGY WORK UNIT SUMMARY				1. ASENCY ACCESSION				REPORT	REPORT CONTROL SYMBOL	
					OG 9		82 10	01	DD-D)R&E(AR)636	
1. DATE PREV SUM			S. WORK SECURITY	7. REGRA	DING	9 A DI	SO'N INSTR'N	SE SPECIF		S. LEVEL OF SUM	
82 09 10	H.TERMINATIO	ON U	U	<u> </u>			NL	▼ ves	□ № 0	A. WORK UNIT	
10. NO./CODES:*	PROGRAM ELEMENT	PROJECT	NUMBER	TASK A	REA NUM	BER		WORK UN	IIT NUMBE	R	
& PRWARY	61101A	3A16110	1A91C	00			010 A	PC F185	5		
b. CONTRIBUTING											
c. CONTRIBUTING											
11. TITLE (Procede w	ish Security Classification Code	" (U) Inves	tigation of	f the	Effe	cts	of Larv	ral Dens	sity a	nd Water	
Volume on	the Susceptib:	ility of Mo	squito Lar	vae t	o Var	ying	Concer	ntration	ns of	Insecticid	
12. SCIENTIFIC AND	TECHNOLOGICAL AREAS					•					
005900 En	vironmental Bio	ology; 0026	00 Biology								
18. START DATE		14. ESTIMATED COM	LETION DATE	IS FUND	ING AGEN	CY		16. PERFO	MANCE ME	THOD	
8110		8209		DA			1	C.	In-Ho	use	
17. CONTRACT/GRAN	i T				URCES ES		A PROFES	SIONAL MAN Y	RS b FU	INDS (In thousands)	
& DATES/EFFECTIV	E:	EXPIRATION:			PRECEDIA						
MUMBER:*				FISCAL	8.	2	1 _	0.2	1	13	
G TYPE.		& AMOUNT:		YEAR	CUMBENT						
& KIND OF AWARD:		f. CUM. AMT.		1 1	8	3		0.0	j	0	
19. RESPONSIBLE DO	D ORGANIZATION			30. PERF	ORMING O	RGANIZ	ATION				
HAME: US	Army Medical H	Bioengineer	ing	HAME:	US	Art	ny Medic	al Bio	engine	ering	
Re	search & Develo	opment Labo	ratory							boratory	
ADDRESS: FO	rt Detrick, Fre	ederick, MD	21701	ADDRESS	* Fo	rt I	etrick.	Frede	rick.	MD 21701	
	·	•		1			•	,	•		
				PRINCIPA	L INVEST	IGATO	t (Fumish SSAN	II U.S. Acades	ic Inelitulia	en)	
RESPONSIBLE INDIV	IDUAL			HAME:	F	rom	mer, R.L				
HAME: A1	bertson, John I	N., Jr.		TELEP					NOVO	343-7237	
	01) 663-2434;	•	-2434	SOCIAL			UNT NUMBER	- · · ·			
1. GENERAL USE				ASSOCIAT	E INVEST	GATOR	18				
				NAME:						•	
				NAME:						POC:DA	

- (U) Larval Density; (U) Susceptibility; (U) Mosquito; (U) Insecticide
- 23. (U) Evaluate the influence of larval density levels in varying volumes of water on the susceptibility of mosquito larvae (four species) to given insecticide treatment concentrations.
- 24. (U) Refine present methods of performing laboratory bioassay susceptibility tests to establish a set of acceptable standards from which laboratory data can be compared with more precision.
- 25. (U) 8110 8209. Larval density ranging between 0.5 and 0.001 larva/mL did not significantly alter the effect of treatment concentrations calculated to kill half of the exposed population in 24 hours. At very high densities (2 1/mL) there were significant deviations from the precalculated LC₅₀ values. Within the range of small volumes used in static tests (100-10,000 mL), the variable most useful for explaining observed results was the absolute amount of toxic material rather than the concentration of the toxicant. If this effect is generally applicable to all toxic materials and species used in bioassay testing, major revisions in test procedures and data analysis will be required to assure comparability of results from different laboratories. Project was terminated due to reassignment of principal investigator.

TITLE: (U) Investigation of the Effects of Larval Density and Water Volume on the Susceptibility of Mosquito Larvae to Varying Concentrations of Insecticides

FUNDING: PY - 0; CY - 13K; BY - 0

PROBLEM DEFINITION: To evaluate the influence of larval density levels in varying volumes of water on the susceptibility of mosquito larvae (4 species) to given insecticide treatment concentrations.

IMPORTANCE: At present, no universally accepted standard procedure is used when conducting laboratory bioassay procedures in determining susceptibility threshold levels in mosquito larvae. Standardization through the research conducted at USAMRBDL and with the assistance of the American Society for Testing and Materials (ASTM) will insure greater precision, expecially when projected field requirements are being developed.

APPROACH: Four species of mosquito larvae were used to determine what effects larval density levels (i.e., number of larvae per treatment container) and water volumes (i.e., volume of water per larval density level) would have on susceptibility determinations. Tests were replicated 5-8 times with each replication consisting of one specific volume of water at 5 larval density levels. Insecticide treatments consisted of Abate, Malathion, Developmental Growth Inhibitor (IGR), and Bti. All testing was with 24-hour exposures.

ACHIEVEMENTS: Larval density ranging between 0.5 and 0.001 larva/mL did not significantly alter the effect of treatment concentrations calculated to kill half of the exposed population in 24 hours. At very high densities (≥ 1/mL) there were significant deviations from the precalculated LC₅₀ values. Within the range of small volumes used in static tests (100-10,000 mL), the variable most useful for explaining observed results was the absolute amount of toxic material rather than the concentration of the toxicant. If this effect is generally applicable to all toxic materials and species used in bioassay testing, major revisions in test procedures and data analysis will be required to assure comparability of results from different laboratories. The project was terminated due to reassignment of principal investigator.

RELATIONSHIP TO CORE PROGRAM: The proposed work would enhance precision in comparing our Laboratory's data with those of other agencies, as well as aid in projecting field dose and anticipated mortality.

IDENTIFICATION AND HEALTH EFFECTS OF MILITARY POLLUTANTS

RESEARCH	AND TECHNOLOGY			DA	OG 8688		2 10 C		CONTROL SYMBOL R&E(AR)636	
81 10 01	D. CHANGE	S. SUMMARY SCTY ^S	6. WORK SECURITY	7. REGR	ADING [®] Da	NL	Ç	SPECIFIC ONTRACTOR TYES		O. LEVEL OF SUM A. WORK UNIT
10. NO./CODES:*	PROGRAM ELEMENT	PROJECT	NUMBER	TASK A	REA NUMBER	T		WORK UNI	NUMBE	٦
a PRIMARY	61102A	3E16110	28804		AA	00)2	APC F2	:02	
b. CONTRIBUTING										
SHIMMAKER S	STOG 80-8:14	:15:16:17:	20:21							
(U) Basic Re		uatic Toxi								
005900 Envi	ronmental Bio	logy; 0168			DING AGENCY					
			PLETION DATE	15. 7041			- 1	4. PERFORM		
8110		CONT		-	DA		1		n-Hou	
A DATES/EFFECTIVE:		EXPIRATION:		18. RES	OURCES ESTIMA	TE A P	ROFESSION	MAL MAN YR	5 h FU	HDS (In Mousands)
b nombes:		EAPIRATION:		FISCAL	82		1.	4	ı	61
G TYPE:		4 AMOUNT:			CURRENT		1.		+	01
S KIND OF AWARD:		f. CUM. AMT.		1	83		0.	. 4		26
19. RESPONSIBLE DOD O	RGANIZATION		<u> </u>	20. PERI	FORMING ORGAN	IZATION				
Rese	rmy Medical B arch & Develo Detrick, Fre	pment Labo	ratory	NAME:*	Resea	rch (& Deve	Bioen lopmer rederi	it Lal	ooratory
TELEPHONE: (301) 81. GENERAL USE	eau, T.L., CO) 663-2434; A elligence Not	AUTOVON 343		HAME:	VAL INVESTIGAT VAN HONE: (30] L SECURITY ACC TE INVESTIGAT	der :	Schali 3-7627	le, W.F	1.	
	EACH with Security Classiff			NAME:						POC:DA

- (U) Aquatic Toxicology; (U) Fish; (U); (U) Histopathology; (U) Daphnia magna

 13. TECHNICAL OBJECTIVE. 24 APPROACH, 28. PROGRESS (Pumish individual peragrapho identified by number. Proceeds test of each with security Classification Code
- 23. (U) To improve the predictive capability of screening tests currently used to evaluate the impact of Army-relevant materials on aquatic organisms.
- 24. (U) The histopathologic response of fish to Army-relevant toxicants during early life stage tests will be compared to known chronic effects to see if the predictive ability of the early life stage test can be improved. Compounds to be tested included Dursban, 2,4-dinitrotoluene, and 2,6-dinitrotoluene. The effects of similar amounts of 1,3,5-trinitrobenzene applied in constant and fluctuating patterns on the invertebrate Daphnia magna will be evaluated to assess the influence of varying toxicant application patterns on toxicity.
- 25. (U) 8110 8209. Monitoring the histopathologic effects of 2,4-DNT on fathead minnows during an early life stage test greatly improved the capability of the test to predict the chronic toxic effects of this compound. Testing with a second compound (Dursban) has been completed and the data are now being analyzed.

vellable to contractors upon originator's emprovai

TITLE: (U) Basic Research in Aquatic Toxicology

FUNDING HISTORY: PY - OK; CY - 61K; BY - 26K

PROBLEM DEFINITION: There are numerous Army-related materials for which information on toxicity to aquatic organisms is required. This project seeks to improve the efficiency and predictive capability of existing laboratory test methods and to compare the results of tests conducted under constant toxicant exposure with fluctuating exposures more typical of field conditions.

IMPORTANCE: The effects of Army-relevant chemicals on aquatic life can be an important part of the data base from which environmental assessments are made. Such assessments are used by regulatory authorities to develop discharge standards which, in turn, may have great impact on Army waste disposal methods. It is therefore of great importance that the laboratory procedures used to estimate potential toxic effects in the field have high predictive capability while keeping time and manpower expenditure to a minimum.

APPROACH: The fish early life stage (ELS) test is commonly used to estimate the chronic toxicity of a material at the fraction of the cost of a full chronic test. Extension of the predictive capability of this test will be investigated by utilizing histopathologic examination of fish at the end of the ELS test. Comparison will be made between traditional ELS end points (survival and growth, histopathologic effects, and effect levels) in full chronic tests. In addition, the relative toxicity of toxicant application patterns will be evaluated by exposing daphnids to equivalent amounts of toxicants applied in constant and fluctuating patterns.

ACHIEVEMENTS: The addition of histologic monitoring to an ELS test with fathead minnows and 2,4-dinitrotoluene greatly decreased the estimated lowest level of toxic effects and brought the results into correspondence with effect levels found in a full chronic toxicity test with the same compound and fish.

PRESENTATION: Broich, S.G., W.H. van der Schalie, and W.R. Hartley. A Comparison of Early Life Stage Effects and Histopathology with the Chronic Life Cycle Effects of 2,4-Dinitrotoluene on the Fathead Minnow (Pimephales promelas). Abstract for Oral Presentation at the Society of Environmental Toxicology and Chemistry Third Annual Meeting, Arlington, VA, 18 June 1982.

PEST MANAGEMENT SCIENCE BASE

0000		I. ACCHE	1. AGENCY ACCESSION S. DATE OF SUMMARY REPORT OF							
RESEAR	CH AND TECHNOLOG	Y WURK UNIT S	UMBARY	DA	OG 59	997	82 10	0 01	DD-DI	R&E(AR)636
	RY 4. KIND OF SUMMARY	1	S. WORK SECURITY	7. REGRAD	NH6 ⁸	34 DK	S'N INSTR'N	SE SPECIFIC	DATA-	. LEVEL OF SUM
81 10 01	D. CHANGE	ט	ซ	<u> </u>			NL		□ № 0	A YORK UNIT
10. NO./CODES:*	PROGRAM ELEMENT	PROJECT			EA NUME	HER			THUMBER	1
- PRIMARY	61102A	3M1611	02BS10	AS			331	APC F25	1	
b. CONTRIBUTING										
c. X3000303030X										
	rith Security Classification Code	•								
	Management Sci	ence Base								
	TECHNOLOGICAL AREAS				-					
002600 B	iology; 002400	Bioenginee	ring							
IS START DATE		14. ESTIMATED COM	PLETION DATE	IS FUNDI	NG AGENC	¥		16. PERFOR	MANCE MET	HOD
8012		8209		DA				C.	In-Ho	use
17. CONTRACT/GRA	HT				RCES EST		A PROFESS	IONAL MAN YE	S & FUN	OS (in thousands)
& DATES/EFFECTI	VE:	EXPIRATION:			MECEDING	•	İ			
NUMBER:*				FISCAL	UNREMY	2	<u> </u>	1.3		<u>85</u>
G TYPE:		4 AMOUNT:		YEAR E	URRENT		1			
& XIND OF AWARD:		f. CUM. AMT.		<u> </u>	<u> </u>			1.1		58
19. RÉSPONSIBLE D	DO ORGANIZATION	L		30. PERFO	RMING OR	GANIZ	ATION			
name:* U	S Army Medical	Bioenginee	ring	NAME:*	US	Arı	my Medio	cal Bio	engine	ering
R	esearch & Devel	opment Lab	oratory	1	Re	sea	rch & Do	evelopme	ent La	boratory
APORESS:* F	ort Detrick, Fr	ederick, M	D 21701	ADDRESS:	Fo	rt :	Detrick	, Frede	rick,	MD 21701
				1						
				PRINCIPAL	LINVESTIC	SATOR	(Fumish SSAN	II U.S. Academi	c Inelitution)
RESPONSIBLE INDIV	/IDUAL			NAME:*	N	els	on, J.H	•		
	lbertson, John			TELEPHO	OHE: (301) 663-72	237; AU	COVON	343-7237
TELEPHONE:	<u>301) 663-2434;</u>	AUTOVON 34	3-2434	SOCIAL S	BECURITY	ACCO	UNT NUMBER:			
BI. SENERAL USE				ASSOCIATE	EINVESTIC	BATOR	:5			
				NAME:	V	org	etts, L	J.		
				HAME:						POC:DA

- (U) Pest Management: (U) Integrated Pest Management: (U) Vector Control
 23. TECHNICAL OBJECTIVE: 24. APPROACH, 25. PROGRESS (Purilsh Individual paragraphs Identified by number. Proceeds test of each with Security Classification Code.
 - 23. (U) Develop and maintain a pest management science base that will (a) ensure the applied research program is current in new developments in pest management, and (b) develop new militarily unique approaches to integrated pest management.
- 24. (U) Through use of in-house expertise and extensive interrelationships with other government agencies and the private sector, conduct basic research in the area of integrated pest management. The approach will be centered on militarily unique aspects of the program.
- 25. (U) 8110 8209. Through extensive field research the rotary wing aerial dispersal of selective biological insecticides was ascertained to be both technically feasible and economically practical. Although the data from field studies are preliminary, it appears that the ultra-low volume of insecticides with diluents is significantly (>60%) more effective in causing mortality of adult mosquitoes than the conventional methodology utilizing technical grade insecticides.

TITLE: (U) Pest Management Science Base

FUNDING HISTORY: PY - 87K; CY - 85K; BY - 58K

PROBLEM DEFINITION: The military historically has adopted particular technologies long after they have been proven in the civil sector. This concept has created a lag that has often resulted in the military acquiring outmoded technology. As the technology advances at an even greater rate, the resultant lag becomes greater so that the problem compounds itself.

IMPORTANCE: The military must have state-of-the-art technology in order to perform its mission to support the combat soldier. Attempting to combat vector-borne diseases with outmoded technology will result in inefficiency, wastefulness, and failure to carry out the mission.

APPROACH: Using in-house expertise and extensive interrelationships with other government agencies and the private sector, basic research will be conducted in the area of integrated pest management. The approach will be centered on militarily unique aspects of the program.

ACHIEVEMENTS: Through extensive field research the rotary wing aerial dispersal of selective biological insecticides was ascertained to be both technically feasible and economically practical. Although the data from field studies are preliminary, it appears that the ultra-low volume of insecticides with diluents is significantly (>60%) more effective in causing mortality of adult mosquitoes than the conventional methodology utilizing technical grade insecticides.

RELATIONSHIP TO CORE PROGRAM: This project is a vital part of a comprehensive vector control program, ensuring a steady stream of new, innovative, and often novel approaches to effective control of arthropod vector populations.

COMBAT MEDICAL MATERIEL

0515100	RESEARCH AND TECHNOLOGY WORK UNIT SUMMARY					2. DATE OF SL				
KESEARCI	n AND IECHNULUG	WURK UNIT S		4	OB 618	82 10	0_01	DD-DR	R&E(AR)636	
& DATE PREV SUMRY		S. SUMMARY SCTY	6. WORK SECURITY	7. REGR	ADING [®]	DISE'N INSTR'N	SE SPECIFIC		LEVEL OF SUM	
81 10 01	D. CHANGE	U	ט	<u> </u>		NL) MO	A WORK UNIT	
10. NO./CODES:*	PROGRAM ELEMENT	PROJECT		TASK A	AREA NUMBER	_1	WORK UNIT	NUMBER		
& PRIMARY	63732A	3846373	2D836	B/		006	APC F304			
b. CONTRIBUTING										
CONTROL DESCRIPTION (C) C (CARDS NO: 1	02A								
11. TITLE (Procedo wid	Socurity Cincollisation Code	,•								
(U) Field	Clinical Analy	ysis System	l							
12. SCIENTIFIC AND TO	ECHNOLOGICAL AREAS									
	ical and Hosp:					gy				
13. START DATE		14. ESTIMATED COMP	LETION DATE	IS FUN	DING AGENCY		16. PERFORM	ANCE MET	100	
7610		8209		DA	1		c. :	In-Hou	ıse	
17. CONTRACT/GRANT				10. RES	OURCES ESTIMA	TE & PROFES	SIONAL MAN YRI	L FUN	DS (In theveands)	
A DATES/EFFECTIVE	i	EXPIRATION:			PRECEDING					
p' HAMPEN:#				FISCAL	82		0.1	j	11	
G TYPE:		4 AMOUNT:		YEAR	CURRENT					
& KIND OF AWARD:		f. CUM. AMT.			83	1	0.7	1	35	
19. RESPONSIBLE DOD	ORGANIZATION			20. PER	FORMING ORGAN	MOITASI				
HAME: US	Army Medical I	Bioengineer	ing	NAME:	US A	rmv Medio	cal Bioer	ngine	ering	
	earch & Develo	•	_	1		•	evelopme	_	_	
	t Detrick, Fr	•	•	ADDRES	_		•		1D 21701	
3.		,	_,,,,,	1	- 0. 0	2001 2011	,	-0, -	2.,,	
				PRINCIP	AL INVESTIGAT	OR (Furnish SSAN	I If U S. Atadomic]nelitution)	1	
RESPONSIBLE INDIVID	WAL			NAME:	• Sal	isbury, I		-		
NAME: Alb	ertson, John !	N. Jr.		TELEP			237: AUT	OVON 3	343-7237	
	1) 663-2434:	•	-511311	SOCIAL	L SECURITY AC		-517		,,, ,,,,,	
SI. GENERAL USE	17 VV 1 E 1 1 - 1	- V - V - V - 1 - 1 - 1 - 1 - 1 - 1 - 1	<u> </u>	ASSOCIA	TE INVESTIGAT	ORS				
				NAME:	Real	ms, W.H.				
						NAME: POC:DA				
T DEVINOR OF COMPANY	BACH -IS Somethy Classifi	eatles Asias								

- (U) Laboratory Equipment: (U) Medical Field Devices: (U) Test Kits

 D. TECHNICAL OBJECTIVE.® 24 APPROACH, 25 PROGRESS (Pumilsh Individual perspiraghs identified by number. Pracedo test of each with Security Classification C.
- 23. (U) Develop through exploratory studies field medical devices and laboratory equipment for clinical analysis of body fluids within Army field medical units.
- 24. (U) Conduct a problem definition study to determine functional requirements of a field system. Lightweight self-contained, ruggedized, and modular components will be developed to satisfy the identified requirements.
- 25. (U) 8110 8209. A list of test requirements has been developed. A survey of commercial equipment has been conducted to determine which requirements can be satisfied and which items can meet field needs. A dry-slide technology is developing that has promise of meeting field needs. This will reduce the logistic burden of reagent supply and storage. The tests available are expanding.

TITLE: (U) Field Clinical Analysis System

FUNDING HISTORY: PY - 40K; CY - 11K; BY - 35K

PROBLEM DEFINITION: To develop a modular, portable, and integrated clinical analysis system for the determination of clinically important body fluid parameters in a field environment.

IMPORTANCE: Currently used equipment is a mixture of various commercial equipment that has not been designed to operate in the field. Additionally, the use of different manufacturers' equipment for the same determination increases the logistic, training, and maintenance problems.

APPROACH: Various tests and their location in the medical care chain will be determined. A survey will be made of the procedures available to make the desired tests. Then a system will be developed that will use common procedures for as many tests as possible and that will provide a modular and integrated system.

ACHIEVEMENTS: Two lists of tests, one for "sick-call" and one for combat casualties, have been obtained and compared for duplication. The tests have been grouped according to the determination method used. A survey of commercial items is under way. A dry slide technology is developing but, as yet, will not satisfy the stated requirements.

RELATIONSHIP TO CORE PROGRAM: This program is directly related to the Laboratory's mission of developing field medical equipment.

RESEAL	RCH AND TECHNOLOGY	UMMARY		OB 6223	REPORT CONTROL SYMBOL DD-DR&E(AR)636			
1 DATE PREV SUI	PRY 4. KIND OF SUMMARY	S. SUMMARY SCTY	S. WORK SECURITY	7 REGRAI		82 10	SE SPECIFIC	DATA- D. LEVEL OF SUM
81 10 01	D. CHANGE	U	U			NL	CONTRACTOR	HO A WORK UNIT
10. NO./CODES:*	PROGRAM ELEMENT	PROJECT		TASK AF	REA NUMBER		WORK UNIT	NUMBER
- PRIMARY	63732A	3846373	2D836	AA		005	APC F305	
b. CONTRIBUTING								
e-)5359076969070996	CARDS NO: 1	100A						
	with Security Classification Code							
(U) Pest	cicide Formulation	ons, Contro	olled-Relea	se, E	nvironm	entally	Compatib.	le
	D TECHNOLOGICAL AREAS							
005900 E	Environmental Bi	ology; 0026	00 Biology					
13. START DATE		14. ESTIMATED COMP	LETION DATE	15. FUNDI	NG AGENCY			ANCE METHOD
7710		8209		DA			C.	In-House
17. CONTRACT/GR	ANT				URCES ESTIMA	TE & PROFES	SIONAL MAN YRE	h FUNDS (In thousands)
& DATES/EFFECT	rive:	EXPIRATION:			RECEDING		-	
₽ HAMPEU:*				FISCAL	82		1.0	26
G TYPE:		& AMOUNT:		YEAR	CHRENT			
& KIND OF AWARD	D:	f. CUM. AMT.			83		0.5	44
19. RESPONSIBLE	DOD ORGANIZATION			20. PERF	ORMING ORGAN	IZATION		
NAME:*	US Army Medical	Bioengineer	ring	NAME:	US A	rmy Medi	cal Bioe	ngineering
	Research & Devel			j	Rese	arch & D	evelopme	nt Laboratory
	Fort Detrick, Fr			ADDRESS:	Fort	Detrick	, Freder	ick, MD 21701
	,	·						
				PRINCIPA	L INVESTIGAT	OR (Fumish SSAI	I II U.S. Academic	(nelitution)
RESPONSIBLE IND	HVIQUAL			NAME:	Nel	son, J.H		
NAME: 1	Albertson, John	N., Jr.		TELEPH	ONE: (30	1) 663-7	237; AUT	ovon 343-7237
	(301) 663-2434;		3-2434	SOCIAL	SECURITY AC	COUNT NUMBER:		
B1. GENERAL USE				ASSOCIAT	E INVESTIGAT	ORS		
Ī				NAME:	And	erson, L	.м.	
ł				NAME:				POC:DA

- EXECUTION OF Proceeding Each with Security Classification Code)

 (U) Pesticide Formulations; (U) Controlled-Release;

 (U) Pest Management; (U) Environmental Compatibility; (U) Vector Control

 13. TECHNICAL OBJECTIVE, 24 APPROACH. 25. PROGRESS (Pumish Individual peragraphs (dentified by number. Proceeds text of each with Security Classification Code.)
- 23. (U) Identify and evaluate environmentally compatible controlled-release pesticide formulations of military relevance for use in support of tactical operations and fixed military installation pest management/vector control programs.
- 24. (U) Utilizing commercially prepared controlled-release pesticide formulations and carriers potentially suitable for military use, quantify release rates and degradation rates in the laboratory. Those formulations found to be best in laboratory tests will be evaluated in field tests to verify laboratory results under natural environmental conditions. Determinations both in the laboratory and in the field will be biological effectiveness, environmental compatibility, cost effectiveness, and compatibility with current standard pesticide dispersal equipment.
- 25. (U) 8110 8209. A controlled-release floating granule formulation of a selective biological insecticide (Bacillus thuringiensis var. israelensis) was tested in the laboratory against 3rd instar Aedes aegypti larvae. The floating granules were effective for only 2-3 days at the recommended application rates. Although this represents a 2- to 3-fold increase in duration of effectiveness over the technical material, it is an operationally unacceptable duration. Tests will continue to refine the controlled release concept for this highly effective, environmentally acceptable biological insecticide.

vellable to contractors upon originator's espraval

<u>TITLE</u>: (U) Pesticide Formulations, Controlled-Release, Environmentally Compatible

FUNDING HISTORY: PY - 90K; CY - 26K; BY - 44K

PROBLEM DEFINITION: To develop and register long-lasting and environmentally compatible pesticide formulations for use by the military.

IMPORTANCE: Controlled-release environmentally degradable pesticide formulations systems are needed to replace the long-lasting, broad-spectrum pesticides, like DDT, that have been cancelled or suspended. The current formulations of new compounds are short-lived and have relatively short shelf life; thus, they are overall militarily less acceptable. These shortcomings can be overcome through application of a controlled-release formulation. This should result in reduced pesticide use, an important aspect of military vector control programs.

APPROACH: A controlled-release pesticide formulation system envisions the formulation of pesticides into carriers having chemical or physical characteristics that release the pesticide at a predetermined rate into the environment so that, after a given time, the pesticide and carrier are completely degraded.

ACHIEVEMENTS: A controlled-release floating granule formulation of a selective biological insecticide (Bacillus thuringiensis var. israelensis) was tested in the laboratory against 3rd instar Aedes aegypti larvae. The floating granules were effective for only 2-3 days at the recommended application rates. Although this represents a 2- to 3-fold increase in duration of effectiveness over the technical material, it is an operationally unacceptable duration. Tests will continue to refine the controlled-release concept for this highly effective, environmentally acceptable biological insecticide.

RELATIONSHIP TO CORE PROGRAM: This project involves evaluation and field testing of several new pesticide formulations. The outcome will provide the military with a new series of effective pesticides that are registered for medically important arthropods.

MANUSCRIPT: Evaluation of a Controlled-Release Silicate Formulation of Temephos against Aedes Aegypti Larvae in the Laboratory and Psorophora Columbiae Larvae in Rice field Plots; Anderson, L. M., Nelson, Dr. J. H., Thies, C., and M. V. Meisch. J. Med. Ent. (In press)

DECEADON	RESEARCH AND TECHNOLOGY WORK UNIT SUMMARY			1. AGENCY ACCESSION			I. DATE OF SUI	MARY	REPORT COSTROL SYMBOL	
KESEARCH	AND TECHNOLOG				A OG 8	8686	82 10	_01	DD-DI	R&E(AR)636
& DATE PREV SUMPRY	4. KIND OF SUMMARY	S. SUMMARY SCTY	S. WORK SECURITY	7. REGR	ADING	SA DH	8'H NSTR'H	SE SPECIFIC I		LEVEL OF SUM
81 10 01	D. CHANGE	ט	U	<u> </u>		_	NL		J MO	A WORK UNIT
10. NO./CODES:*	PROGRAM ELEMENT	PROJECT		TASK A	REA NUI	MBER		WORK UNIT	NUMBER	
. PRIMARY	63732A	3846373	2D836	BI	3		004 A	PC F306		
b. CONTRIBUTING										
XXXXXXXXXXXXXXXX	STOG 80-7.2									
11. TITLE (Procedo with	Security Classification Code	•								
(U) Form/F	it/Function S	tudy for IS	O/TEMPER							
18. SCIENTIFIC AND TE	CHHOLOGICAL AREAS									
009800 Med	ical and Hosp	ital Equipm	ent; 00240	O Bio	pengi	neer:	ing			
IS START DATE		14. ESTIMATED COMP	LETION DATE	18. FUN	ING AGEN	ICY		16. PERFORM	NCE WET	нов
8110_		8311		D/	A			C.	In-Ho	use
17. CONTRACT/GRANT				18. RES	DURCES E		A PROFESS	ONAL MAN YRS	▶ FUN	DE (In thousands)
A DATES/EFFECTIVE:		EXPIRATION:			PRECEDI	NE			I	
P HOMPEN:0				FISCAL		82		0.1	_1	09
G TYPE:		& AMOUNT:		YEAR	CURRENT				T	
& KIND OF AWARD:		f. CUM. AMT.		<u> </u>		83		0.2	1	17
19. RESPONSIBLE DOD	DRGANIZATION			20. PER	ORMING	PERMIT	ATION			
HAME:* US	Army Medical	Bioengineer	ing	NAME:*	U	S Arı	my Medic	al Bioe	ngine	ering
Res	earch & Devel	opment Labo	ratory	1	Re	esea	rch & De	velopme	nt La	boratory
ADDRESS:* For	t Detrick, Fr	ederick. MI	21701	AODRES	· F	ort 1	Detrick,	Freder	ick.	MD 21701
	•	•		l			•		•	
				PRINCIP	AL INVES	TIGATOR	(Fumish SSAN	l U.S. Academic	[netitution	1
RESPONSIBLE INDIVIDU	IAL			NAME:	•	Conwa	ay, W.H.			
HAME: Albe	ertson, John	N. Jr.		TELEP					OVON	343-7237
	1) 663-2434:		1-2434	SOCIAL		-	UNT NUMBER:			
BI. GENERAL USE				ASSOCIA	TE INVES	TIGATOR	18			
				NAME:						
				NAME:						POC:DA
TE EYWORDS /Procede	BACH with Society Classifi	cation Code)								

- (II) Hospital Field; (II) Shelter; (II) Field Medicine; (II) Bioengineering

 L TECHNICAL OBJECTIVE. 24 APPROACH. 25. PROGRESS (Pumish Institutional paragraphs Identified by number. Proceeds test of each with Socurity Classification Code.
- 23. (U) Determine a functional arrangement of medical equipment within expandable International Organization for Standardization (ISO) shelters and Tent, Extendable, Modular, Personnel (TEMPER) tents contemplated for use in field hospitals. The study will include such factors as packability/transportability of equipment within the folding shelters, placement of utilities, power requirements, and other pertinent factors.
- 24. (U) Procure and set up specimen shelters. Different arrangements of the required equipment for various hospital elements will be made within the shelters, and these will be evaluated for the factors defined above under "Objective."
- 25. (U) 8110 8209. Prototype two-for-one and three-for-one shelters were obtained for use in this study. Also, the equipment necessary to set up a two table surgery was identified from Unit Assembly listings and was obtained on loan. Work on the functional arrangement for this equipment has been started.

Aveilable to contractors upon originator's eporove

TITLE: (U) Form/Fit/Function Study for ISO/TEMPER

FUNDING HISTORY: PY - 0; CY - 9K; BY - 17K

PROBLEM DEFINITION: In constituting the new MASH hospital, it is desirable to eliminate the MUST expandable shelters and replace them with shelters conforming to the International Organization for Standardization (ISO) standards to achieve uniformity with other services and NATO allies. To accomplish this goal, it is necessary to prove that functional arrangements of field medical equipment can be accommodated by the ISO shelters.

IMPORTANCE: The replacement of special purpose equipment with internationally standardized equipment carries obvious benefits in both cost and maintainability. The resurrection of the MASH hospital in revised form affords an excellent opportunity to replace the MUST expandable shelters which have been trouble prone and represent a unique design.

<u>APPROACH</u>: Equipment layouts and packaging plans will be developed within the ISO shelters for laboratory, pharmacy, surgery, sterile preparation, and X-ray functions of the new MASH. The study will also consider placement of utilities and will seek to minimize the number of different ISO models required.

ACHIEVEMENTS: Prototype models of the two-for-one and three-for-one ISO shelters have been obtained for use in this study. Also, cabinetry and medical equipment necessary for a two table surgery have been obtained on loan. Preliminary layouts have been started.

RELATIONSHIP TO CORE PROGRAM: This task is consistent with the mission of the Laboratory to develop field medical and ancillary equipment.

RESEARCH AND TECHNOLOGY WORK UNIT SUMMARY					DA OG 1514 82 10 01 DD-DRAE(AR)636							
A DATE PREV SUMPRY	A KIND OF SUMMARY	S. SUMMARY SCTY	T HORK STOURTS		OG 1514	82 10	OT [1 18481 As 21111			
81 10 01	H. TERMINATI		E. WORK SECORITY			NL	CONTRACTOR		A WORK WHIT			
01 10 01 10. NO./CODES:*	PROGRAM ELEMENT			7.00	AREA NUMBER	IAL						
		PROJECT		-		1000	WORK UNIT					
PRIMARY	63732A	3546373	20836	BA	<u> </u>	003 A	IPC F307	1000 100 TO TO	*************************			
b. CONTRIBUTING		<u> </u>				.						
XXXXXXXXXX	STOG 80-7.2			<u> </u>		<u> </u>						
-	Security Classification Code)	1▼										
(U) Radio P	aging System											
			Medical and		•	uipment;						
021000 Radi	o Communicati	ons; 00390	O Communica	ation	18							
IS. START DATE		14. ESTIMATED COMP	PLETION DATE	IS FUN	DING AGENCY		16. PERFORM	IANCE MET	нор			
8105		8304		DA	<u> </u>		L C.	In-Hou	ıse			
7. CONTRACT/GRANT					OURCES ESTIMAT	E & PROFESS	SIONAL MAN YR		IDS (In thousands)			
& DATES/EFFECTIVE:		EXPIRATION:			PRECEDING	T		T				
P HOMBER:*			I	FISCAL	82		0	1	0			
G TYPE:		& AMOUNT:	I	YEAR	82			\top				
& KIND OF AWARD:		f. CUM. AMT.		L	83		0		0			
. RESPONSIBLE DOD O	RGANIZATION			30. PER	FORMING ORGANI	ZATION						
HAME:* US A	rmy Medical B	lioengineer	ing	HAME:	US Ar	my Medic	al Bine	ngine	ering			
	arch & Develo					rch & De						
_	Detrick, Fre	•	•	ADDRES	•		•		MD 21701			
FOIL	Door Long Fife	Julia and Pall	1101		* O1.0	JOUL TURY	eucl	-UK, 1				
				PRINCIP	PAL INVESTIGATO	IR (Fumish SSAN	II U.S. Academic	: [natifution	,			
RESPONSIBLE INDIVIDU	NL.			NAME:					-			
	_	1 Tm		TELEP		sky, W.C		ONON 1	202 7227			
	ertson, John N	•	oho!!		L SECURITY ACC) 663-72	:51; AUT	OVUN .	345-1451			
TELEPHONE: (301) 663-2434; A	TUTUVUN 343	-2434	4	TE INVESTIGATO							
				NAME:			_					
				1	Sall	sbury, L	٠٠٠٠					
		atlan Code)		HAME:					POC:DA			

- (U) Field Equipment; (II) Medical; (II) Paging, Radio; (U) Engineering Evaluation

 13. TECHNICAL OBJECTIVE, 24 APPROACH, 28. PROGRESS (Pumish Individual paragraphs Identified by number. Proceeds test of each with Sociality Classification Code.)
- 23. (U) Conduct engineering evaluation of radio paging system for field medical applications. The US Army Medical Department must be prepared to provide immediate and responsive medical treatment at all field medical treatment facilities at all times. The capability for immediate contact with key hospital personnel would ensure maximum effectiveness.
- 24. (U) Survey commercial source of radio paging systems and select for development testing and operational testing the unit/units most closely satisfying better requirements.
- 25. (U) 8110 8209. This task was terminated by a decision of higher headquarters when it was determined that this equipment could compete with the allocation of combat radio frequencies, already limited on the battlefield, and could provide a beacon to the enemy.

TITLE: (U) Radio Paging System

FUNDING HISTORY: PY - 10K; CY - 0; BY - 0

PROBLEM DEFINITION: To provide immediate and responsive medical treatment at all field medical treatment facilities.

IMPORTANCE: The capability for immediate contact with key hospital personnel would ensure maximum effectiveness in field medical units.

APPROACH: Commercial radio paging systems will be surveyed. The units most likely to fulfill the requirements will be selected for DT and OT.

ACHIEVEMENTS: This task was terminated by a decision of higher headquarters when it was determined that this equipment could compete with the allocation of combat radio frequencies, already limited on the battlefield, and could provide a beacon to the enemy. Task was terminated prior to any research efforts being expended.

RELATIONSHIP TO CORE PROGRAM: This task is consistent with the Laboratory's mission to provide suitable equipment for field medical treatment facilities.

RESEARCH AND TECHNOLOGY WORK UNIT SUMMARY				DA OG 5861			2. DATE OF SUI		BEPORT CONTROL STMEDL DD-DR&E(AR)636	
	T	A SUMMARY SCTY	A. WORK SECURITY			_	OZ TO	lob specific o		
& DATE PREV SUMPRY	1			/. HEOR	roling.	7- 5-		CONTRACTOR	ACCESS	. LEVEL OF SUR
81_10_01	H.TERMINATIO	U NO	U	<u> </u>			NL	X YES	J #40	A WORK UNIT
10. NO./CODES:*	PROGRAM ELEMENT	PROJECT		TASK A		UMBER		WORK UNIT	NUMBER	<u> </u>
& PRIMARY	63732A	3846373	2D836	AA			002 A	PC F308		
b. CONTRIBUTING		I								
c-)(909(7090)(3090)(CARDS NO: 1	30R								
11. TITLE (Procedo with	Security Classification Code) *								
(U) Delous:	ing Outfit, Po	ower-Driver	1							
18. SCIENTIFIC AND TE										
009800 Med	ical and Hosp	ital Equipm	ent; 00240	O Bio	engi	ineer	ing			
18. START DATE		14 ESTIMATED COM	PLETION DATE	TIE FUNC	DA DHK	ENCY		16. PERFORMA	HCE MET	HOD
8010		8509		D#			1	<u>c.</u> 1	[n-Ho	use
17. CONTRACT/GRANT				10. RES		ESTIMATE	& PROFESS	IONAL MAN YRS	h FUR	IDS (In thousands)
& DATES/EFFECTIVE:		EXPIRATION:			PRECE	DINE				
# HUMBER:*				FISCAL		82		0	I	0
& TYPE:		& AMOUNT:		YEAR	CURRE	NY				
& KIND OF AWARD:		f, CUM. AMT.		!		83		0		0
19. RESPONSIBLE DOD	ORGANIZATION			30. PERI	ORMING	ORGANIZ	ATION			
NAME:* US	Army Medical	Bioengineer	ring	HAME:	τ	JS Am	nv Medic	al Bioer	ngine	ering
	earch & Devel	-	_							boratory
	t Detrick, Fr	•	-	ADDRES				Freder		_
ror	t Detrick, II.	edelick, in	21,01		-	. 0. 0	oco. Lon,	- 1 0 4 0 1 .	,	
!				PRINCIP	AL INVE	STIGATO	(Fumioh SSAN	If U.S. Academic	[noiltuil o n	ง
RESPONSIBLE INDIVIDI	UAL			NAME:		Ande	rson, L.	м		
		N Y.		TELEP	HOME:				NON	343-7237
	ertson, John	•	a aliah	SOCIAL			J DOS-12	. JI , MUIC) 4 OI4	7-7-1-21
TELEPHONE: (30	1) 663-2434:	AUTOYUN 34	1-2414	-		STIGATOR		•		
PI. WENERAL USE				1	TE INVE	STIGATOF	•			
				NAME:						
				NAME:						POC:DA

(U) Delouser; (U) Dust; (U) Lice;

(II) Insecticide Dispersal Equipment: (II) Insect Control

- 23. (U) Develop a new replacement slousing outfit which is capable of accurately dispensing new delousing agents. Units will be used by medical and quartermaster personnel for control of body lice.
- 24. (U) Using standard military and commercial components, reengineer the militarily unique delousing outfits. Units will be lighter and less bulky than current items. Dispersal system will be very accurate and capable of adjustment from 1 to 6 gm per treatment point.
- 25. (U) 8110 8209. Natick Research and Development Laboratories initiated the Troop Support and Aviation Materiel Readiness Command (TSARCOM) funded PIP and fabricated an improved gun/nozzle assembly that was designed to dispense the newest pediculicides at the proper rates. The PIP item was tested at USAMBRDL, and recommendations were made for additional modifications including changing the type and position of the handle valve to enable easier engagement and to provide more consistent rates of delivery. These coupled with other recommendations resulted in a modified PIP item that is far superior to the current delouser and enhances combat readiness by adding 15 years to the life expectancy of the delousing unit. The work unit is being terminated under the advanced development program element and, upon advice from TSARCOM, will be reinitiated under the 6.2 program element.

Aveilable to contractors upon originator's ecorovei.

TITLE: (U) Delousing Outfit, Power-Driven

FUNDING HISTORY: FY - 11K; CY - 0; BY - 0

PROBLEM DEFINITION: The current standard Delousing Outfit, Power-Driven, was initially designed during World War II. The delousing outfit does not apply consistent rates of pesticide. This deficiency has been reported as a potential health hazard in conjunction with several field experiments.

IMPORTANCE: Delousing outfits, power-driven, are utilized during military operations for control of outbreaks of body lice which precede epidemics of typhus. Delousing outfits will be used to prevent devastating outbreaks of typhus which previously have characterized all armed conflicts in the European theater.

APPROACH: Using standard military and commercial components, the militarily unique delousing outfit will be reengineered. It will be lighter and less bulky, and the guns and nozzles will be specifically designed for uniform dust dispersal.

ACHIEVEMENTS: Natick Research and Development Laboratories initiated the Troop Support and Aviation Materiel Readiness Command (TSARCOM) funded PIP and fabricated an improved gun/nozzle assembly that was designed to dispense the newest pediculicides at the proper rates. The PIP item was then tested at USAMBRDL, and recommendations were made for additional modifications including changing the type and position of the handle valve to enable easier engagement and to provide more consistent rates of delivery. These coupled with other recommendations resulted in a modified PIP item that is far superior to the current delouser and enhances combat readiness by adding 15 years to the life expectancy of the delousing unit. The work unit is being terminated under the advanced development program element and, upon advice from TSARCOM, will be reinitiated under the 6.2 program element.

RELATIONSHIP TO CORE PROGRAM: This PIP item will update the current Delousing Outfit, Power-Driven, available for use in the field.

MANUSCRIPT: Delousing Outfit, Power-Driven: 10 Gun; Anderson, Leroy M. Article for publication in the MRDC Newsletter.

RESEARCH AND TECHNOLOGY	UMMARY		L OG 9318				CONTROL STUBOL R&E(AR)636	
81 12 23 D. CHANGE	a. Summary Scty ⁶ U	s. work security	7. REGR	ADING PA (NL	Oh SPECIFIC D		A WORK UNIT
18. NO./CODES:® PROGRAM ELEMENT	PROJECT	NUMBER	TASK /	REA NUMBER	T	WORK UNIT		1
a PRIMARY 63732A	3846373	2D836	B/	1	007 A	PC F310		
b. CONTRIBUTING								
CARDS NO: 14	20K							
(U) Steam Vacuum Pulse S 18. SCIENTIFIC AND YECHHOLOGICAL AREAS 009800 Medical and Hosp:	<u>Sterilizer</u>			erobiolog		-		
13. START DATE	14. ESTIMATED COMP	LETION DATE	IL FUN	DING AGENCY	5.7	16. PERFORMA	NCE MET	HOD
8112	8404		D	A	1	c. 1	n-Ho	use
17. CONTRACT/GRANT			10. RES	DURCES ESTIMA	TE & PROFESS	IOMAL MAN YES	& FUN	IDS (In thousands)
& DATES/EFFECTIVE: & NUMBER:*	EXPIRATION:		FISCAL	82		1.2		74
G TYPE:	4 AMOUNT:		YEAR	CUMMENT			 	
& KIND OF AWARD:	f. CUM. AMT.			83		1.4		65
19. RESPONSIBLE DOD ORGANIZATION			30. PERI	ORMING ORGAN				
MAME:* US Army Medical	Bioengineer	ing	NAME:*	US A	rmy Medic	al Bioer	gine	ering
Research & Develo	opment Labo	ratory	ADDRES	_	arch & De Detrick,	-		•
RESPONSIBLE INDIVIDUAL NAME: Albertson, John TELEPHONE: (301) 663-2434;	3-2434	HAME:	Pre	-		•		
			NAME:			T		
			NAME:	Sal:	isbury, L			POC:DA

- (II) Field Sterilizers: (II) Power Module: (II) Steam Sterilization

 15. TECHNICAL OBJECTIVE, 24 APPROACH, 25. PROGRESS (Pumish Individual paragraphs identified by number. Proceeds text of each with Security Classification Code.
 - 23. (U) Conduct an engineering evaluation of the steam vacuum pulse sterilizer system.
 - 24. (U) Conduct DT II and OT II testing and evaluation on prototypes of this system.
- 25. (U) 8112 8209. Three sets of prototype hardware have been accepted. After a substantial period of familiarization, debugging, and identification of weak components, DT II effort has begun. Several problems have been solved, and it is believed that all others have been identified.

TITLE: (U) Steam Vacuum Pulse Sterilizer (SVP) System

FUNDING HISTORY: PY - 0; CY - 74K; BY - 65K

■ ないかんので ■ ないないのは

PROBLEM DEFINITION: Two 16-inch diameter, gravity-displacement steam sterilizers (NSN 6530-00-926-21451 and 6530-00-027-5260) are available for field installations. They are of aging design, and their speed and size do not satisfy the expected needs of throughput and pack size. A need exists for a sterilizer of the prevacuum type to repalce these slower and less efficacious units.

IMPORTANCE: A steam sterilization capability in field hospitals is an evident necessity. The substitution of a larger, more capable item for units currently in stock will improve the logistical support situation while providing a move up to current technology.

APPROACH: A suitable item will be provided by a contract closely monitored by the Laboratory's technical staff. Modifications indicated by DT II will be made on OT II results to provide a fully satisfactory item.

ACHIEVEMENTS: Three sets of prototypes have been accepted by the Contracting Officer's Technical Representative. After a substantial period of familiarization, debugging, and identification of weak components, DT II effort has begun. Several problems have been solved, and it is believed that all others have been identified.

RELATIONSHIP TO CORE PROGRAM: This task is part of the Laboratory's mission to develop equipment to support the practice of medicine in a field environment.

	AND TECHNOLOG			DA	OG 9320	82 10			ethol studel E(AR)636
81 12 23	D. CHANGE	U SUMMARY SCTY	e. WORK SECURITY	7. REGRAD			A SPECIFIC CONTRACTOR	ACC ESS	LEVEL OF SUM A FORE UNIT
10. NO./CODES:*	PROGRAM ELEMENT	PROJECT			EA NUMBER		WORK UNIT	NUMBER	
- PRIMARY	63732A	3846373	2D836	BA		008 AP	C F311		
S. CONTRIBUTING									
<%96%1480013680K	CARDS NO: 14								
(U) Ethylen	e Oxide Ster	·	EOS) System	m					
009800 Medi		ital Equipm	ent; 01010	0 Micr	obiology				
			CETION DATE		IG AGENCY	. 1	4. PERFORMA		•
8112	· · · · · · · · · · · · · · · · · · ·	8404		DA			C. In-	House	
					ACES ESTIMATE	& PROFESSION	HAL MAN YES	L PUNDS	(In thousands)
& DATES/EFFECTIVE: & HUMBER:*		EXPIRATION:		FISCAL	82	1 1	_1		65
& TYPE:		4 AMOUNT:		YEAR E	PRESENT	1		1	
& KIND OF AWARD:		f. CUM. AMT.		1 1	83	1 1	.4	1	63
19. RESPONSIBLE DOD OF	MOTAS INABI	1		20. PERFO	MING ORGANIZ		T		
HAME: US A	rmy Medical I	Bioengineer	ing	NAME:*	US Arm	y Medica	l Bioen	gineer	ing
Rese	arch & Development Detrick, From	opment Labo	ratory	ADDRESS:*		ch & Dev Detrick,	•		-
RESPONSIBLE INDIVIDUA NAME: Albe	5 JI 3 JI	HAME:* TELEPHO	Prens	Bky, W.C. 663-723		•	3-7237		
1. GENERAL USE) 663-2434;	MUTOAON 747	-477	1	INVESTIGATOR				}
				NAME:		bury, L.	1.		
				NAME:	Salis	bury, b.	.		POC:DA

- (U) Gaseous Sterilization: (U) Aeration: (U) Residues: (U) Toxic; (U) Leak Detector
 13. TECHNICAL OBJECTIVE, 24. APPROACH, 25. PROGRESS (Pumilal Individual paragraphs identified by number. Proceeds test of each with Security Classification Code.)
- 23. (U) Conduct an engineering evaluation of the ethylene oxide sterilization system.
- 24. (U) Conduct DT II and OT II testing and evaluation on prototypes of this system.
- 25. (U) 8112 8209. Three sets of prototype hardware have been accepted. After a substantial period of familiarization, debugging, and identification of weak components, DT II effort has begun. Several problems have been solved, and it is believed that all others have been identified.

TITLE: (U) Ethylene Oxide Sterilization (EOS) System

FUNDING HISTORY: PY - 0; CY - 65K; BY - 63K

A PAGE AND PROPERTY OF THE PRO

PROBLEM DEFINITION: No reliable field sterilization system exists for the preparation of reusable heat-labile medical equipment. A growing need exists for such a system. Since ethylene oxide is the overwhelming choice in fixed hospitals for the sterilization of heat-labile goods, such a device has been selected to fill this void.

IMPORTANCE: Large amounts of reusable heat-labile medical goods are already in field hospitals. There is also a disturbing but understandable possibility of reusing plastic and rubber goods that were intended for one-time use. To fill this need in the field, complete sterilization is mandatory.

APPROACH: A suitable item will be provided by a contract closely monitored by the Laboratory's technical staff. Modifications indicated by DT II will be made on OT II results to provide a fully satisfactory item.

ACHIEVEMENTS: Three sets of prototypes have been accepted by the Contracting Officer's Technical Representative. After a substantial period of familiarization, debugging, and identification of weak components, DT II effort has begun. Several problems have been solved, and it is believed that all others have been identified.

RELATIONSHIP TO CORE PROGRAM: This task is part of the Laboratory's mission to develop equipment to support the practice of medicine in a field environment.

MEDICAL SYSTEMS IN NONCONVENTIONAL ENVIRONMENTS

Services (Services (Proposes) (Services Services)

II. CONTRACT/GRANT			10. RES	OURCES ESTIMATE	-	AL MAN YRS	L FUNDS (In thousands)						
& DATES/EFF	ECTIVE:	EXPIRATION:		PHESEDING									
P HOMPEN:*			FISCAL	1 62	L0.	1							
G TYPE: G KIND OF AWARD:		4 AMOUNT:	YEAR	CURRENT									
		f. CUM. AMT.		83	L0.	7	84						
19. RESPONSIE	LE DOD ORGANIZATION		30. PER	FORMING ORGANIZA									
NAME: US Army Medical Bioengineering				"AME." US Army Medical Bioengineering									
Research & Development Laboratory ADDORESS:* Fort Detrick, Frederick, MD 21701			ADDRES	Research & Development Laboratory Fort Detrick, Frederick, MD 21701									
RESPONSIBLE INDIVIDUAL HAME: Albertson, John N., Jr. TELEPHONE: (301) 663-2434; AUTOVON 343-2434				PRINCIPAL INVESTIGATOR (Fumion SEAN II U.S. Academic Inciduation) NAME: Malek, J.W. VELEPHONE: (301) 663-7277; AUTOVON 343-7277 BOCIAL SECURITY ACCOUNT NUMBER:									
B1. GEMERAL USE			HAME	ASSOCIATE INVESTIGATORS NAME: POC. DA									
BE KEYWORDS	(Proceds EACH with Jonathy Classiff	(U) Chemical	; (U) B	iological;	(U) Nucl	ear; (U) Field						

Management; (U) Treatment; (U) Handling

23. (U) Evaluate foreign medical materiel/technology/doctrine for AMEDD adoption and use in contaminated field environments. Contaminated environments include nuclear, biological, and chemical warfare. Evaluation and adoption of selected foreign medical materiel/technology/doctrine can rapidly and effectively improve AMEDD's casualty management capabilities.

Equipment: (II) Medical Materiel: (II) Evaluation: (II) Casualty Management: (II) Patient B. TECHNICAL OBJECTIVE, 24 APPROACH, 26 PROGRESS (Punish individual peragraphs Identified by number. Proceeds test of each with Security Classification Code.)

- 24. (U) Start evaluation of the Federal Republic of Germany's foreign medical material/technology/doctrine for patient handling in a chemical warfare environment.
- 25. (U) 8110 8209. Reports on equipment and/or procedures emanating from foreign sources are reviewed for potential US Army use.

TITLE: (U) Evaluation of Foreign Medical Materiel for Use in a Contaminated Environment

FUNDING HISTORY: PY - 12K; CY - 8K; BY - 84K

PROBLEM DEFINITION: Several foreign countries have developed doctrine/ technology/materiel for patient handling and treatment in contaminated field environments (nuclear, biological, and chemical). To improve AMEDD's casualty management capabilities rapidly and effectively, observance and evaluation of selected foreign medical materiel will be addressed.

IMPORTANCE: AMEDD's doctrine for treatment and handling of field patients is currently being upgraded. Evaluation of foreign material would improve, enhance, and speed up positioning of critical material to field elements.

APPROACH: Intelligence documents are constantly reviewed for possible candidate material.

ACHIEVEMENTS: British materiel (MARK III and MARK IV) is being used by NATICK Laboratories to fabricate patient protective evacuation bags. Comparison of chemical protection of British materiel is being conducted by NATICK Laboratories.

RELATIONSHIP TO CORE PROGRAM: The program is directly related to the Laboratory's mission to develop field medical material.

RESEARCH AND TECHNOLOGY WORK UNIT SUMMARY			1. ASENCY ACCESSION			L DATE OF SU	MARY	REPORT CONTROL STREET					
RESEA	ARCH AND TECHNOLOG	Y WORK UNIT S	UMMARY	D/	A OG	2702	82 10	01	DD-D	R&E(AR)636			
& BATE PREV SI	JMPRY 4. KIND OF SUMMARY	S. SUMMARY SCTY	& WORK SECURITY	7. REGR	DING	3 a. DIS	D'N INSTR'N	SPECIFIC	DATA -	. LEVEL OF SUM			
81 10 0	1 D. CHANGE	บ	ַ				NL			A WORK UMIT			
10. NO./CODES:	PROGRAM ELEMENT	PROJECT	NUMBER	TASK A	REA NU	MOER		WORK UNIT	T NUMBE	R			
- PRIMARY	62734A	3M1627	34A875	B	3	\Box	223 A	PC F354					
- CONTRIBUTIO	16												
c. X990(1930)(1)	xx STOG 80-7.2	:1											
11. TITLE (Procee	b with Socurity Classification Code	ور (U) Te	chnical Fea	sibi	lity	Test:	ing (TFI	of of					
Deliver	y Systems for Ch	emical War:	fare Medica	ment	3								
12. SCIENTIFIC A	ND TECHNOLOGICAL AREAS	002400	Bioenginee	ring	; 003	200 (Chemical	, Biolo	gica				
	iological Warfar			l Hos	oital	Equ:	ipment		_				
13. START DATE		14. ESTIMATED COM	LETION DATE	IL FUNC	HNG AGE	ICY		16. PERFORM	ANCE ME	нов			
8005		CONT		DA		1	C. In-House		ouse				
17. CONTRACT/G	RANT		18. RESOURCES ESTIMATE			& PROFESSI	ONAL MAN YR	h FU	h FUNDS (In thousands)				
& DATES/EFFEC	TIVE:	EXPIRATION:				ME							
b. NUMBER:*				FISCAL			ł	0.2		23			
G TYPE:		4 AMOUNT:		YEAR	AR CURRENT								
& KIND OF AWAR	ID:	f. CUM. AMT.				83		0.6		61			
19. RESPONSIBLE	DOD ORGANIZATION			30. PERF	ORMING	RGANIZA	TION						
MAME:*	US Army Medical	Bioenginee	ring	HAME:	U	S Art	ny Medic	al Bioe	ngine	ering			
Research & Development Laboratory					Research & Development Laboratory								
	Fort Detrick, Fr			ADDRESS:* Fort Detrick, Frederick, MD 21									
		•		1			•		•				
					PRINCIPAL INVESTIGATOR (Fumion SSAN II U.S. Academic Inetitation)								
RESPONSIBLE IN	DIVIDUAL			HAME:	1	Male	k. J.W.						
MAME:	Albertson, John	N. Jr.		TELEP				77: AUT	'OVON	343-7277			
YELEPHONE: (301) 663-2434: AUTOVON 343-2434					SOCIAL SECURITY ACCOUNT NUMBER:								
81. GENERAL USE				DA OG 2702 82 10 01 TREGRADING* DA DOBS'H MISTR'H NL TASK AREA NUMBER BB 223 APC F354 Sibility Testing (TFT) of IMENTS FING; 003200 Chemical, Biological Hospital Equipment 16 PERFORMANCE METHOD DA C. In-House 16 PERFORMANCE METHOD M. RESOURCES ESTIMATE PRECEDING FISCAL YEAR VEAR US Army Medical Bioengineering Research & Development Laborat ADDRESS* FORT Detrick, Frederick, MD PRINCIPAL INVESTIGATOR (PURNISH SEAN II U.S. Academic Institution) HAME:* Malek, J.W. TELEPHONE: (301) 663-7277; AUTOVON 343-7 SOCIAL SECURITY ACCOUNT NUMBER: ASSOCIATE INVESTIGATORS HAME: CONTRACTOR NAME:* NAME:* PRINCIPAL INVESTIGATORS HAME: ASSOCIATE INVESTIGATORS HAME: CONTRACTOR PRINCIPAL INVESTIGATORS HAME: ASSOCIATE INVESTIGATORS									
				HAME:									
				HAME:						POC:DA			

Methods: (U) Automatic Injectors: (U) Chemical Warfare Antidotes: (U) Field Medical
TECHNICAL OBJECTIVE.* 24 APPROACH. 25. PROGRESS (Purplet Individual paragraphs identified by number. Proceeds test of each with Socurity Classification Code.)

Materiel; (U) Chemical Casualty

23. (U) Evaluate any and all kinds of antidote delivery systems to determine the best method/appliance to contain chemical warfare medicaments.

(U) Delivery Systems; (U) Injectors; (U) Injection

- 24. (U) Conduct marked research to determine possible methods/appliances. Prototypes will be obtained and evaluated for potential use against established military characteristics.
- 25. (U) 8110 8209. Purchase specifications for 2-PAM chloride were reviewed. Vibration tests on Mark I coupler were initiated and completed.

TITLE: (U) Technical Feasibility Testing (TFT) of Delivery Systems for Chemical Warfare Medicaments

FUNDING HISTORY: PY - 50K; CY - 23K; BY - 61K

PROBLEM DEFINITION: There are various methods/types of delivery systems to inoculate personnel with liquid medicaments. This task is to review and evaluate the various known types of systems to ascertain the best method/appliance.

IMPORTANCE: FDA regulations preclude use of multiple type drugs that may be administered by individuals. Personnel operating in a contaminated chemical warfare environment will need candidate material for immediate use.

<u>APPROACH</u>: All known commercial injecting methods or systems were searched and obtained. A list of major characteristics was prepared, and each method/system will be evaluated against those characteristics to determine which method/system is the best to contain medicaments.

ACHIEVEMENTS: Purchase specifications for 2-PAM Chloride were reviewed and comments were forwarded to task force. Vibration tests on Mark I coupler were initiated and completed during 4th Quarter FY 82.

RELATIONSHIP TO CORE PROGRAM: The program is directly related to the Laboratory's mission to develop field medical material.

RESEARCH AND TECHNOLOGY WORK UNIT SUMMARY			I. AGENCY ACCESSIONS		ON 2	2. DATE OF SUMMARY		REPORT CONTROL STREET				
RESEARCH	ARD IECHNOLOG	WORK UNIT SI	UMMAR I	DA OG 2840			82 10	01	DD-DR&E(AR)636			
& DATE PREV SUM'RY	4. KIND OF SUMMARY	S. SUMMARY SCTY	S. WORK SECURITY	7. REGRAD	HHO	B- 086	'N MSTR'N	OL SPECIFIC C		. LEVEL OF SUM		
81 10 01	H.TERMINATI	ט אס	U				NL	₩ ves [] 110	A WORK UNIT		
10. NO./CODES:*	PROGRAM ELEMENT	PROJECT	NUMBER	TASK AR	EA NUME	ER		WORK UNIT	NUMBER			
a PRIMARY	62734A	3M162734A875		BB			222 APC F355					
S. CONTRIBUTING												
c-> 6247847744 X	STOG 80-7.2	1										
11. TITLE (Procede with :	Security Classification Code	(U) Dev	elopment o	f Resu	uscita	ativ	e Equip	ment for	Mas	S		
Casualties	in a Chemica	l Warfare E	nvironment									
12. SCIENTIFIC AND TEC	CHNOLOGICAL AREAS		Bioenginee	ering; 003200 Chemical, Biological								
and Radiol	ogical Warfar	e; 009800 M	ledical and	Hospi	ital I	Equi						
13. START DATE		14. ESTIMATED COMP	LETION DATE	18. FUNDIN	IG AGENC	Y		16. PERFORMA	NCE MET	HOD		
8006		8612		DA L				C. In-Hou		use		
17. CONTRACT/GRANT					16. RESOURCES ESTIMATE				L FUN	b. FUNDS (In thousands)		
& DATES/EFFECTIVE:		EXPIRATION:		PRECEDING		,						
M NUMBER:*				FISCAL 82		2	0.7		63			
& TYPE:		4 AMOUNT:		YEAR CURRENT								
& KIND OF AWARD:		f. CUM. AMT.		83		3	0.0		0			
19. RESPONSIBLE DOD O	REANIZATION			30. PERFO	RMING OR	GANIZA	TION					
NAME:* IIS	Army Medical	Bioengineer	ing	HAME:*	US	Arm	v Medic	al Bioer	gine	ering		
	earch & Devel			US Army Medical Bioengineering Research & Development Laboratory								
A B B B B B B B B B B B B B B B B B B B	t Detrick, Fr	-	"	ADDRESS:*				Frederi		•		
. 01	0 2001 1011, 11		27701				ooo,	000				
ı				PRINCIPAL	. INVESTIG	SATOR (Furnish SSAN II	U.S. Academic	[netitution])		
RESPONSIBLE INDIVIDU	RESPONSIBLE INDIVIDUAL			Malek, J.W.								
NAME: Albertson, John N., Jr.				TELEPHONE: (301) 663-7277; AUTOVON 343-7277						343-7277		
	1) 663-2434 ·	•	-2H3H	SOCIAL S	ECURITY			,,, 11010		J.J 1211		
EL GENERAL USE				ASSOCIATE INVESTIGATORS								
				NAME:								
				NAME:						POC:DA		

- (U) Resuscitation; (U) Chemical Warfare Casualties;
 (II) Field: (II) Medical Materiel: (II) Breathing: (II) Ventilation

 2. TECHNICAL OBJECTIVE.* 2a APPROACH. 28. PROGRESS (Furnish Individue) paragraphs identified by number. Procedu test of each with Security Classification Code.)
- 23. (U) Develop a portable, mechanical unit suitable for the ventilation of mass chemical warfare casualties in a contaminated atmosphere under field conditions.
- 24. (U) Design, fabricate, and evaluate a unit to meet established criteria.
- 25. (U) 8110 8209. Five RFQ solicitations were received. The Source Selection Board terminated the RFQ because technology had advanced beyond the RFQ proposal criteria. No contract was awarded. In-house development continued, and the prototype was completed. Due to lack of interest, the task was terminated.

TITLE: (U) Development of Resuscitative Equipment for Mass Casualties in a Chemical Warfare Environment

FUNDING HISTORY: PY - 110K; CY - 63K; BY - 0

PROBLEM DEFINITION: No equipment exists today that can ventilate chemical warfare casualties on a mass basis. Personnel surviving an initial exposure to chemical warfare agents may exhibit failure to breathe properly and will require mechanical assistance.

IMPORTANCE: It is anticipated that chemical warfare casualties will place a heavy burden on medical field personnel. Equipment designed to handle many patients, simply and at the same time, will help both the medical personnel and improve the capability of the patient to survive.

APPROACH: Using fixed parameters established for a prior piece of equipment for a single patient, design has been expanded to place anywhere from one to four or eight patients on a single piece of apparatus.

ACHIEVEMENTS: An initial breadboard model was fabricated but was not evaluated.

RELATIONSHIP TO CORE PROGRAM: The program is directly related to the Laboratory's mission to develop field medical materiel.

RESEARCH AND TECHNOLOGY WORK UNIT SUMMARY			DA OG 5859			82 10		DD-DR&E(AR)636		
81 10 01	D. CHANGE	9. SUMMARY SCTY	S. WORK SECURITY	7. REGR	ADING ³ Da		'n meta'n VL	SA SPECIFIC		A TORK UMT
10. NO./CODES:*	PROGRAM ELEMENT	<u> </u>	<u> </u>	7000	AREA NUMBE		10			
10. NO./CODES:* PROGRAM ELEMENT PROJECT NUMBER B PRIMARY 62734A 3M162734A875					BB 221 APC F356					
A. CONTRIBUTING	OLIJAN	3,11021	JAROID	 		- 1		11 0 1 3 3 0		
C. XSHOCORRESCONOX	STOG 80-7.2	1		 	• •	- [
***************************************	Security Classification Code			 -				****************		
(U) Patien	t Decontamina	tion Appara	atus							
18. SCIENTIFIC AND TE	CHHOLOGICAL AREAS		Bioenginee	ring	: 003200	Cr	nemica]	. Biolo	gical	
and Radiol	ogical Warfar							-,,	5	
18. START DATE	<u> </u>	14. ESTIMATED SOM	PLETION DATE	18. FUNDING AGENCY 16. PERFORMANCE METHOD						THOD
8010		CONT		DA		1		C. In-House		ouse
17. CONTRACT/GRANT				10. NES	OURCES ESTIM	ATE	-	IONAL MAN YRE	h FU	HDS (In thousands)
& DATES/EFFECTIVE:		EXPIRATION:			PRECEDING				 	
№ NUMBER: *				FISCAL	82 CURRENT			1.8	İ	151
G TYPE:		4 AMOUNT:		YEAR	CURRENT	$\neg \neg$			7	
& KIND OF AWARD:		f. CUM. AMT.		1	83	- 1		2.0		162
19. RESPONSIBLE DOD	ORGANIZATION			30. PER	FORMING ORGA	HIZAT	ION			
HAME:* US	Army Medical	Bioengineer	ring	HAME:*	US A	lrmv	/ Medic	al Bioe	ngine	ering
	earch & Devel			Ì						boratory
	t Detrick, Fr			ADDRES				Freder		
İ			- ,	1	_					
Ì				PRINCIP	AL INVESTIGA	TOR (1	Furnish SSAN	II U.S. Academic	[nellfutie	∾
RESPONSIBLE INDIVID	UAL			NAME:	• Pai	zer	. N.H.			
MAME: Albertson, John N., Jr.			TELEPHONE: (301) 663-7277; AUTOVON 343-7277							
	1) 663-2434:		3-2434	SOCIAL	L SECURITY A			.,,		3.3
11. GENERAL USE				ASSOCIA	TE INVESTIGA	TORS				
				NAME:						
	SACK with tenglis Classic			NAME:						POC:DA

- EL REVWORDS (Procedo EACH with Security Classification Code) (U) Chemical Warfare; (U) Field Medical Materiel; (U) Patient Decontamination: (II) Decontamination Apparatus

 23. TECHNICAL OBJECTIVE, 24 APPROACH. 28. PROGRESS (Pumish Individual prographs Identified by number. Procedo text of each with Socueity Closes Receiting Code.)
- 23. (U) Develop medical material for the decontamination of patients exposed to chemical warfare agents.
- 24. (U) Conduct an evaluation of all known methods of decontamination for potential candidates.
- 25. (U) 8110 8209. Commercial sources were canvased for materials and equipment suitable for patient decontamination apparatus. Contacts were made with other DOD organizations concerning "concepts of operation" and problems in medical defense against chemical warfare agents. A breadboard patient decontamination set was fabricated and forwarded to field units for evaluation. The technical data base for patient decontamination is being expanded.

TITLE: (U) Patient Decontamination Apparatus

FUNDING HISTORY: PY - 82K; CY - 151K; BY - 162K

PROBLEM DEFINITION: The use of toxic chemical agents (TCA) on the integrated battlefield will produce large numbers of chemically contaminated patients. Currently, the US Army does not have any equipment to decontaminate chemically contaminated patients.

IMPORTANCE: It is important to decontaminate patients quickly to save lives, to reduce effects of TCA, and to prevent contamination of medical personnel.

APPROACH: Methods, equipment, and materials used by industry and foreign military organizations are being reviewed. Based on investigations and current doctrine, breadboard models are under development.

ACHIEVEMENTS: A breadboard washing system using a modified Army litter, pump, and water collector was fabricated and sent to field units for evaluation.

RELATIONSHIP TO CORE PROGRAM: The program directly relates to the Laboratory's mission to develop field medical materiel.

RESEARCH	AND TECHNOLOG	Y WORK UNIT S	UMMARY	1	OG 15	ı	82 10			CONTROL SYMBOL R&E(AR)636
1 DATE PREV SUMPRY	A. KIND OF SUMMARY	S. SUMMARY SCTY	L WORK SECURITY				02 10	SPECIFIC	DATA:	a LEVEL OF SUM
81 10 01	D. CHANGE	Ü	บ				NL	CONTRACTOR		A WORK UNIT
10. NO./CODES:*	PROGRAM ELEMENT	PROJECT		TASK A	AREA NUME	ER		WORK UNIT	NUMBER	•
- PRIMARY	62734A	3M16273	4A875	BA			227 A	PC F357		
b. CONTRIBUTING										
c-XX99X10000(1608K	STOG 80-7.2	1								
	Security Classification Code	•								
(U) Hardeni	ing of Medical									
12. SCIENTIFIC AND TE			Bioenginee					Biolog:	cal	
and Radiolo	ogical Warfare	e; 009800 M	iedical and				pment			
13. START DATE		14. ESTIMATED COMP	PLETION DATE	18. FUNI	DING AGENC	V		16. PERFORM	NCE MET	HOD
8105		CONT		DA	<u> </u>		1	C. In-	-Hous	е
17. CONTRACT/GRANT				10. RES	OURCES EST		& PROFESSI	ONAL MAN YES	b Fui	IDS (In thousands)
& DATES/EFFECTIVE:		EXPIRATION:			PRECEDING					
Number:*				PISCAL	82	2	1	0.9	ļ	37
G TYPE:		4 AMOUNT:		YEAR	CURRENT					
& KIND OF AWARD:		f. CUM. AMT.		l	83	3] ,	0.5	1	47
19. RESPONSIBLE DOD	DREANIZATION			30. PER	FORMING OR	GANIZ/	TION			
HAME:* US !	Army Medical B	Bioengineer	ing	HAME:	US	Arm	y Medic	al Bioer	gine	ering
	earch & Develo	_	_							boratory
_	t Detrick, Fro	•	•	ADDRES				Freder		•
							,		,	
				PRINCIP	AL INVESTI	SATOR	(Fumich SSAN I	l U.S. Academic	[nelitution	y
RESPONSIBLE INDIVIDU	IAL			NAME:	• Pa	tze	r, N.H.			
NAME: Albe	ertson, John I	N., Jr.		TELEP				77: AUT	NOVO	343-7277
	1) 663-2434:	•	-2434	SOCIAL			NT NUMBER:	,		J J,
BI. GENERAL USE	17 YY 1 - 17 1		<u> </u>	ASSOCIA	TE INVESTI	SATOR				
				NAME:						
				NAME:						POC:DA
N DECEMBER OF THE PARTY	RACH with Semplin Classiff	anties double .			(\					- 00.DA

(U) Chemical Hardening; (U) Decontamination; (U) Chemical Agent Protection;

BB. TECHNICAL OBJECTIVE, * 24. APPROACH, 26. PROGRESS (Pumish Individual paragraphs identified by number. Procede test of each with Security Classification Code.

- (U) NBC Contamination Survivability
- 23. (U) Chemically harden existing and future field medical material for resistance to contamination and decontamination agents.
- 24. (U) Evaluate materials, methods, designs, and equipment for chemical agent resistance in coordination with the Chemical Systems Laboratory, Edgewood, MD; advise material developers and procuring activities of the results and proper approach.
- 25. (U) 8110 8209. Commercial sources were contacted regarding availability of rubber gasket materials resistant to chemical warfare agents and military decontaminating solutions. An RFQ is being prepared to investigate commercial compounds that are resistant to chemical agents. Data from this contract will be used to fabricate model gaskets for standard medical supply chests. A study of handles and latches for hardened transport cases is being initiated. The technical data base for agent resistant designs, materials, and processes is being expanded.

TITLE: (U) Hardening of Medical Materiel Against Chemical Warfare Agents

FUNDING HISTORY: PY - 3K; CY - 37K; BY - 47K

<u>PROBLEM DEFINITION</u>: AMMED capabilities to achieve its mission on the integrated battlefield depend on the contamination survivability of mission essential materiel.

<u>IMPORTANCE</u>: Current AMMED materiel will not survive contamination by toxic chemical agents (TCA) and decontamination solutions without loss of essential and RAM characteristics.

APPROACH: Hardened transport cases that will prevent contamination of medical materiel will be developed. Quick-fix improvements to current medical supply chests will protect most medical materiel for the near term.

ACHIEVEMENTS: A new gasket (seal) for medical supply chests is under development. Handles and latches on medical supply chests are under study to harden for ease of decontamination.

RELATIONSHIP TO CORE PROGRAM: The program is directly related to the Laboratory's mission to develop field medical material.

RESEARCH	AND TECHNOLOGY	WORK UNIT S	UMMARY			1512	2 DATE OF SUE 82 10			CONTROL STUBOL R&E(AR)636
A DATE PREV SUMPRY			S. WORK SECURITY	7. REGR	ADING	94 0	56'N NSTR'N	Sh SPECIFIC	DATA- ACCESS	. LEVEL OF SUM
81 10 01	D. CHANGE	U	ט	<u> </u>			NL	X ves] 140	A VORK UNIT
10. NO./CODES:*	PROGRAM ELEMENT	PROJECT				NUMBER		WORK UNIT	NUMBER	1
& PRIMARY	62734A	3M16273	34A875	BI	3		226 A	PC F365		
. CONTRIBUTING		_		<u> </u>						
*XXXXXXXXXXXX	STOG 80-7.2			<u> </u>						
(U) Resusci	itation Device	e, Individu				AAAA	AU Y Y			· · · · · · · · · · · · · · · · · · ·
and Radiolo	ogical Warfar				pita	ıl Equ				
			LETION DATE			GENCY	1	16. PERFORM		
8105		8406		D/				C. In	-House	9
& DATES/EFFECTIVE:				M. RES		S ESTIMAT	E A PROFESS	IONAL MAN YR	L FUN	DS (In thousands)
A DATES/EFFECTIVE:		EXPIRATION:		I .		82	}	^ ^		20
G TYPE:		4 AMOUNT:		FISCAL	CURR			0.3		39
M TYPE.		f. CUM. AMT.			l	83		0.3	-	49
19. RESPONSIBLE DOD C	MONTATION			30. PER	FORMI	IG ORGANI		1	<u> </u>	77
HAME:* US A	Army Medical I	Bioengineer	ing	NAME:*		US Ar	my Medic	al Bioe	ngine	ering
Rese	earch & Develo	opment Labo	ratory			Resea	rch & De	velopme	nt Lal	poratory
ADDRESS:* Fort	t Detrick, Fr	ederick, MI	21701	ADDRES	6: *	Fort	Detrick,	Freder	ick, l	MD 21701
				1			R (Furnish SSAN)	II U.S. Ac odom ic	[nolitudan]	,
RESPONSIBLE INDIVIDU				NAME:			k, J.W.			
	ertson, John I		a tradi	1	PHONE) 663 - 72	77; AUT	OVON	343-7277
TELEPHONE: (30°	1) 663-2434;	AUTOVON 343	3-2434	1			UNT NUMBER:			ı
P. GEMERAL USE						VESTIGATO	RS			
				NAME:						200.24
THE WAY SEE / Proceeds	EACH with Security Closelli.	setten Code) /		HAME:			anl Word			POC:DA

- (U) Field; (U) Medical Materiel; (U) Ventilation; (U) Breathing
- 23. (U) Develop a lightweight compact manual mechanical device to ventilate chemical
- warfare casualties, which can be operated by an individual soldier.

24. (U) Design an approach and contract with industry for fabrication of a device;

test and evaluate prototypes.

25. (U) 8110 - 8209. An evaluation by the US Army Medical Research Institute of Chemical Defense, Edgewood Area, MD, did not produce desirable results. An improved device are designed and februared during lith Counter EV 83 for supplemental

TITLE: (U) Resuscitation Device, Individual, Chemical

FUNDING HISTORY: PY - 2K; CY - 39K; BY - 49K

PROBLEM DEFINITION: No equipment exists today that can ventilate a chemical warfare casualty using the "Buddy-aid" system. Personnel overcome by a chemical agent attack will require ventilation assistance.

IMPORTANCE: Providing lightweight and mechanical equipment to front-line troops will help a number of chemical agent casualties to be revived and maintained until proper medical assistance can be provided.

APPROACH: Designs that will not expose casualties to further contamination are being investigated. Current efforts are being expended and investigated to develop a system whereby the casualty's mask is not removed and pressurized aid is provided by a mechanical hand-operated device.

ACHIEVEMENTS: Design, fabrication, and evaluation of the first breadboard model have been accomplished with fair results. Improved designs have been initiated for additional evaluation.

RELATIONSHIP TO CORE PROGRAM: The program is directly related to the Laboratory's mission to develop field medical materiel.

				1. ACC	CA VCCESS	OM ³	2. DATE OF SUE	MARY ³	REPORT C	ONTROL STREET
RESEARCH	AND TECHNOLOG	Y WORK UNIT S	UMMARY	DA	OG 93	17	82 10	01	DD-DR	&E(AR)636
1 BATE PREV SUMPRY	4. KIND OF SUMMARY	S. SUMMARY SCTY	S. WORK SECURITY	7. REGR	ADING	94 DH	8'H MSTR'H	SA SPECIFIC I	ACCESS	LEVEL OF SUM
81 10 01	D. CHANGE	ט	ט				NL) HO	A. WORK UMIT
ie. NO./CODES: ⁶	PROGRAM ELEMENT	PROJECT		TASK	AREA NUM	DER		WORK UNIT		
. PRMARY	62734A	3M16273	4A875		ВВ		232	APC F3	66	
b. CONTRIBUTING				L						
≪水気気気気が ™©	STOG 80-7.2:									
(U) Colorim		for Deter							Patie	nts
012100 Orga	nic Chemistry	THE ESTIMATED SOME	HOTENIE CI	IEM TON	DING AGENC	100	OU TOXIC	IS PERFORM	NCE METH	100
8110		8310			DA		1] c. 1	n-Hou	se se
8110 T. CONTRACT/GRANT		<u> </u>	· · · · · · · · · · · · · · · · ·	10. RES	OUNCES ES		A PROFESSI	OHAL MAN YRS	L FUNI	06 (In thousands)
a DATES/EFFECTIVE:		EXPIRATION:			PRECEDIN	•				
L NUMBER:*				FISCAL	82	<u> </u>	1	1.1		102
& TYPE:		& AMOUNT:		YEAR	CURRENT					
& KIND OF AWARD:		f. CUM. AMT.			83).6	1	44
19. RESPONSIBLE DOD	DREAMIZATION	L		30. PER	FORMING OF			_L		<u> </u>
HAME:* US A	rmy Medical I	Bioengineer	ing	HAME:	-		y Medica		_	_
	arch & Develo Detrick, Fre			ADDRES			ch & Dev Detrick,			
RESPONSIBLE INDIVIDU	^{JAL} leau, T.L., C	OT.		HAME:	• Wa	ıde,	C.W.R. 663-20		•	
) 663-2434:		-2434		•	•	UNT NUMBER:	,		
1. SENERAL USE	<u> </u>	BUTUTUM JAJ	4737	ASSOCIA	TE INVEST	GATO	15			
Foreign Int	elligence No	t Applicabl	.e	NAME:	•	yn 1	1c Namee			POC:DA
T DEVENTAGE / Seconds	EACH with Josephy Classic	selles Code	·\ M · d · · 1		4.0	7				

- (U) Chemical Agents; (U) Organophosphorus;

 (U) Detection: (U) Colorimetric Methods: (U) Identification: (U) Analytical Methods

 12. TECHNICAL OBJECTIVE: 24 APPROACH. 28. PROGRESS (Pumids Individual paragraphs identified by number. Proceeds test of coch with Society Closelfication Cocks.)
- 23. To develop chemical methods that can be used by medical personnel to detect and identify chemical agents in trace quantities in water under battlefield conditions.
- 24. (U) After the completion and evaluation of a literature search on methods used for the separation and detection of organophosphorus compounds, the most promising procedure will be tested, modified, and combined to give a thin-layer chromatographic and detection system suitable for use in the field.
- 25. (U) 8110 8209. The alkylphosphoric acids, hydrolysis products of the chemical warfare agents, GA, GB, and GD have been separated on thin-layer chromatograms of cellulose in less than 45 minutes. The separation allow each acid to be identified while other tests are being conducted. Strong base anion exchange resin was used to concentrate the phosphonic acids from trace levels to 2 mg/mL, the limit of detection for the chromogenic reagent. Silica gel was used to raise the trace level of chemical agent, GD, to a level detectable with cholinesterase. The success of the method was reported at the 2nd Annual Bioscience Review.

TITLE: (U) Colorimetric Methods for Determining Chemical Agents in Water and on Patients

FUNDING HISTORY: PY - OK; CY - 102K; BY - 44K

PROBLEM DEFINITION: In the combat zone, the soldier may drink from 5 to 20 liters of water per day, depending upon the climate and the assignment. The use of chemical warfare agents would necessitate the treatment of the water to reduce concentrations of the agents to safe drinking. Currently, the safe levels for GA, GB, GD, and VX in water is below 0.02 mg/L. The Army's XM272 Water Test Kit using cholinesterase can detect these agents down to this level but not below. Because the 0.02 mg/L standards were established for 5 L/day, it is necessary that the limit of detection be lowered to values much lower than this.

IMPORTANCE: An analytical method which can accurately detect and identify nerve agents in water below the currently acceptable safe level of 0.02 mg/L will allow water treatment personnel, preventive medicine personnel, and field commanders to know the quality of the water and how it compares with established standards.

APPROACH: The nerve agents will be identified by thin-layer chromatography of the corresponding alkyl phosphoric acids. Standards will be used to verify the relative travel (R_f) of each acid. Chromogenic agents will be used for detection of these colorless compounds. Lower limits of detection will be gotten by use of more sensitive agents and/or by adsorption cartridges to concentrate trace levels to levels detectable with cholinesterase.

ACHIEVEMENTS: Methyl methyl, isopropyl methyl, and pinacolyl methyl phosphoric scids, the corresponding hydrolysis products of GA, GB, and GD have been separated and identified by three relative rates of migration. The analysis requires less than 40 minutes. For trace levels, strong base anion exchange resins have been used to increase concentrations from mg/L to mg/mL. Estimates of concentrations have been made by use of serial dilutions and detection limits.

PRESENTATION: Wade, C.W.R. and E.H. McNamee. Development of Colorimetric Methods for Chemical Agent Detection in Water. For Oral Presentation at Bioscience Review, Aberdeen Proving Ground, MD, 13-14 May 1982.

COMBAT MEDICAL MATERIEL

DESEADO	AND TECHNOLOG	V WOOM HANT S	IMM ABV			2. DATE OF SUM		REPORT C	ONTHOL SYMBOL
				4	OA 6282	82 10	01	DD-DR	&E(AR)436
S. DATE PREV SUMPRY			S. WORK SECURITY	7. REGRAD	ING DE DI		SA SPECIFIC E		LEVEL OF SUM
81 10 01	D. CHANGE	ប	ַ ט			NL	E YES	100	A. WORK UNIT
10. NO./CODES: ⁰	PROGRAM ELEMENT	PROJECT		TASK AR	EA HUMBER		WORK UNIT	NUMBER	
& PRIMARY	64717A	3546471	7D832	BB		004 AP	C F511		
b. CONTRIBUTING				L					
<x 30906c<="" 399000="" 9696="" td=""><td>CARDS NO: 12</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></x>	CARDS NO: 12								
•	Security Classification Code	•							
	atient Holding	g and Evacu	ation, Pro	totype	Design	and Fabr	ication		
12. SCIENTIFIC AND TO	ECHHOLOGICAL AREAS								
009800 Med	ical and Hospi	ital Equipm	ent; 002400	O Bioe	ngineeri	ing			
13. START DATE		14. ESTMATED SOM	PLETION DATE	118 FUNDIN	G AGENCY		16. PERFORMA		
7304		8209		DA			C. In	-Hous	e
17. CONTRACT/GRANT	,				RCES ESTIMATI	E A PROFESSIO	MAL MAN YES	L FUNI	06 (pr thousands)
& DATES/EFFECTIVE	•	EXPIRATION:		[]*	MECEDING			1	
NUMBER:*				FISCAL	82	0	•3		19
& TYPE:		4 AMOUNT:		YEAR	DRRENY			1	
& KIND OF AWARD:		f. CUM. AMT.			83		.7		47
19. RESPONSIBLE DOD	ORGANIZATION			30. PERFO	RIMNG ORGANIZ	MOITA			
HAME:* US	Army Medical E	Bioengineer	ing	HAME:*	US Art	ny Medica	l Bioen	ginee	ring
Res	earch & Develo	opment Labo	ratory	İ	Resear	ch & Dev	elopmen	t Lab	oratory
ADDRESS:* For	t Detrick, Fre	ederick, MD	21701	AODRESS:*	Fort I	etrick,	Frederi	ck, M	D 21701
				Ì					
				PRINCIPAL	INVESTIGATO	R (Fumioh SSAN II	U.S. Academic	(ne i liuiden)	
RESPONSIBLE INDIVID	WAL			NAME:*	Thaye	er, C.R.			
MAME: Alb	ertson, John M	N., Jr.		TELEPHO	×E: (301)	663-723	7; AUTO	VON 3	43-7237
TELEPHONE: (30	1) 663-2434; <i>I</i>	AUTOVON 343	-2434	50C1 . \$	ECURITY ACCO	UNT HUMBER:			
BI. GEMERAL USE				ASSOCIATE	INVESTIGATO	45			
				NAME:					
				NAME:					POC: DA

- (U) Cold Climate Medical Material: (U) Patients, Transportation of
- 10 COLUCTION OF THE PROPERTY O
- 23. (U) Develop a field patient holding and evacuation system capable of maintaining casualties at desired, controlled temperatures in extreme cold climates for prolonged periods. The current field means of protecting injured/sick field personnel in a cold environment from additional complications resulting from exposure to the cold is inadequate from the point of infliction through the evacuation system.
- 24. (U) Design and fabricate developmental prototypes based upon previous engineering effort. Existing state-of-the-art materiel will be used. The major technical barrier is to achieve required temperature duration capability with required lightweight characteristics.
- 25. (U) 8110 8209. After encountering problems with the propane fueled, liquid circulating system developed on contract for this task, a specimen of the Norwegian charcoal fueled unit was procured for evaluation. Although this unit is attractive from the standpoint of using air as the heat transfer medium, preliminary testing indicates that the system has many drawbacks involving air circulation and fuel instability. Meanwhile, some refinements have come along that make the propane unit appear to be upgradable. Consequently, effort on the propane unit has been restarted.

vollable to contractors upon originator's

TITLE: (U) Bag, Patient Holding and Evacuation, Prototype Design and Fabrication

FUNDING HISTORY: PY - 20K; CY - 19K; BY - 47K

11日からからから

THE TRANSPORT OF THE PROPERTY.

PROBLEM DEFINITION: The present means of protecting sick and injured personnel in cold environments from additional complications resulting from exposure to the cold is inadequate from the point of infliction through the evacuation system.

IMPORTANCE: Protection against exposure to cold must be provided through the evacuation organization until the patient can be moved by a temperature-controlled transportation medium or definitive treatment begins.

<u>APPROACH</u>: A system will be developed for providing heat into the existing insulated casualty evacuation bag that includes a highly portable and reliable power source and the means to distribute that heat within the bag.

ACHIEVEMENTS: The initial development, consisting of a propane-fired system circulating warm ethylene-glycol solution through a tubulated liner, proved unreliable. A Norwegian development using charcoal fuel and circulating warm air was then evaluated. This system suffered from fuel instability, inadequate heat transfer, and other problems. The effort has now been transferred back to the propane/liquid system owing to the fact that certain modifications have come along that show promise of solving the reliability problems initially found with that system.

RELATIONSHIP TO CORE PROGRAM: This task is consistent with the Laboratory's mission to develop medical field treatment and evacuation equipment.

RESEAR	CH AND TECHNOLOG	Y WORK UNIT S	UMMARY	DA	OA 6	230	82 10	01	DD-Di	R&E(AR)636
	RY 4. KIND OF SUMMARY		E. WORK SECURITY	7. REGR	ADING	Γ	D'N 1415TA'N	ON SPECIFIC		S. LEVEL OF SUM
81 10 01	D. CHANGE	Ü	บ	i			NL	X ves [□ mo	A. WORK UNIT
10. NO./CODES: ⁶	PROGRAM ELEMENT		NUMBER		REA NUM			WORK UNIT	NUMBER	
& PRIMARY	64717A	3546471	7D832	BA	\		012 A	PC F564		
. CONTRIBUTING				<u> </u>						
SEPTEMBER NOONS										
	rich Security Classification Code									
	etry Set, Field	d, Combat								
	TECHNOLOGICAL AREAS						<u>-</u>			
	dical and Hosp:						ng			
13. START DATE		14. ESTIMATED COM	PLETION DATE		NIG AGENC	¥		16. PERFORM		
7405		8209		DA				C. 1	In-Ho	use
17. CONTRACT/GRA	MT			16. RES	OURCES ES		a PROFESS	OHAL MAN YES	b FUR	D6 (In thousands)
A DATES/EFFECTIVE	YE:	EXPIRATION:			PRECEDIA	-				
P. HOMBER:*				FISCAL	82	2		0.4		26
G TYPE:		4 AMOUNT:		YEAR	CURRENT					_
& KIND OF AWARD:		f. CUM. AMT.			8;			0.1		10
19. RESPONSIBLE D				30. PERI	ORMING OF					
	Army Medical E	_	_	NAME:*	US	Arm	y Medic	al Bioer	gine	ering
Re	search & Develo	op <mark>me</mark> nt Labo	oratory	ł	Rea	sear	ch & De	velopmer	nt Lai	boratory
ADDRESS:* FO	ort Detrick, Fro	ederick, MI	21701	ADDRES	For	rt D	etrick,	Frederi	ick, l	MD 21701
				Į .						
				PRINCIP	AL INVESTI	GATOR	(Fumioh SSAN	ll U.S. Academic	[nellfutien)
RESPONSIBLE INDIV	IDUAL			NAME:	A	rnol	d, M.F.			
NAME: A1	bertson, John !	N., Jr.		TELEP	HOME: (301)	663-72	77; AUTO	OVON :	343-7277
TELEPHONE: (3	101) 663-2434: 1	AUTOVON 343	3-2434	SOCIAL	SECURITY	ACCOU	NT NUMBER:			
B1. SEMERAL USE	 			ASSOCIA	TE INVESTI	GATORS	i			
				NAME:	Sa	alis	bury, L	.L.		
				HAME:						POC:DA
ER KEYWORDS (Proc	ed BACH with Society Classic	collen (code)								

- (U) Field Set: (U) Field Optometry: (U) Combat Set: (U) Optometry Set
- 23. (U) Modernize and update the field optometry set and replace components that are no longer available from commercial sources with new designs.
- 24. (U) Design and fabricate engineering development prototypes for DT II and OT II.
- 25. (U) 8110 8209. All components have been obtained and packaged. A chair with reduced weight and volume was designed around a No. 3 medical chest. OT III was completed successfully. The item was recommended for type classification. The technical data package is in the final stages of completion.

TO THE PROPERTY OF THE PROPERT

TITLE: (U) Optometry Set, Field, Combat

FUNDING HISTORY: PY - 125K; CY - 26K; BY - 10K

PROBLEM DEFINITION: To modernize and update the field optometry set and to replace components which are no longer available from commercial sources with new designs.

IMPORTANCE: A functional optometry set is required for the use of optometry personnel assigned to the medical battalion providing division level medical support and other teams providing optometry services.

APPROACH: Engineering prototypes will be designed and evaluated for testing, technical data packages, and type classification.

ACHIEVEMENTS: The complete optometry set has successfully completed OT III. Final drawings are being produced for type classification. The technical data package is in the final stages of completion. USAMMA is developing specifications for the procurement of nonstandard items.

RELATIONSHIP TO CORE PROGRAM: The optometry set is an integral part of the medical material program.

DECEASE	AND TECHNOLOGY	V WARY 1887 S	IIMM ADV		CY ACCESSI					CONTROL STIEBOL
RESEARCH	ARD IECHNOLUG				A OB 61	-	82 10	0 01	DD-D	R&E(AR)636
81 10 01	D. CHANGE	8. SUMMARY SCTY ⁸	e. WORK SECURITY	7. REGR	ADING		rn msta'n NL	ON SPECIFIC CONTRACTOR		A. WORK UNIT
16. NO./CODES:*	PROGRAM ELEMENT	PROJECT	NUMBER	TASK A	REA NUMB	ER		WORK UNI	NUMBE	R
& PRIMARY	64717A	354647	70832	AA	1		014	APC F566		
b. CONTRIBUTING										
XXXXXXXXXXXXXX	CARDS NO: 1	213H								
I. TITLE (Procede with (southy Classification Code	10								
(U) Pestici	de Dispersal	Unit, Soli	d, Helicop	ter S	Slung					
12. SCIENTIFIC AND TEC										
009800 Medi	cal and Hosp	ital Equipo	ent; 00240	O Bic	engine	eri	ng			
S START DATE		14. ESTMATED COM	LETION DATE	IS PUNC	HIG AGENCY			16. PERFORM	ANCE MET	MOD
7610		8209		DA	1		1	c.	In-Ho	use
7. CONTRACT/GRANT				10. RES	OURCES EST	MATE	& PROFES	SIONAL MAN YR	b FU	HDE (In thousands)
& DATES/EFFECTIVE:		EXPIRATION:			PRECEDING				1	
p number:				FISCAL	82)	{	0.2	ŀ	8
G TYPE:		4 AMOUNT:		YEAR	CURRENT				\neg	
& KIND OF AWARD:		f. CUM. AMT.			83	;		0.5	1	34
19. RESPONSIBLE DOD O	RGANIZATION			20. PERI	PORMING OR	ANIZA	TION			
	rmy Medical larch & Develo	_	-	NAME:*			-	cal Bioe	_	ering boratory
	Detrick, Fr			ADDRES				, Freder		
				PRINCIP	AL INVESTIG	ROTA	Pumish SSAN	If U.S. Academic	: [nellfulle	•
RESPONSIBLE INDIVIDU	_			NAME:	£ 1		e, P.E.			
	rtson, John I			TELEP	HONE: (3	01)	663-72	237; AUT	OVON	343-7237
TELEPHONE: (301) 663-2434;	AUTOVON 343	-2434	30CIAL	L SECURITY	ACCOU	NT NUMBER			
EI. GENERAL USE				ASSOCIA	TE INVESTIG	ATORS				
				NAME:	P.	200	, W.H.			
				1	1/6	aws	, welle			

- Applications; (U) Mosquito Control; (U) Solid Insecticide
 23. TECHNICAL OBJECTIVE.® 24. APPROACH, 25. PROGRESS (Purnish Instituted and Approach Instituted by number. Proceeds text of each with Socurity Classification Code.)
- 23. (U) Identify a suitable commercial, helicopter slung, dispersal unit for applying solid formulations of insecticides, which would (a) be capable of dispersing insecticides when slung beneath a helicopter, (b) require no modification of the aircraft, and (c) be capable of applying adequate swath widths and deposition rates for controlling disease vectors in combat situations or CONUS.
- 24. (U) A Simplex spreader was evaluated with various pesticide formulations under a variety of conditions and was found to be unsatisfactory due largely to the vertically actuated gate system. A Chadwick, Inc., applicator with a horizontally actuated gate system was procured and modified for remote control operation. Feasibility and military adaptability have been established under field conditions.
- 25. (U) 8110 8209. All testing has been completed. An IPR for type classification will be conducted in 1st Quarter FY 83.

TITLE: (U) Pesticide Dispersal Unit, Solid, Helicopter Slung

FUNDING HISTORY: PY - 125K; CY - 8K; BY - 34K

PROBLEM DEFINITION: To adapt a commercial item capable of dispensing solid pesticide formulations for use in the military operation environment.

IMPORTANCE: Medical personnel engaged in field operations need the capacity for aerial dispersal of solid pesticide formulations to ensure rapid treatment of large areas inaccessible by ground equipment but too small for efficient use of larger aerial dispersal equipment. Currently, field units have no item of equipment with the capability, although their mission and TOE require it.

APPROACH: A commercially available spreader which is slung beneath a helicopter on the helicopter's cargo hook is being adapted for military use.

ACHIEVEMENTS: All testing has been completed. An IPR for type classification will be conducted in 1st Quarter FY 83.

RELATIONSHIP TO CORE PROGRAM: The project involves evaluation and modification of a commercial unit as a military standard item. The item will replace current oboslete standard TOE item. The project is in concert with the pest control equipment program.

DECEAD	CU AND TECHNISH 00	V 100V 100T 6		I. AGE	EY ACCE	161011	2. DATE OF SUE	MARY	REPORT	CONTROL SYMBOL
KESEAR	CH AND TECHNOLOG	T WURK UNIT 5	UMBAKY	D	A OA	629d	82 10	01	DD-DI	R&E(AR)636
2 DATE PREV SUM	RY 4. KIND OF SUMMARY	S. SUMMARY SCTY	S. WORK SECURITY	7. REGR	ADING	PA DH	B'N INSTR'N	SPECIFIC I		S. LEVEL OF SUM
81 10 01	D. CHANGE	ַ ט	ט			1.	NL		Ĵĸo	A. WORK UNIT
10. NO./CODES:*	PROGRAM ELEMENT	PROJECT	NUMBER	TASK	AREA NU	MBER		WORK UNIT	NUMBER	
- PRIMARY	64717A	384647	17D832	В	В		015 A	PC F568		
. CONTRIBUTING				Ι						
c. X200070303070X3	CARDS NO: 1	604R								
11. TITLE (Procedo m	ith Security Classification Code),4								
	ronmental Prote	ction Cont	ainers for	Medi	cal S	uppl	ies			
12. SCIENTIFIC AND	TECHNOLOGICAL AREAS									
_009800 Me	edical and Hosp	ital Equip	ment; 00240	00 Bi	oengi	neer	ing			
IL START DATE		14 ESTIMATED COMP	LETION DATE	IL PUN	DING AGE	HCY		16. PERFORM	HCE MET	HOO
7409		8209		D	A			C. I	n–Hou	ıse
17. CONTRACT/GRAN	17			16. RES	DURCES E		& PROFESSI	DHAL MAN YRS	& FUR	IDS (In thousands)
A DATES/EFFECTIV	'E:	EXPIRATION:			PRECED	N-S				
₽ NUMBER:*				FISCAL	l	82	1	0.4	Ì	28
C TYPE:		& AMOUNT:		YEAR	CUMREN		T			
& KIND OF AWARD:		f. CUM. AMT.		l	i	83		0.2	1	18
19. RESPONSIBLE DO	O ORGANIZATION			20. PER	FORMING	DRGANIZ	A TIOM			
HAME:* US	S Army Medical	Bioenginee	ring	HAME:	U	S Ar	my Medic	al Bioe	ngine	ering
	esearch & Devel	_	_	ŀ	F	esea	rch & De	velopme	nt La	boratory
ADDRESS:* FO	ort Detrick, Fr	ederick, M	21701	ADDRES	s:• F	ort	Detrick,	Freder	iek,	MD 21701
	•	•		Ì			·		-	
				PRINCIP	AL INVES	TIGATOR	(Fumish SSAN i	U.S. Academic	[nelifytien	,
RESPONSIBLE INDIV	IDUAL			NAME:	•	Conw	ay, W.H.			
NAME: A	lbertson, John	N., Jr.		TELES	HONE:				OVON	343-7237
TELEPHONE: (301) 663-2434:	AUTOVON 34	3-2434	SOCIAL	. SECURI1	Y ACCOL	INT HUMBER:	-		-
11. GENERAL USE				ASSOCIA	TE INVES	TIGATOR				
			•	HAME:		Patz	er, N.H.			
				NAME:						POC:DA

(U) Environmental Container; (U) Field Container; (U) Arctic Field Container; (U) Medical Supply Container; (U) Arctic Supplies; (U) Arctic Protection

Technical Objective, 24. Approach, 25. PROGRESS (Punish individual paragraphs identified by number. Procedulent of security Classification Code.)

- 23. (U) Develop a container to protect freezable military medical items in an Arctic environment.
- 24. (U) Design, fabricate, and evaluate a container to meet the requirements of Arctic use.
- 25. (U) 8110 8209. A new prototype has been fabricated, incorporating changes stemming from the maintenance evaluation, and has been subjected to a supplemental DT to insure that no performance changes resulted from the modification. The data package has been prepared, and the task is awaiting the formulation of a final IPR that is expected to result in approval for type classification.

voilable to contractors upon originator's approval.

TITLE: (U) Environmental Protection Containers for Medical Supplies

FUNDING HISTORY: PY - 22K; CY - 28K; BY - 18K

THE TOTAL OF THE PROPERTY OF T

<u>PROBLEM DEFINITION</u>: To provide a means of storing biologicals that are subject to damage by freezing during field operations in arctic or subarctic regions.

IMPORTANCE: The present lack of a dedicated piece of equipment to cope with this problem has led to spoilage of large quantities of biological materials in Alaska. Present methods of preserving freezables are makeshift and totally inadequate.

APPROACH: A lightweight, insulated chest that includes electrical strip heaters and a temperature control circuit will be developed. This chest, issued to appropriate field units, would be dedicated to the storage and preservation of freezable medical materials. The chest is also to be designed to protect freezables during several hours of unpowered transport.

ACHIEVEMENTS: A final prototype, incorporating revisions stemming from a maintenance review, has been constructed and tested. The data package has been prepared, and the task is awaiting final IPR approval for type classification.

RELATIONSHIP TO CORE PROGRAM: This equipment performs an ancillary function related to medical treatment in a field environment. The development of field treatment is a primary function of this research area.

DESEADON	AND TECHNOLOG	Y WORK HAIT S	IMM ARY				. 1-	DATE OF SU		-		CONTROL STREET
	AND TECHNOLOG				A OB		49	82 10	01		DD-DI	R&E(AR)636
& DATE PREV SUM'RY	4. KIND OF SUMMARY		S. WORK SECURITY	7. REGR	ADING"	•		D'H MSTR'N	ON SP	ECIFIC DA	CCESS	. LEVEL OF SUM
81 10 01	D. CHANGE	Ū	บ					NL	2 71			A WORK UNIT
10. NO./CODES: ⁰	PROGRAM ELEMENT	PROJECT		TASK	AREA	NUMBI	ER		WOR	K UNIT N	IUMBER	1
& PRIMARY	64717A	3546471	7D832	B/	1			041 A	PC F	7573		
b. CONTRIBUTING												
CORPORDEDEDEDEDE	CARDS NO: 1	15R					, i					
	Socurity Classification Code	•										
	pacity Radiog	raphic Syst	em, Field									
12. SCIENTIFIC AND TE												
003500 Clir	nical Medicin	e; 009800 M	ledical and	Hos	oita	1 E	qui	pment				
13. START DATE		14. ESTIMATED SOMP	LETION DATE	18. FUN	DING A	GENCY			16. PE	RFORMAN	CE MET	HOD
7901		8309		DI	1					C. II	n-Ho	use
17. CONTRACT/GRANT				16. RES			MATE	A PROFESSI	ONAL E	MAN YRS	h FUN	OS (In thousands)
a Dates/Effective:		EXPIRATION:		1	PREC	EDIN 6		1				
p wampen:				FISCAL		82			0,2			_10
G TYPE:		4 AMOUNT:		YEAR	CURR	ENT				-		
& KIND OF AWARD:		f. CUM. AMT.				83			1.0			67
19. RESPONSIBLE DOD C	PREMITATION			30. PER	FORMEN	GORG	ANIZA	TION				
HAME:* US !	Army Medical	Bioengineer	ing	NAME:		US .	Arm	y Medic	alE	Bioeng	gine	ering
Rese	earch & Devel	opment Labo	ratory	ł								boratory
ADDRESS:* For	t Detrick, Fr	ederick, MD	21701	ADDRES	6: [©]	For	t D	etrick,	Fre	ederio	ck, l	MD 21701
											•	
				PRINCIP	AL INV	/ESTI G	ATOR	(Fumish SSAN I	I U.S. A	codenic In	e i i tution	,
RESPONSIBLE INDIVIDU	AL			HAME:	•	Sa	lis	bury, L	.L.			
HAME: Albe	ertson, John	N., Jr.		TELES	HONE:					AUTO	VON :	343-7237
	1) 663-2434:		-2434	SOCIAL	. SECU	_		NT NUMBER:	J.,			3.3 1-31
21. GENERAL USE				ASSOCIA	TE INV	ESTIG	ATORS	•				
				NAME:								
				NAME:								POC:DA
T W W W W W W W W W W W W W W W W W W W	EACH with Security Classiff	ralles Cods)										

- (U) X-Ray; (U) Field Medicine; (U) Field Equipment; (U) Radiology
- 13. TECHNICAL OBJECTIVE. 24. APPROACH. 15. PROGRESS (Punish Individual peragraphs Identified by number. Procedulest of each with Security Classification Code.
- 23. (U) Identify suitable low capacity radiographic system to include film processor(s), compatible film(s), cassettes and other operating accessories for AMEDD usage (except dental).
- 24. (U) Search existing industrial sources for functional devices that can be adopted. If none are available, modify, design or contract for the design of new devices.
- 25. (U) 8110 8209. A survey of commercial X-ray devices has been made. It was decided at an IPR during 1st Quarter FY 81 that no commercial radiographic system would satisfy the requirements of a field unit, and a development contract should be let. Two contractors have been selected. Two units from each manufacturer will be available for evaluation during 2nd Quarter FY 83.

TITLE: (U) Low Capacity Radiographic System, Field

FUNDING HISTORY: PY - 6K; CY - 10K; BY - 67K

PROBLEM DEFINITION: To identify suitable automatic film processors, compatible film, cassettes, and accessories for interfacing with a low capacity radiographic apparatus. To identify a suitable low capacity radiographic system for field medical use.

IMPORTANCE: Currently available wet X-ray film processors and accessories are not suitable for use by small medical units outside of field type hospitals based on weight, complexity, and utility requirements. The need is critical for a film processor and a low capacity X-ray apparatus.

APPROACH: A survey of commercially available film processors and low capacity X-ray systems will be made to determine their ability to satisfy the letter requirements.

ACHIEVEMENTS: A market survey uncovered no commercial X-ray units that would meet the letter requirements. A request for proposals has been advertised, and two contractors were selected. Two units from each manufacturer will be available for evaluation during the 2nd Quarter FY 83.

RELATIONSHIP TO CORE PROGRAM: This program is directly related to the Laboratory's mission of developing field medical equipment.

DESEADON	AND TECHNOLOG	V WORK 11117 C	144 A BY	i. ACCH	CY ACCESSI	1	DATE OF SUM	MARY!	REPORT C	OWTHOL STREET
KESEARUN	AND TECHNOLOG	1 MOKK OMI 3	JAMAKT	D/	A OB 6	250	82 10	01	DD-DR	&E(AR)436
3. DATE PREV SUMPRY	4. KIND OF SUMMARY	E. SUMMARY SCTY	S. WORK SECURITY	7. REGR	ADING	54 DIS	D'N INSTR'N	SPECIFIC D		LEVEL OF SUM
81 10 01	D. CHANGE	ט	U				NL	Yes [A YORK UNIT
19. NO./CODES:*	PROGRAM ELEMENT	PROJECT	NUMBER	TASK A	AREA NUME	DER		WORK UNIT	NUMBER	
♣ PRMARY	64717A	3846471	7D832	B/	A	\Box	042 A	PC F574		
b. CONTRIBUTING										
XBESCHESCHEKVESKK-9	CARDS NO: 1					å				
11. TITLE (Procedo with	Security Classification Code)*			-					
(U) High Ca	apacity Radio	graphic Sys	tem, Field							
12. SCIENTIFIC AND TEC	CHNOLOGICAL AREAS									
003500 Clin	nical Medicin	<u>e; 009800 M</u>	edical and	Hos	oital	Equi	pment			
12 START DATE			LETION DATE	IS. FUNI	DING AGENC	•		16. PERFORMA	NCE METH	100
7902		8309		D/				C. In-	House	
T. CONTRACT/GRANT				10. RES	OURCES EST		A PROFESSI	DNAL MAN YRS	h FUN	OS (In thousands)
& DATES/EFFECTIVE:		EXPIRATION:							ı	
b. NUMBER:*		•		PISCAL	8; соямен т	2	·	3.0	↓	184
G TYPE:		& AMOUNT:		1					1	
& KIND OF AWARD:		I. CUM. AMT.		20.000	8:			2.4	1	74
19. RESPONSIBLE DOD C		L				•		L		
	Army Medical	_	_	NAME:*				al Bioen		
_	earch & Devel	•	•			sear	ch & De	velopmen	t Lat	oratory
ADDRESS:* Fort	t Detrick, Fr	ederick, MD	21701	ADDRES	For	rt D	etrick,	Frederi	.ck, M	ID 21701
				1						
				1	_			U.S. Academic)	[me i i tu tien)	
RESPONSIBLE INDIVIDU		_		HAME:	29		bury, L			
	ertson, John			1				37; AUTO	NON 3	343-7237
TELEPHONE: (30°	1) 663-2434:	AUTOVON 343	-2434	4	SECURITY					
FI. GENERAL USE				1	TE INVESTI	GATORI	}			
				NAME:						
T PEVENDRE /Procedo	EACH with Society Classic	(sellen Code)		HAME:						POC:DA

- (U) X-Ray: (U) Field Medicine: (U) Field Equipment: (II) Radiology

 12. TECHNICAL OBJECTIVE: 24 APPROACH, 25. PROGRESS (Pumish individual paragraphs identified by number. Procedo test of each with Socurity Classification Code.)
- 23. (U) Identify and evaluate a replacement field X-ray system for the current standard (100 mA and 200 mA) system which is inadequate in reliability, availability, and maintainability.
- 24. (U) Search existing commercial sources for functional components (X-ray source, table, power supplies, film processors) that can be adopted. If none are available, modify, design, or contract for design of new devices.
- 25. (U) 8110 8209. A survey of the commercial market was made. No commercial unit would satisfy the letter requirements. A commercial X-ray source, controller, and power supply have been modified to fit the Army field table. This combination underwent OT I during 4th Quarter FY 80 and 1st Quarter FY 81. Of the 16 critical issues, 10 were satisfied and 4 partially satisfied. A redesigned unit will be operationally tested during 3rd Quarter FY 83.

vallable to contractors upon originator's approval

TITLE: (U) High Capacity Radiographic System, Field

FUNDING HISTORY: PY - 78K; CY - 184K; BY - 74K

THE REPORT OF THE PROPERTY OF

PROBLEM DEFINITION: The current field radiographic system is inadequate in reliability, availability, maintainability and does not conform to the radiation requirements of 21 CFR.

IMPORTANCE: The lack of a working, reliable, certifiable, high capacity X-ray system to meet the radiological requirements of field medical treatment facilities has a significant impact on the ability of these activities to provide basic health care. The need is critical.

<u>APPROACH</u>: A search of commercial sources will be made for a functional system or components that can be combined into a system that will meet the field requirements.

ACHIEVEMENTS: A survey was made of the commercial market. No commercial system was found that will meet the letter requirement. Commercially available components have been obtained and have been adapted and modified into a radiological system compatible with field requirements. This system is composed of a commercial control unit, transformer, X-ray source, and image intensifier system. These items have been matched to the Army 5090 field table. Film processing is provided by using a commercial wet processor with a daylight loader and a water recycling system. The system underwent operational testing during the 1st Quarter FY 81. Of the 16 critical issues, 10 were satisfied fully and 4 partially. A redesigned unit will be operationally tested during the 3rd Quarter FY 83.

RELATIONSHIP TO CORE PROGRAM: This program is directly related to the Laboratory's mission of developing field medical equipment.

	AND TECHNOLOGY		****	I. AGEW	EA VCCES	010H 2.	DATE OF SU		REPORT	CONTROL STREET
RESEARCH	AND TECHNOLOGY	MONK ONE I SE	JAMARY	DA	OB	5193	82 10	01	DD-DI	R&E(AR)636
1 DATE PREV SUMPRY	4. KIND OF SUMMARY	S. BUMMARY SCTY	S. WORK SECURITY	7. REGRA	OINO	94 DHG	'N MSTR'N	SE SPECIFIC I		D. LEVEL OF SUM
81 10 01	D. CHANGE	U	U	<u> </u>			NL) NO	A. WORK UMT
10. NO./CODES: ⁸	PROGRAM ELEMENT	PROJECT	····	TASK A	REA NU			WORK UNIT	NUMBER	2
- PRIMARY	64717A	3546471	7D832	AA			046 A	PC F576		
- CONTRIBUTING										
c. ***********	CARDS NO: 1									
•-	Security Classification Code									
(U) Pestic	<u>ide Dispersal</u>	Unit, Port	able, Back	pack						
12. SCIENTIFIC AND TE	CHNOLOGICAL AREAS									
009800 Med	ical and Hosp	ital Equips	ent; 00240	0 Bi	pengi	neeri	ng			
15. START DATE		14. ESTIMATED COMP	LETION DATE	IS FUNC	HIG AGEN	ICY		16. PERFORM		
7610		8209		D/	A L			C.	In-Ho	use
F. CONTRACT/GRANT				16. RESC	DURCES E		A PROFESSI	OHAL MAN YES	h ru	IDS (In thousands)
& DATES/EFFECTIVE:		EXPIRATION:			PRECEDI]			
P HOMPEN:				FISCAL		82		0.1		7
G TYPE:		4 AMOUNT:		YEAR	CURREN	,			ĺ	
& KIND OF AWARD:		f. CUM. AMT.				83		0.2		19
19. RESPONSIBLE DOD	DROANIZATION			30. PERF		PRGANIZA				
HAME:* US	Army Medical	Bioengineer	ring	NAME:*	ប	S Arm	y Medic	al Bioe	ngine	ering
Res	earch & Devel	opment Lab	oratory	ì	R	esear	ch & De	evelopme	nt La	aboratory
	t Detrick, Fr			ADDRES	·• F	ort I	etrick,	Freder	iek,	MD 21701
- 0.		• • • • • • • • • • • • • • • • • • • •								
				PRINCIP	AL INVES	TIGATOR	(Fumish SSAN	il U.S. Academic	[netitulies	v
RESPONSIBLE INDIVIDU	IAL			NAME:	•	Piero	e, P.E.	•		
NAME: Alb	ertson, John	N., Jr.		TELEP	HOME:	(301)	663-72	237; AUT	OVON	343-7237
	1) 663-2434:		3-2434	SOCIAL	. SECURIT	Y ACCOU	NT NUMBER:			
SI. GENERAL USE				ASSOCIA	TE INVES	TIGATORS				
				NAME:		Nelso	on, J.H.	•		
				NAME:						POC:DA
B1 17 7 7 7 7 7 7 1 7 1 7 1 7 1 7 1 7 1	DACH with bearing Classic	ander Ardil								

Control: (U) Lightweight: (U) Durable: (U) Disease Vectors; (U) Portable

TECHNICAL OBJECTIVE.* 24 APPROACH, 28. PROGRESS (Pumbels individual perceptuphs identified by number. Proceeds text of each with Socurity Classification Code.)

- 23. (U) Identify a commercially available, lightweight, durable, backpack unit capable of dispersing solid or liquid pesticide formulations. This unit would be used by preventive medicine personnel in combat zones and CONUS for controlling disease vectors and pest arthropods.
- 24. (U) Review commercially available backpack units. Suitable units will be evaluated. After entomological and operational feasibility has been determined, a suitable item of equipment will be selected for off-the-shelf (OTS) strategy.
- 25. (U) 8110 8209. A market survey was completed. The Material Developer recommends OTS acquisition strategy. Data was sent to the Combat Developer for concurrence in OTS. Type classification is anticipated during FY 83.

Engineering Evaluation of Commercial Backpack Sprayer/Dusters; Kardatzke, James T., Gula, Phillip R., and James H. Nelson. Mosq. News 41:327-330, 1981.

TITLE: (U) Pesticide Dispersal Unit, Portable, Backpack

FUNDING HISTORY: PY - 4K; CY - 7K; BY - 19K

er belieben konstigen bedeten billiogen

PROBLEM DEFINITION: To evaluate and recommend adoption of a commercial motorized backpack unit that is capable of dispensing both liquid and solid pesticide formulations.

IMPORTANCE: An operational need exists for a motorized backpack unit that can dispense both liquid and solid pesticide formulations. The unit is needed to provide control during field operations in localized and remote areas where vehicular or aerial dispersal equipment cannot be used or is not readily available.

APPROACH: Available commercial backpack units will be evaluated from an engineering aspect to determine the best candidate units for operational evaluation. Selected units will be evaluated by an operational user to determine any unforeseen problems in deployment.

ACHIEVEMENTS: A market survey was completed. The Material Developer recommends off-the-shelf (OTS) acquisition strategy. Data was sent to Combat Developer for concurrence in OTS. Type classification is anticipated during FY 83.

RELATIONSHIP TO CORE PROGRAM: The project involves evaluation of commercial items for adoption as military standard items in medical TOE. The project is part of core program for pest control equipment development.

MANUSCRIPT: Engineering Evaluation of Commercial Backpack Sprayer/Dusters; Kardatzke, Dr. James T., Gula, Philip R., and Dr. James H. Nelson. Mosq. News 41:327-330, 1981.

RESEAR	RCH AND TECHNOLOG	Y WORK UNIT S	UMBARY			6195	82 10			CONTROL STREET
	PAY 4. KIND OF SUMMARY	6. SUMMARY SCTY	A. WORK SECURITY	4			NL	SA SPECIFIC I	DATA - ACCESS	o. LEVEL OF SUM
81 10 01	D. CHANGE		<u> </u>	-			NL]110	A WORK UNIT
	64717A	3846471		TASK	AREA N	UMBER	047 A	WORK UNIT	NUMBER	<u> </u>
& PRIMARY	04/1/A	3540471	10032	A.F	<u> </u>		U41 A	rc rjii	00000000000	*************
S. CONTRIBUTING		Olip		↓						
-XSEXXCIEXXXIE	C CARDS NO: 1	24R		L						
(U) Pesti	Lcide Dispersal	•	id, Helico	pter	Slur	Æ				
009800 Me	edical and Hosp	ital Equipm	ent; 00240		engi		ing			
IS START DATE			PLETION DATE	1.0		ENCY		16. PERFORMA		
7610	***	8209		D/	1		<u> </u>	C.]	In-Ho	use
A DATES/EFFECTI		EXPIRATION:		16. RES	OUNCES PRECE	ESTIMAT(E A PROFESS	HONAL MAN YES	L FUR	IOS (In thousands)
& NUMBER:*				FISCAL		82		1.3		107
& TYPE:		4 AMOUNT:		YEAR	CORRE		+	103	+-	
& KIND OF AWARD:	:	f. CUM. AMT.				83	1	0.4		42
19. RESPONSIBLE D	od organization			20. PER	PORMIN (ORGANIZ			 -	T
Re	S Army Medical I esearch & Develort Detrick, Fro	opment Labo	oratory	HAME:*	1	Resea	rch & De	al Bioer evelopmer Frederi	nt La	boratory
RESPONSIBLE INDIV		N., Jr.	·	PRINCIP NAME: TELEF	PAL INVE	Piero Piero (301 TY ACCO SYIGATOR	R (Fumleh SSAN Ce, P.E.) 663-72 Unt hunden:	H U.S. Academic	[netitulian	
				NAME:			on. J.H.			POC:DA
Z KEYWOADS (Proc	odo SACH with Society Closellic	tellon Code) / TT \ T	In 1 d name and	Di ma	(11)	T dans	dd Diana		-	100.00

(U) Helicopter Rig; (U) Liquid Dispersal;

(U) Aerial Application: (U) Mosquito Control: (U) Liquid Insecticide

L TECHNICAL OBJECTIVE, 24 APPROACH. 26. PROGRESS (Pumish Institutated peragraphs Identified by number. Proceeds test of each with Society Classification Code.

- 23. (U) Identify a suitable commercial, helicopter slung, dispersal unit for applying liquid formulations of insecticides, which would (a) be capable of dispensing liquid insecticides when slung beneath a helicopter, (b) require no modification of the aircraft, and (c) be capable of applying adequate swath widths and deposition rates for controlling disease vectors in combat situations or CONUS.
- 24. (U) A Transland Unit has been selected as the most suitable unit for field feasibility. Modifications will be made prior to further operational testing. The unit has been used successfully in actual field mosquito control operations.
- 25. (U) 8110 8209. The Transland Unit has been modified to satisfy the deficiencies observed in OT II. Further modifications to improve the ultra-low volume capability have been made. OT IIa is under way and will be completed in 1st Quarter FY 83. Type classification is anticipated in late FY 83.

TITLE: (U) Bag, Aidman's, Redesign of

FUNDING HISTORY: PY - 47K; CY - 59K; BY - 8K

PROBLEM DEFINITION: The current case, Medical Instrument and Supply Set (NSN 6545-00-912-9870) has been found inadequate. Because of the small size and configuration of the bag, the aidman is severely limited in his treatment capability in combat. The need exists for a larger bag, which provides easier access to its contents.

IMPORTANCE: The ability of the combat medical corpsman to provide prompt and effective treatment to soldiers in the field will be greatly enhanced by providing him with an aid bag containing a wider variety of medications, dressings, and instruments, which are easily accessible.

APPROACH: Various bags and cases which are already in the supply system were investigated. The bags most suitable for the projected need of the platoon aidman were either too small (M-3), overly compartmented (M-16), or without organizing compartments (M-5).

ACHIEVEMENTS: A compartmented aid bag has been designed and fabricated. The bag has six zippered compartments and is built in three sections that fold together for transport. The bag has an approximate volume of one cubic foot, D rings for the attachment of a shoulder sling, loops for use with shoulder straps or a pack frame, and a carrying handle. Prototype bags have been fabricated and evaluated at Ft. Bragg, Ft. Lewis, and in Europe with generally favorable results. In response to issues raised by the Combat Developer, a truly waterproof/chemical proof version of the design is being fabricated for further assessment.

RELATIONSHIP TO CORE PROGRAM: The design and development of a more efficient aid bag for use by the platoon aidman is consonant with the mission of The Surgeon General to provide the best in medical treatment for the soldier in the field.

MANUSCRIPT: A New Aid Bag for the Combat Medical Corpsman; O'Connor, Richard J., Brewer, Robert R., and Luther T. Geasey, Jr. Technical Report 8103, Feb 81.

DESEADON	AND TECHNOLOG	Y WORK HIMT S	IMMARY	I. AGENC			2. DATE OF SUR			WTHOL STREET.
					OB 6		82 10			LE(AR)636
2 DATE PREV SUMPRY	4. KIND OF SUMMARY	B. SUMMARY SCTY		7. REGRA	DING	Se DH	BE'N INSTR'N	Sh SPECIFIC D		LEVEL OF SUM
81 10 01	D. CHANGE	Ü	U				NL	K YES C	140	A WORK UNIT
10. NO./CODES:*	PROGRAM ELEMENT	PROJECT		TASK A	REA NU			WORK UNIT	NUMBER	
& PRIMARY	64717A	3846471	7D832	CA	,		048 AF	°C F580		
L CONTRIBUTING										
-X969630000000000	CARDS NO: 14	15R								
il, TITLE (Procedo with	Security Classification Code	,*								
(U) X-Ray F	ilm Processor	, Dental,	Portable, I	Field						
12. SCIENTIFIC AND TE	CHNOLOGICAL AREAS									
003500 Clin	ical Medicine	; 009800 M	edical and	Hosp:	ital	Equi	pment			
13. START DATE		14. ESTIMATED COMP	LETION DATE	IS FUND	NG AGEN	ĊŸ		16. PERFORMA	NCE METH	00
7812		8206		DA	_ l		.1	C. I	n-Hous	se
17. CONTRACT/GRANT					URCES E		A PROFESSI	ONAL MAN YRS	h FUND	6 (In thousands)
& DATES/EFFECTIVE:		EXPIRATION:			PRECEDI	NE				
& HUMBER:*				FISCAL		2).3	1	20
G TYPE:		4 AMOUNT:		YEAR	CURRENT					
& KIND OF AWARD:	_	f. CUM. AMT.		1 1	8	3		.2	1	18
19. RESPONSIBLE DOD (PREMIZATION			30. PERF	DRIMING C	RGANIZ	ATION			
NAME:* US A	rmy Medical E	Bioengineer	ing	NAME:	US	Arm	v Medica	l Bioen	zinee	ring
	arch & Develo			ł			•	elopmen	_	_
	Detrick, Fre			ADDRESS				Frederi		
		,				-			,	,
				PRINCIPA	L INVES	FIGATOR	(Funish SSAN I	f U.S. Academic I	nelitulianj	
RESPONSIBLE INDIVIDU	IAL			HAME:	N	la 1 ek	, J.W.			
NAME: AThe	ertson, John M	l. Jr.		TELEP				77; AUTO	NUN 3	13-7277
) 663 – 2434: <i>A</i>	•	- つけろり	SOCIAL	-	-	UNT NUMBER:	, AUIU	٠٠٠٠)	·J-1-11
EI. GENERAL USE	7 VV 1-2-3 1-4	14.3		ASSOCIAT	E INVES	TIGATOR	18			
				NAME:						
				HAME:						POC:DA
L										FULLUM

- (U) X-Ray: (U) Field Medicine: (U) Field Equipment: (U) Dental Processor: (U) Processor 25. TECHNICAL OBJECTIVE, 24. APPROACH. 25. PROGRESS (Purnish Individual paragraphs Identified by number. Proceeds lost of each with Socurity Classification Code.)
- 23. (U) Identify a suitable X-ray film processing portable field unit to support a low capacity X-ray unit.
- 24. (U) Search existing industrial sources for a functional device that can be adopted. If none is available, modify, design or contract for the design of a new device.
- 25. (U) 8110 8209. A modified commercial Operations and Maintenance Manual has been revised and forwarded to USAMMA for review and comments.

TITLE: (U) X-Ray Film Processor, Dental, Portable, Field

FUNDING HISTORY: PY - 8K; CY - 20K; BY - 18K


PROBLEM DEFINITION: To identify a suitable X-Ray Film Processing Portable Field unit to support a low capacity X-ray unit.


IMPORTANCE: Portable wet X-ray film processors and accessories are not suitable for use by small dental units outside of field type hospitals based on excessive weight, complexity, and requirements for electrical power, water, and processing chemicals. The need is acute for dental units/sections to complement the low capacity X-ray apparatus recently approved for limited procurement.

APPROACH: Search and obtain an industrially developed functional device that can be adapted to meet the established characteristics.

ACHIEVEMENTS: Operational Testing I (OT I) was initiated on 16 July 1979 and completed on 26 October 1979. Results were good with only minor design changes. The prototype was modified to correct OT I deficiencies and then subjected to Development Testing II (DT II). DT II was successfully concluded on 3 March 1980. Maintenance evaluation was accomplished and concluded on 3 March 1981. A modified commercial Operations and Maintenance Manual was forwarded to USAMMA for review and comment.

RELATIONSHIP TO CORE PROGRAM: This program is directly related to the Laboratory's mission to develop field medical materiel.





MICROCOPY RESOLUTION TEST CHART NATIONAL BUREAU OF STANDARDS-1963-A

BETEARCH AND TECHNOLOGY MOON INST CHANGE					2. DATE C	2. DATE OF SUMMARY		REPORT CONTROL STEEDL				
ARD TECHNOLOG	1 MOKK OM1 2	UMMART	L			82	82 10 01			DD-DR&E(AR)636		
4. KIND OF SUMMARY	L SUMMARY SCTY	S. WORK SECURITY	7. REGR	OING	94 (168'N 185T		SA SPECIFIC	DATA -	S. LEVEL OF SUM		
D. CHANGE	ט	U	1			NL				A WORK WHIT		
PROGRAM ELEMENT	PROJECT	NUMBER	TASK A	REA N	UMBER	I		WORK UNIT	NUMBER			
64717A	3846471	7D832	AA			044	AP	C F581				
CARDS NO: 1	29R											
Security Classification Code	79											
osquito, Ligi	ht, Collaps	ible										
HHOLOGICAL AREAS	009800	Medical an	d Hos	pita	1 Eq	uipme	nt;					
engineering;	005900 Envi	ronmental	Biolo	gy		-	•					
	14. ESTIMATED COM	PLETION DATE	IS FUNC	HNG AG	ENCY	16. PERFORMANCE METHOD						
	8209		DA I		1	C. In-House			use			
7910 T. CONTRACT/GRANT				16. RESOURCES ESTIMATE			A PROFESSIONAL MAN YRS			h FUNDS (In thousands)		
	EXPIRATION:		PHECEDINA									
b. NUMBER:®			FISCAL		82		0	.1	1 4			
	& AMOUNT:		YEAR CURRENT		1							
	f. CUM. AMT.		1		83		C	.7	1	74		
REANIZATION			30. PERF	OMMIN G	ORGAN	ZATION				7		
rmv Medical I	Bioengineer	ing	HAME:	Ü	IS Ar	mv Me	dica	l Bioer	gine	ering		
•	_	_	Research & Development Laboratory									
• • • • • • • • • • • • • • • • • • • •				1								
Toru Bourion, Fronciscon, in Error				1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2								
RESPONSIBLE INDIVIOUAL			PRINCIPAL INVESTIGATOR (Furnish SSAN II U.S. Academic Incitation)									
			NAME: Pierce. P.E.									
NAME: Albertson, John N., Jr.			TELEPHONE: (301) 663-7237; AUTOVON 343-7237									
			SOCIAL SECURITY ACCOUNT NUMBER:									
11. GENERAL USE			ASSOCIATE INVESTIGATORS									
			NAME:		0100	nnor.	R	1_				
			NAME:		<i>-</i>	,		•		POC:DA		
	D. CHANGE PROGRAM ELEMENT 64717A CARDS NO: 1 COMMITTE CONSIDERATION CONTROL AREAS Engineering; PREAMITATION TIMPY Medical Parch & Devel Detrick, Free AL Preson, John	D. CHANGE PROGRAM ELEMENT 64717A 3846471 CARDS NO: 1429R COMMITTE CONSTRUCTION	D. CHANGE U U PROGRAM ELEMENT PROJECT NUMBER 64717A 3S464717D832 CARDS NO: 1429R Conduity Closelfication Cody Cosquito, Light, Collapsible CHANGE OO9800 Medical and Engineering; 005900 Environmental 14. ESTMATED COMPLETION DATE 8209 EXPIRATION: 4 AMOUNT: 6. CUM. AMT. PREAMIZATION LITTY Medical Bioengineering Earch & Development Laboratory ED Detrick, Frederick, MD 21701	AND TECHNOLOGY WORK UNIT SUMMARY A KIND OF SUMMARY D. CHANGE U PROGRAM ELEMENT FROJECT NUMBER TASK A 64717A 38464717D832 AA CARDS NO: 1429R SOUND COMPLETION DATE SINGLING COLOGIA COMPLETION DATE BOOM COMPLETION DATE BOOM CAMBER BOOM CAM	A HIND OF SUMMARY A. KIND OF SUMMARY D. CHANGE U PROGRAM ELEMENT FROJECT NUMBER 64717A 38464717D832 AA CARDS NO: 1429R Security Ciscolification Cody Soquito, Light, Collapsible CHINOLOGICAL AREAS 009800 Medical and Hospital Engineering; 005900 Environmental Biology 14. ESTMATED COMPLETION DATE 8209 EXPIRATION: 4 AMOUNT: 6. CUM. AMT. REANIZATION 12. PERFORMING WAME: PISCAL VEAR PRINCIPAL INVE NAME: AL OPTION, John N., Jr. 1 663-2434: AUTOVON 343-2434 ABSOCIATE INVE MAME: ABSOCIATE INVE MAME: ABSOCIATE INVE MAME: ABSOCIATE INVE MAME: ABSOCIATE INVE MAME: ABSOCIATE INVE MAME:	AND TECHNOLOGY WORK UNIT SUMMARY DA OG 0701 A KIND OF SUMMARY D. CHANGE U PROJECT NUMBER 64717A 38464717D832 AA CARDS NO: 1 29R CARDS NO: 1 29R CARDS NO: 1 29R COMMITTING CONSIDER COMMITTING CONSIDER CARDS NO: 1 29R CARDS ARA CARDS AREA NUMBER AA CARDS AREA NUMBER TASK AREA	AND TECHNOLOGY WORK UNIT SUMMARY DA OG 0701 82 A KIND OF SUMMARY B. SUMMARY SCTY* A. WORK SECURITY* D. CHANGE U TASK AREA NUMBER TASK AREA NUMBER O444 CARDS NO: 1429R SOQUITO, Light, Collapsible INCLOSION COMP* SOQUITO, Light, Collapsible INCLOSION COMP* SOURCE STANDARY EXPENSIVE TO THE PUNDING AGENCY BASON EXPERATION: TELEPHONE SECURITY ACCOUNT NUMBER ALL OF CONNO. 343-2434 ASSOCIATE INVESTIGATOR FAMER: OF CONNO. 343-2434 ASSOCIATE INVESTIGATOR MAME: OF CONNO. 343-2434 ASSOCIATE INVESTIGATORS NAME: OF CONNO. 182 TASK AREA NUMBER TASK AR	AND TECHNOLOGY WORK UNIT SUMMARY A KIND OF SUMMARY D. CHANGE U PROGRAM ELEMENT PROJECT NUMBER TASK AREA NUMBER TASK AREA NUMBER CARDS NO: 1429R COARDS AREA NUMBER COARDS AREA NUMBER COARDS NO: 1429R COARDS AREA NUMBER COARDS AR	A WHILD OF SUMMARY D. CHANGE U U NL SUMMARY SCTV A WORK SECURITY A RESPACE OF O'O') NL SUMMARY SCTV A WORK SECURITY A RESPACE OF O'O' NL SUMMARY SCTV A WORK SECURITY A RESPACE OF ONE OF TRACTOR NL SUMMARY SCTV NL SUMMARY SCTV NL SUMMARY SCTV A WORK SECURITY A RESPACE OF ONE OF TRACTOR NL SUMMARY SECURITY CARDS NO: 1429R CARDS NO: 1429R CARDS NO: 1429R CARDS NO: 1429R CARDS NO: 1429R CARDS NO: 1429R CARDS NO: 1429R COMPOSITION COMPOSITION COMPOSITION COMPOSITION COMPOSITION COMPOSITION SECURITY COMPOSITION SECURITY COMPOSITION SECURITY COMPOSITION SECURITY COMPOSITION SECURITY SECURITY COMPOSITION SECURITY SECURITY A PROFESSIONAL MAN VERY SECURITY SECURITY ADDRESS: FISCAL SECURITY ADDRESS: FORT DETRICK, Frederick NAME: PIECE PRINCIPAL INVESTIGATOR (PUMISH SEAN II U.S. Accommode NAME: NAME: O'CONNOT, R.J. ASSOCIATE INVESTIGATORS NAME: O'CONNOT, R.J.	AND TECHNOLOGY WORK UNIT SUMMARY DA OG 0701 82 10 01 DD-DI A KIND OF SUMMARY D. CHANGE U U TREGNADING PROGRAM ELEMENT PROJECT NUMBER TASK AREA NUMBER GAT17A 38464717D832 AA O44 APC F581 CARDS NO: 1429R SOUNTS CISCURSCHIM COMP* CONTRICTOR TOWNSER CARDS NO: 1429R SOUNTS CISCURSCHIM COMP* CONTRICTOR TOWNSER CARDS NO: 1429R SOUNTS CISCURSCHIM COMP* CONTRICTOR TOWNSER CARDS NO: 1429R SOUNTS CISCURSCHIM COMP* CONTRICTOR TOWNSER CARDS NO: 1429R SOUNTS CISCURSCHIM COMP* SOUNTS CISCURSCH		

- (U) Mosquito Light Trap; (U) Disease Vectors;
- (U) Pest Mosquitoes: (U) Mosquito Surveys: (U) Population Studies
 23. TECHNICAL OBJECTIVE, 24. APPROACH. 28. PROGRESS (Pumitsh Individual paragraphs Identified by number. Procedu text of each with Security Classification Code
- 23. (U) Develop a collapsible mosquito light trap which is powered solely from AC sources. The trap will be used at fixed installations and static deployment in disease vector and pest mosquito surveys. This will replace the standard mosquito light trap (NSN 3740-00-607-0337, LIN X24251) which is bulky and unreliable for field use.
- 24. (U) Design and fabricate a suitable collapsible, AC powered, mosquito light trap and conduct field evaluations in various habitats.
- 25. (U) 8110 8209. The prototype system has been fabricated. Developmental testing will begin 1st Quarter FY 83.

TITLE: (U) Trap, Mosquito, Light, Collapsible

FUNDING HISTORY: PY - 10K; CY - 4K; BY - 74K

PROBLEM DEFINITION: To develop an improved replacement for the Trap, Mosquito, Light (NSN 3740-00-607-0337) that is collapsible for storage, is capable of using a variety of lamps, and has an extended service life.

IMPORTANCE: The Trap, Mosquito, Light is a bulky, heavy item which is part of the TOE of the Preventive Medicine Detachment, Team LA, Entomology Services (TOE 8-620HOLA). It is an important instrument for surveillance of medically important insects in areas of static troop deployment where surveys are continued for prolonged lengths of time. This trap will provide long-term information on the control efforts of an IPM program.

APPROACH: A new collapsible, AC powered light trap will be fabricated in-house. The primary objective is to produce a durable trap that can be easily disassembled and collapsed for storage and shipment

ACHIEVEMENTS: A prototype system has been fabricated. Developmental testing will begin 1st Quarter FY 83.

RELATIONSHIP TO CORE PROGRAM: The project involves development of a new replacement trap for one currently used by field medical units.

RESEARCH AND TECHNOLOGY WORK UNIT SUMMARY		1. AGENCY ACCESSION		2. DATE OF SU	MARY	REPORT CONTROL STREET						
RESEARCH	AND TECHNOLOG	T WORK UNIT S	UMMARY	D/	DA OG 0700		82 10 01		DD-DR&E(AR)636			
3. DATE PREV SUMPRY	4. KIND OF SUMMARY	S. SUMMARY SCTY	L WORK SECURITY	7. REGR	ADING ⁸	94 D	80'N MSTR'N			D. LEVEL OF SUE		
81 10 01	D. CHANGE	ט	บ			1	NL			A WORK UNIT		
10. NO./CODES:8	PROGRAM ELEMENT	PROJECT	NUMBER	TASK	AREA N	UMBER		WORK UNI	T NUMBE	R		
& PRIMARY	64717A	3846471	7D832	A	1		045 A	PC F582	?			
. CONTRIBUTING												
*x**********	CARDS NO: 1											
11. TITLE (Procede with	Security Classification Code	j ⁶										
(U) Aeroso	Generator	ULV. Skid N	founted									
12. SCIENTIFIC AND TE	CHHOLOGICAL AREAS											
009800 Med	ical and Hosp	ital Equips	ent: 00240	0 Bio	eng:	ineer	ing					
13. START DATE		14. ESTIMATED COM	PLETION DATE	IL PUN	DING AG	ENCY		16. PERFORM		ANCE METHOD		
7910		8209		DA L			C. :		In-House			
TT. CONTRACT/GRANT					10. RESOURCES ESTIMATI		A PROFESSIONAL MAN YR		s b FU	L FUNDS (In thousands)		
A DATES/EFFECTIVE:	A DATES/EFFECTIVE: EXPIRATION:		f	PARCE	PIN 6			ľ	·			
₽ HOMPEU:				FISCAL 82		0.1			3			
& TYPE:		4 AMOUNT:		YEAR	CUMME	MY						
& KIND OF AWARD:	· · · · · · · · · · · · · · · · · · ·	f. CUM. AMT.				83		0.2		13		
19. RESPONSIBLE DOD	DREANIZATION			30. PER	PORMIN	IMADRO 2	HOITA					
MAME:* US	Army Medical	Bioengineer	ing	HAME:*	1	US Ar	my Medic	al Bioe	ngine	ering		
Res	earch & Devel	opment Labo	ratory	Research & Development Laboratory								
	t Detrick, Fr	•	•	I								
				Total Social Strain Control of the C								
				PRINCIPAL INVESTIGATOR (Furnish SSAN II U.S. Academic Inelitation)								
RESPONSIBLE INDIVIDU	RESPONSIBLE INDIVIDUAL			HAME: Pierce, P.E.								
HAME: Albe	ertson, John	N. Jr.		· · · · · · · · · · · · · · · · · · ·						343-7237		
TELEPHONE: (301) 663-2434 - ATTOVON 343-2434			SOCIAL	L SECUR					J . J			
21. GENERAL USE	·, ·			ASSOCIA	TE INVE	ESTIGATO	NS					
				NAME:	Dengineering OHS APC F582 Dengineering OHS APC							
				NAME:				·		POC:DA		
EL KEYBORDS (Procedo	BACK with Security Classics	sation Code)										

- (U) Aerosol Generator; (U) ULV Dispersal;
- (II) Mosquito Control: (II) Skid Mounted: (II) Durable: (II) Disease Vector
- 23. (U) Identify and evaluate a commercially available, skid mounted, ultra-low volume (ULV) aerosol generator capable of dispersing all ULV insecticide formulations registered for mosquito control. This generator would be used by preventive medicine and engineering personnel in combat zones and CONUS for controlling disease vectors and pest arthropods.
- 24. (U) A review of commercially available ULV aerosol generators has been made. Suitable units were field evaluated. Final selection of specification characteristics, which was coordinated with responsible agencies, was made after formal testing.
- 25. (U) 8110 8209. An IPR recommended type classification of the aerosol generator. All actions necessary to transition to the readiness command have been completed.

TITLE: (U) Aerosol Generator, ULV, Skid Mounted

FUNDING HISTORY: PY - 46K; CY - 3K; BY - 13K

recen ecomes. Presses merrecent correct andicer

PROBLEM DEFINITION: To evaluate and recommend for adoption into TOEs an ultra-low volume (ULV) aerosol generator to replace current cold fog generators.

IMPORTANCE: Since 1960 commercial pest control has used the environmentally acceptable methods of the ULV aerosol generator for adult mosquito control. In this area, the military has not maintained state-of-the-art. Adoption of these generators will provide the TOE units the capabilities to control adult mosquitoes using ULV techniques.

<u>APPROACH</u>: Commercial units of a high-air volume, low-air pressure design will be evaluated both functionally and operationally. Results will be used as the basis for procurement of aerosol generators.

ACHIEVEMENTS: An IPR recommended type classification of the aerosol generator.
All actions necessary to transition to the readiness command have been completed.

RELATIONSHIP TO CORE PROGRAM: The project involves modernization of existing military pest control equipment to give field medical units modern, effective equipment.

PETEADON	AND TECHNOLOGY	V WARY INST &	I MANAGO	1. AGENCY	ACCESSION	2. BATE OF BUILD	ARY	REPORT CONTROL STUBOL		
REJERACH	TARD TECHNOLOGY	WORK UNITS			OG_0677	82 10	01	DD-DR&E(AR)636		
& DATE PREV SUMPRY	4. KIND OF SUMMARY	S. SUMMARY SCTY	L WORK SECURITY	7. REGRADO	HG DI	88'N MSTR'N	SPECIFIC			
81 10 01	D. CHANGE	Ü	Ü					NO A WORK WHIT		
16. NO./CODES: ⁸	PROGRAM ELEMENT	PROJECT	NUMBER	TASK ARE	A NUMBER		WORK UNIT	NUMBER		
& PRIMARY	64717A	3846471	7D832	AA		003 AP	C F583			
. CONTRIBUTING										
*-XCENTENEXTUREX	CARDS NO: 1									
11. TITLE (Procedo with	Security Classification Code	•								
	r. Powered. U	LV. Portabl	<u>le</u>							
12. SCIENTIFIC AND TE	CHNOLOGICAL AREAS									
009800 Med:	ical and Hosp	ital Equipa	ent: 00240	O Bioe	ngineer	ing				
13. START DATE		14. ESTIMATED COM	PLETION DATE	IS FUNDING	BAGENCY		6. PERFORM	ANCE METHOD		
7910		8209		DA	<u> </u>		C.	In-House		
IF. CONTRACT/GRANT					CES ESTIMAT	E A PROFESSION	HAL MAN YRS	h. FUHOS (In Mousends)		
4 DATES/EFFECTIVE:		EXPIRATION:		100	ESEDING					
P HOMPEN:				FISCAL	82	l o	.1	1		
& TYPE:		4 AMOUNT:		YEAR EU	RRENT					
& KIND OF AWARD:		f. CUM. AMT.			83		.1	14		
19. RESPONSIBLE DOD (DRGANIZATION .			30. PERFOR	MING ORGANI	EATION				
"AME:" US	Army Medical	Bioengineer	ing	NAME:*	US Ar	mv Medica	1 Bioe	ngineering		
	earch & Devel	_	-			•		nt Laboratory		
	t Detrick, Fr	•	•	ADDRESS:*	Fort	Detrick,	Freder	ick, MD 21701		
		•	·	Ì		•		•		
ı				PRINCIPAL	IN VESTIGATO	R (Fumioh SSAN II)	y. S. Academic	[netifution]		
RESPONSIBLE INDIVIDU	AL			NAME:	Pier	ce, P.E.				
NAME: Albe	ertson, John	N Jr.		TELEPHONE: (301) 663-7237; AUTOVON 343-7237						
	1) 663-2434:	•	3-2434	SOCIAL SE	-					
B1. GENERAL USE				ASSOCIATE	INVESTIGATO	RS				
				NAME:	Nels	on, J.H.				
				HAME:				POC:DA		

- (U) ULV Dispersal; (U) Arthropod Control;
 (II) Lightweight: (II) Durable; (II) Disease Vectors; (II) Portable

 TECHNICAL GRACETIVE. 28. APPROACH. 28. PROSESS (Partial individual paragraphs (Applituded by combat. Proceed that at each with security Classification).
- 23. (U) Identify a commercially available, lightweight, durable, portable unit capable of dispersing ultra-low volume (ULV) pesticide formulations. This unit would be used by preventive medicine personnel in combat zones and CONUS for controlling disease vectors and pest arthropods.
- 24. (U) Review commercially available portable ULV units. Suitable units will be field evaluated. After entomological feasibility has been established, modifications, if necessary, will be made and formal testing coordinated with responsible agencies.
- 25. (U) 8110 8209. Evaluations indicate that the gasoline engine unit manufactured by Micro-Gen is the best available. A recommendation to pursue off-the-shelf (OTS) strategy will be made in FY 83.

TITLE: (U) Sprayer, Powered, ULV, Portable

FUNDING HISTORY: PY - 8K; CY - 1K; BY - 14K

CALL STATES OF THE STATES OF T

PROBLEM DEFINITION: To evaluate commercial hand-held ultra-low volume (ULV) sprayers for adoption of an acceptable item into TOE units.

IMPORTANCE: Previous experiences in Southeast Asia and the Mideast have demonstrated the devastating effect outbreaks of arthropod-borne diseases can have on field operations. Many outbreaks start from a small localized area, too big for a field sanitation team to handle but too small for efficient treatment using current Corps equipment. To fill this technical gap, a small portable ULV sprayer could be used for local control of flies and mosquitoes.

<u>APPROACH</u>: Several commercially available hand-held ULV sprayers that are either gasoline engine driven or battery powered will be evaluated. Units that pass engineering criteria will be subjected to off-the-shelf (OTS) strategy.

<u>ACHIEVEMENTS</u>: Evaluations indicate that the gasoline engine unit manufactured by Micro-Gen is the best available. A recommendation to pursue OTS strategy will be made in FY 83.

RELATIONSHIP TO CORE PROGRAM: The project involves engineering and operational evaluation of insecticide dispersal equipment for incorporation into TOE of field medical units.

ENVIRONMENTAL QUALITY TECHNOLOGY

and the second of the second of the second s

RESEARCH AND TECHNOLOGY WORK UNIT SUMMARY			DA OG 0698			82 09			DD-DR4E(AR)436	
A DATE PREV SUMPRY	Ta. KIND OF SUMMARY		L WORK SECURITY	1			OZ UJ	TO SPECIFIC		D. LEVEL OF SER
81 10 01	K. COMPLETIC		U		v Criss A.	Γ	NL	CONTRACTO		A WORK WHIT
16 NO./CODES:\$	PROGRAM ELEMENT	PROJECT	NUMBER	TASK	AREA HUM	BEA		WORK UN	T NUMBER	
& PRIMARY	62720A	3E16272	UA835		AA		146	APC F6	36	
. CONTRIBUTING										
X ARMERICAN	STOG 80-8:18									
(U) Chemica		itary Comp								
007800 Hygi	ene and Sanit	ation; 010			y; 012		Physica	al Chemi		THOD
7910		8209			DA		l	c.	In-Hou	18e
T. CONTRACT/GRANT		·		10. REE	OURCES ES	TIMATE	A PROFESS	HOMAL MAN Y	15 L FUI	HDS (In Mousends)
& BATES/EFFECTIVE:		EXPIRATION:			PRECEDIA	8	1			
h number:*				FISCAL	82	2		0.2	}	44
& TYPE:		4 AMOUNT:		YEAR	CURRENT					
& KMD OF AVARD:		f. CUM. AMT.		ŀ	83	3] (0.0	j	00
10. RESPONSIBLE DOD	ORGANIZATION			20. PER	FORMING OF	RGANIZ	ATION			
HAME:* US A	rmy Medical B	ioengineer	ing	HAME:	US	Arm	y Medica	al Bioe	ngine	ring
Rese	arch & Develo	pment Labo	ratory	1	Res	ear	ch & Dev	velopme	nt Lai	oratory
ADDRESS:* FORT	Detrick, Fre	derick, MD	21701	ADDRES	Foi	rt D	etrick,	Freder	ick, l	4D 21701
				PRINCIPAL INVESTIGATOR (Pumion SEAR II U.S. Academic Institution) HAME: Dennis, W.H. TELEPHONE: (301) 663-2036; AUTOVON 343-2036						
nesponsible individual name: Trudeau, T.L., COL										
			TELEPHONE: (301) 663-2434; AUTOVON 343-2434							
II. GENERAL USE				ASSOCIA	TE INVEST	IGATOR	18			
Foreign Intelligence Not Applicable			е	MAME:						
	-			NAME						POC: DA
II. KEYBOAGS (Procedo	SACE with Security Classific	sallen (reds)								

- (U) Munitions; (U) Environmental Fate; (U) Biodegration; (U) Hydrolysis; (U) Protolysis

 E3. TECHNICAL OBJECTIVE: 24 APPROACH, 25. PROGRESS (Pumilsh individual peradruphs identified by number. Proceeds tout of each with Socurity Classification Code.)
- 23. (U) The objective is to determine the chemical degradation and biodegradation rate constants for use in a mathematical model for prediction of the environmental fate of chemical pollutants of importance to Army munitions production.
- 24. (U) The rate of chemical degradation of selected compounds via photolytic, hydrolytic and oxidative pathways will be determined. The rate of microbial degradation will be determined by using microorganisms endogenous to the site of pollution. Identification of transformation products will be attempted. Adsorption to sediments and biosorption to selected microorganisms will be measured.
- 25. (U) 8110 8209. 1,3-Dinitrobenzene; 1,3,5-trinitrobenzene and 3,5-dinitroaniline were synthesized, purified and methods developed for their analysis. The two former compounds are very slow to photodegrade in water and all three are stable to hydrolysis. A new method to measure the volatility of these substances was developed and volatility of 1,3-dinitrobenzene, 1,3,5-trinitrobenzene, and 3,5-dinitroaniline was determined. Biodegradation studies for 1,3-dinitrobenzene, 1,3,5-trinitrobenzene, and 3,5-dinitroaniline have been completed and documentation is beginning.

TITLE: (U) Chem: al Fate of Military Compounds

FUNDING HISTORY: PY -158K; CY - 44K; BY - 0K

PROBLEM DEFINITION: The objective is to determine the chemical degradation and biodegradation rate constants for use in a mathematical model for prediction of the environmental fate of chemical pollutants of importance to Army munitions production.

IMPORTANCE: Like other chemicals, the wastes resulting from the munitions manufacturing and loading processes could be subjected to federal discharge regulations. TNT (2,4,6-trinitrotoluene) and RDX (1,3,5-trinitrohexahydro-1,3,5-triazine) are manufactured at Army munitions facilities and are discharged with associated waste chemicals without significant treatment. Since wastewaters from munitions manufacturing facilities are released to the environment and since the chemical compounds contained in the wastes have the potential to affect health, it is important to define the overall environmental fate of these chemicals.

APPROACH: The rate of chemical degradation of selected compounds via photolytic, hydrolytic, and oxidative pathways will be determined. The rate of microbial degradation will be determined by using microorganisms endogenous to the site of pollution. Identification of transformation products will be attempted. Adsorption to sediments and biosorption to selected microorganisms will be measured.

ACHIEVEMENTS: 1,3-Dinitrobenzene; 1,3,5-trinitrobenzene, and 3,5-dinitroaniline were synthesized, purified and methods developed for their analysis. The two former compounds are very slow to photodegrade in water and all three are stable to hydrolysis. A new method to measure the volatility of these substances was developed and volatility of 1,3-dinitrobenzene was determined. A culture was developed which would use 1,3-dinitrobenzene as a sole carbon source, and the second order rate constant for its biodegradation was determined. 1,3,5-Trinitrobenzene and 3,5-dinitroaniline would not act as sole carbon sources and appeared to be cometabolized in the presence of exogenous metabolizable nutrients. One product was recovered after the microbiological transformation of 1,3,5-trinitrobenzene and at least resulted from the transformation of the aniline compound.

RESEARCH AND TECHNOLOGY WORK UNIT SUMMARY					EA VECEN	HON 2	DATE OF SUM				
					OG 9		82 10			LE(AR)636	
1 DATE PREV SUMPRY	4. KIND OF SUMMARY	S. SUMMARY SCTY	S. WORK SECURITY	7. REGR	/OING	P	P'H MST#'H	Sh. SPECIFIC C		LEVEL OF SUM	
81 10 01	H. TERMINATI	ON U	U	L		N	VL.	TYES [100 HO	A WORK UNIT	
10. NO./CODES:*	PROGRAM ELEMENT	PROJECT		TASK A	REA NUM	BER		WORK UNIT			
- PRIMARY	62720A	3E16272	DAB35		AA		145	APC F63	7		
. CONTRIBUTING											
XXXXXXXXXX	STOG 80-8:18	L									
	Josephy Classification Code	•									
	ological Fate	of Militar	ry Compound	ls							
12. SCIENTIFIC AND TEC							_				
010100 Micr	obiology; 008						sical C	hemistr	y		
15. START DATE		14. ESTIMATED SOMP	PLETION DATE	18. FUNC	NNG AGEN	CY		16. PERFORMA	NCE METH	00	
8110		8209			DA			C. I	n-Hous	зе	
17. CONTRACT/GRANT				16. RESC	OURCES ES		A PROFESSI	DHAL MAN YRS	L FUNC	6 (In thousands)	
& DATES/EFFECTIVE:		EXPIRATION:			PHECEDIA	18			1		
P HAMPEU:				FISCAL	8:	2	0	•5		74	
& TYPE:		4 AMOUNT:		YEAR	CURRENT						
& KIND OF AWARD:		f. CUM. AMT.			8:	3	0	•0	L	00	
19. RESPONSIBLE DOD O				30. PERF	ORMING O	RGANIZA	TION				
	rmy Medical E	_	•	NAME:*	US	Army	<pre>Medica</pre>	1 Bioen	gineer	ring	
Rese	arch & Develo	pment Labor	ratory		Res	searc	h & Dev	elopmen	t Labo	ratory	
ADDRESS:* Fort	Detrick, Fre	derick, MD	21701	ADDRES	• For	rt De	etrick,	Frederi	ck, M	21701	
				ł							
				PRINCIP	AL INVEST	IGATOR ((Furnish SSAN I	U.S. Academic	jne i i tution)		
RESPONSIBLE INDIVIDU	AL ·			NAME:	M:	itche	11, W.R				
HAME: Trud	eau, T.L., Co	L		TELEP	HONE: ()	301)	663-234	O; AUTO	VON 34	43-2340	
TELEPHONE: (301) 663-2434; A	UTOVON 343-	-2434	SOCIAL	SECURITY	ACCOU	HT NUMBER:	-			
EI. GENERAL USE				ASSOCIA-	TE INVEST	IGATORS					
Foreign Int	elligence Not	Applicable	2	HAME:							
				NAME:						POC:DA	

- (U) Biodegradation; (U) Munitions; (U) Physical Chemistry; (U) Microbiological

 2. TECHNICAL OBJECTIVE, 24 APPROACH. 25. PROGRESS (Pumish Individual peragraphs Identified by number. Proceeds test of each with Security Classification Code.
- 23. (U) The possible biodegradation of military compounds will be determined. If biodegradation is found, then biotransformation rates will be determined.
- 24. (U) The susceptibility of military compounds to biodegradation will be determined by screening procedures using sediments and microorganisms indigenous to the pollution site. If screening procedures reveal biodegradation, the rates will be measured and biosorption and biotransformation products will be measured.
- 25. (U) 8110 8209. Documentation of the environmental fate of 1,3-dinitrobenzene, 1,3,5-trinitrobenzene, and 3,5-dinitroaniline is complete. USAMBRDL Technical Report 8201, "Microbial Interactions with Several Munitions Compounds: 1,3-DNB, 1,3,5-TNB and 3,5-DiNA" reviewed, approved, was published. Manuscript "The biodegradation of 1,3-DNB" (data from APC 177 combined with that of APC 637) accepted for future publication in Environmental Science and Technology.

TITLE: (U) Microbiological Fate of Military Compounds

FUNDING HISTORY: PY - OK; CY - 74K; BY - OK

PROBLEM DEFINITION: A determination of the fate in the environment of munitions associated pollutants is essential to the establishment of water quality criteria in a context of hazard assessment. Research was undertaken to define microbiological interactions with three compounds found in discharges from Army munitions plants: 1,3-dinitrobenzene, 1,3,5-trinitrobenzene, and 3,5-dinitroaniline.

IMPORTANCE: As a manufacturer and processor of munitions, the Army is responsible to provide the data necessary to adequately assess the risk associated with the discharge of munitions by-products.

APPROACH: The susceptibility of military compounds to biodegradation will be determined by screening procedures using sediments and microorganisms indigenous to the pollution site. If screening procedures reveal biodegradation, the rates will be measured and biotransformation products will be defined. Biosorption levels will also be measured.

ACHIEVEMENTS: Studies were documented which defined the biodegradable nature of 1,3-dinitrobenzene both in environmental waters and in the laboratory. Results were presented which indicated that 1,3,5-trinitrobenzene and 3,5-dinitroaniline were not ultimately biodegradable but were transformed by indigenous microorganisms. None of the compounds were significantly bioadsorbed. A USAMBRDL Technical Report 8201 entitled "Microbial Interactions with Several Munitions Compounds: 1,3-DNB, 1,3,5-TNB, and 3,5-DiNA" has been published. A manuscript with composite data from this work unit and Agency Accession No. DAOG 6380 in press.

	AND TECHNOLOGY			DA	OG 1297	82 10 C			THOL SYMBOL E(AR)636
81 10 01	4. KIND OF SUMMARY H. TERMINATI	S. SUMMARY SCTYS ON U	U. WORK SECURITY	7. REGR	i i	6	SPECIFIC DONTRACTOR A	ACCESS	EVEL OF SUM
19. NO./CODES:*	PROGRAM ELEMENT	PROJECT		TASK A	AREA NUMBER		WORK UNIT	NUMBER	
& PRIMARY	62720A	3E162720	JA835		AA	152	PC F645		
b. CONTRIBUTING					_				
XXXXXXXXX	STOG 80-8:17								
	mental Fate o		lchloroanil	ine:	Microbi	al Intera	ctions		
010100 Micro	obiology; 008						:		
13. START DATE		14. ESTIMATED COMP	LETION DATE	IS FUN	DING AGENCY	. [6. PERFORMA		
8106		8203		<u> </u>	DA	1	C. Ir	n-House	2
17. CONTRACT/GRANT				10. RES	OURCES ESTIMATE	A PROFESSIO	IAL MAN YRS	h FUNDS	(In thousands)
& DATES/EFFECTIVE:		EXPIRATION:			1	1 .	_		
MUMBER:*				FISCAL	82	1.	.2	ļ	129
& TYPE:		& AMOUNT:		YEAR		_	_	1	
& KIND OF AWARD:		f. CUM. AMT.			83	1 0.	.0		00
19. RESPONSIBLE DOD C				30. PERI	FORMING ORGANIZ		<u> </u>		
	rmy Medical B	_	•	NAME:*		y Medical	•	-	
	arch & Develo	•		1		ch & Deve			
ADDRESS:* Fort	Detrick, Fre	derick, MD	21701	ADDRES	Fort D	etrick, F	rederio	ck, MD	21701
i e	eau, T.L., CO			NAME:	HONE: (301)	e11, W.R. 663-2340		-	3-2340
) 663-2434; A	<u>UTOVON 343-</u>	-2434	-	. SECURITY ACCO				
B1. GENERAL USE				1	TE INVESTIGATOR	ıs			
Foreign Int	elligence Not	Applicable	•	NAME:					
N D COMMAN /	EACH with Society Classific	ada Ada		HAME:					POC:DA

- (U) Environmental Fate; (U) Biodegradation; (U) Munitions; (U) Physical Chemistry

 13. TECHNICAL OBJECTIVE. 24 APPROACH. 25. PROGRESS (Purnish Individual paragraphs identified by number. Proceeds test of each with security Classification Code.)
- 23. (U) The possible biodegradation or transformation of 2,4,6-trichloroaniline, a pollutant of Army interest, will be determined. Should biodegradation or transformation take place, then their rates will be determined.
- 24. (U) The susceptibility of 2,4,6-trichloroaniline to biodegradation will be determined by screening procedures using sediments and microorganisms indigenous to the pollution site. If screening procedures reveal biodegradation, the rates will be measured. Biosorption levels and transformation products will be determined.
- 25. (U) 8110 8209. The compound 2,4,6-trichloroaniline appears to be susceptible to microbial action in natural water samples. Microorganisms in the samples can be maintained in secondary cultures after serial passage with the compound as a sole carbon source. Following microbial action on the compound, levels of free chloride ion and adenosine triphosphate increase in the cultures. Levels of biosorption are low. The project is unfunded for FY83 and is incomplete. It will be completed pending the identification of a new cost center.

TITLE: (U) Environmental Fate of 2,4,6-Trichloroaniline: Microbial Interactions

FUNDING HISTORY: PY - 18K; CY - 129K; BY - 0K

PROBLEM DEFINITION: Previous studies have indicated that the compound 2,4,6-trichlorogniline (2,4,6-TCA), an Army pollutant, was present in sediments obtained from a diversity of sites at the Aberdeen Proving Ground. The lability of the compound to microbial action is an integral part of assessing the hazard associated with the compound and its persistence.

IMPORTANCE: In the event a risk assessment for 2,4,6-TCA is necessary, it is the responsibility of the Army as a previous manufacturer and processor of the chemical to provide the data base necessary for that assessment.

APPROACH: The susceptibility of 2,4,6-TCA to microbial action will be determined by screening procedures using sediments and microorganisms indigenous to the pollution site. If screening procedures reveal biodegradation, rates will be determined and the extent to which the compound is biodegraded will be measured. Biosorption levels and transformation products will also be determined.

ACHIEVEMENTS: The compound 2,4,6-TCA appears to be susceptible to aerobic microbial action in natural water samples taken from APG but not to anerobic degradation in samples from the same site. Microorganisms in the samples can be maintained in secondary culture using the compound as the sole added carbon source for growth. Concurrent with microbial action levels of free chloride increase in the culture, and preliminary results indicate that cellular adenosine triphosphate levels also increase. Levels of biosorption are low. The project is unfunded for FY83 and will be completed as an ILIR project.

RESEAR	RESEARCH AND TECHNOLOGY WORK UNIT SUMMARY						76 of sum 32 10		REPORT CONTROL SYMBOL DD-DR&E(AR)636	
82 01 27	D. CHANGE	a. Summary scty	S. WORK SECURITY	7. REGA	ADING DA	NL		SPECIFIC O		LEVEL OF SUN A. WORK WHIT
10. NO./CODES:®	PROGRAM ELEMENT	PROJECT	NUMBER	TASK	AREA NUMBER	•]		WORK UNIT	NUMBER	
- PRIMARY	62720A	3E16272	0A835		AA		54	APC	F647	
. CONTRIBUTING										
XXXXXXXXXX	X STOG 80-8:18									
(U) Microb	in security classification code ial Fate of Mi rechnological areas	litary-Rel			· · · ·			 		
	ironmental Bio) Org				
IS START DATE		14. ESTIMATED SOM	PLETION DATE	18. PUN	DING AGENCY			16. PERFORMA		
8110		8309		L	DA			C. I	n-Hous	se
17. CONTRACT/GRAN	Ψ			10. RES	OURCES ESTIM	ATE &	PROFESSIO	NAL MAN YES	& FUNC	6 (In thousands)
& DATES/EFFECTIV	E:	EXPIRATION:		[PHECEDING					
► NUMBER:*				FISCAL	82		1	.0		91
& TYPE:		& AMOUNT:		YEAR	CURRENT					
& KIND OF AVARD:		f. CUM. AMT.	·	1	83	\		.1	1	95
19. RESPONSIBLE DO				30. PER	FORMING ORGA					
NAME:* US	Army Medical H	Bioengineer	ing	HAME:*	US A	rmy M	(edica	l Bioeng	gineer	ring
Res	search & Develo	pment Labo	ratory	}	Resea	arch	& Dev	elopment	t Labo	ratory
ADDRESS:* FOY	t Detrick, Fre	derick, MD	21701	ADDRES	•:• Fort	Detr	rick,	Frederio	ck, MI	21701
BESPONSIBLE INDIVI	GUAL			PRINCIP	AL INVESTIGATION		men ssan 11 G.W.	U.S. Academic	jne i i tutlanj	
	deau, T.L., Co)Ţ.		TELE	ноне: (30)) · AITTO	VON 3/	3-2340
i e	1) 663-2434;		-2434		L SECURITY AC			, AULU	· 011 J.	73 2370
PI. SENERAL USE	17 003 2737 F	W10101 J4J		- 1	TE INVESTIGA					
Foreign In	telligence Not	Annliaghl	•	HAME:						
i creign In	retitience not	. whhireant	E	NAME						POC+DA

- E. KEYWORDS (Procedo EACH with Security Classification Code)
- (U) Diesel Fuel; (U) Fog Oil;
- (U) Biodegradation; (U) Microbial Fate; (U) Soil; (U) Water

23. TECHNICAL OBJECTIVE. 24. APPROACH, 25. PROGRESS (Pumish Individual paragraphs Identified by number. Proceds text of each with Socurity Classification Code.

- 23. (U) To assess the literature and establish a data base on the biodegradation and environmental fate of oil fog obscurants (SGF-1 and SGF-2) generated by the US Army from diesel fuel and light lubricating oil. To limit the study to C_9 to C_{29} hydrocarbons and their fate in soil and fresh water. To assess the data base and make conclusions and recommendations for further research.
- 24. (U) The preparation of the data base assessment was divided into three phases. Phase I is a review of the current literature and data bases. Phase II is preparation of an outline of the data base assessment. Phase III is preparation of the final data base assessment document (MR 10-82) with conclusions and recommendations.
- 25. (U) 8110 8209. Phase I was completed April 3G, 1982. Phase II was completed June 3O, 1982. Phase III was completed September 7, 1982.

TITLE: (U) Microbial Fate of Military-Relevant Petroleum Oil Fogs

FUNDING HISTORY: PY - OK; CY - 91K; BY - 95K

PROBLEM DEFINITION: To prepare a current literature review on the biodegradation and environmental fate of petroleum fog oils and related substances. To limit the references to petroleum compounds in the 9-29C atom range and to fresh waters and nonestuarine soils. To develop conclusions and recommendations concerning research needs.

IMPORTANCE: The fog oils are a complex mixture of organic compounds some of which are toxic. The oil fog would be xenobiotic to the microbial ecosystems wherever it is deposited. There would be photooxidized compounds formed of which the Surgeon General of the Army should be cognizant. In addition, there are persistent compounds formed during biotransformation of the oils which may be more toxic than the original oils.

APPROACH: An approach to the problem would be to follow EPA guidelines in testing for the fate of compounds covered by TSCA. Rather than a complex petroleum, however, to use a "model oil" preparation containing representative hydrocarbons from the various classes of compounds found in diesel fuel. To photooxidize the model oil and assay for intermediate compounds formed. Next, follow the biotransformation photooxidized model oil in an ecosystem designed with the modeling techniques described in the literature. This approach could lead to a mathematical model which could be used to predict the fate of fog oil wherever the Army is operating.

ACHIEVEMENTS: A current data base has been assembled. A document has been prepared with an assessment of this information. Conclusions and recommendations were made.

2000				I. AGEN	CY ACC	ESSION	Ŧ	DATE OF SUE	MARY	RSPORT	CONTROL SYNGOL
	AND TECHNOLOGY			1		6188		82 10	01	DD-D	R&E(AR)636
81 10 01	1. KIND OF SUMMARY D. CHANGE	S. SUMMARY SCTY	B. WORK SECURITY	7. REGR	ADING	•		'n mstr'n L	OL SPECIFIC CONTRACTOR		A TOOK WITT
10. NO./CODES:*	PROGRAM ELEMENT	PROJECT	NUMBER	TASK A	AREA P	UMBE	ī		WORK UNI	-	A
- PRIMARY	62720A	3E16272	UA835		AA		Τ	123	APC F69	71	
-				Ι							
XXXXXXXXXXX	STOG 80-8:17										
	security classification code; ng of Militar		s for Toxio	city	to A	Aqua	ic	Organi	.sms		
005900 Envi	ronmental Bio										<u> </u>
IE START DATE	;	14. ESTIMATED COM	PLETION DATE	IS FUNI		BENCY			16. PERFORM		
7610		CONT		<u> </u>	DA				C. 1	n-Ho	use
T. CONTRACT/GRANT				10. RES	OURCE:	S ESTIM	TE	A PROFESSI	OHAL MAN YE	L FU	HDE (In thousands)
& DATES/EFFECTIVE:		EXPIRATION:						١,			244
h number:*		•		FISCAL	CURRI	82		3	1.2		264
G TYPE:		4 AMOUNT:		****				١,			170
& KIND OF AWARD:		f. CUM. AMT.		20. PER		83		<u> </u>	•6		172
		<u> </u>	<u> </u>	4			-		, Ļ		
	rmy Medical B	•	•	HAME:*					l Bioen		
	arch & Develo Detrick, Fre	•	•	ADDRES					•		boratory MD 21701
RESPONSIBLE INDIVIOU				NAME:	•	van	đe	r Schal	ie, W.H	I•	
	eau, T.L., CO		0/0/			•	-		7; AUTC	ON .	343-7237
TELEPHONE: (JUL) 663-2434; A	WIOVUN 343	-2434	4				IT NUMBER:			
7.7 03.7 0	elligence Not	Annlinehl	•	ASSOCIA	1 E 1 NV	ESTIGA.	OR\$				
Loreign Inc	errikence wor	whhiteapte	E	1							DOC-DA
	EACH WIS SOCIET CLASSES	anten da di	,	NAME:							POC:DA

Z KEVEDROS (Procedo BACE with Security Classification Code)

(U) Munitions; (U) Aquatic Toxicology; (U) Hazardous Wastes

23. TECHNICAL OBJECTIVE. 24. APPROACH, 28. PROGRESS (Pumish Individual peragraphs identified by number. Proceeds test of each with Security Closelitection Code.)

- 23. (U) To provide aquatic toxicity data required in conjunction with in-house and extramural research related to munitions production. These data will help assess the hazard to aquatic organisms of Army-relevant materials and aid in the pollution abatement process at Army facilities.
- 24. (U) To conduct aquatic toxicity testing through comparative screening tests and through generation of acute toxicity data; to evaluate state-of-the-art toxicity testing methods to determine applicability to research requirements; to advance the state-of-the-art in toxicity testing methods where research requirements cannot be met with existing methods.
- 25. (U) 8110 8209. Nearly all testing with 1,3-dinitrobenzene, (DNB) 1,3,5-trinitrobenzene, (TNB) and 3,5-dinitroaniline (DiNA) has been completed. The following are the lowest concentrations observed to cause significant effects in any of the tests conducted: TNB-0.21 mg/L; DNB-0.65 mg/L; DiNA-0.42 mg/L. Acute and chronic toxicity tests with Daphnia magna and TNB and DiNA showed that mixtures of TNB and DiNA had additive or greater than additive toxicity during chronic exposures but less than additive toxicity in acute exposures.

TITLE: (U) Screening of Military Chemicals for Toxicity to Aquatic Organisms

FUNDING HISTORY: PY - 124K; CY - 264 K; BY - 172K

PROBLEM DEFINITION: This project is designed to provide data on the toxicity of munitions-related materials to aquatic organisms. Short- and longer-term tests with several species of fish and an invertebrate will be conducted under static and dynamic water flow conditions. Effects on mortality and, in certain tests, growth and reproduction will be recorded.

IMPORTANCE: Pollution control facilities at Army ammunition plants are currently being upgraded. The type and extent of treatment required for aqueous effluents will depend greatly on the toxicity of the effluent components to aquatic life. Generation of this toxicity information will aid in assessing the environmental hazard posed by the munitions-related materials found in these effluents.

APPROACH: Preliminary screening tests include static, acute tests with fish and invertebrates, and algae. These are followed, if necessary, by dynamic (flow-through) acute tests. Effects on the sensitive life stages of fish will be evaluated using a 35 day embryo-larval test. Survival, growth, and reproduction of invertebrates will be determined in full life cycle tests.

ACHIEVEMENTS: Nearly all testing with 1,3-dinitrobenzene, (DNB) 1,3,5-trinitrobenzene, (TNB) and 3,5-dinitroaniline (DiNA) has been completed. The following are the lowest concentrations observed to cause statistically significant effects in any of the tests conducted: TNB - 0.12 mg/L; DNB - 0.65 mg/L; DiNA - 0.42 mg/L. Acute and chronic toxicity tests with Daphnia magna and TNB and DiNA showed that mixtures of TNB and DiNA had additive or greater than additive toxicity during chronic exposures but less than additive toxicity in acute exposures.

PUBLICATIONS/PRESENTATIONS: van der Schalie, W.H. Utilization of Aquatic Organisms for Continuously Monitoring the Toxicity of Industrial Waste Effluents. Oral presentation at Twelfth Conference on Environmental Toxicology, Dayton, Ohio, and for publication in Conference Proceedings.

van der Schalie, W.H., P.H. Gibbs, and T.R. Shedd. Acute and Chronic Toxic Interactions of Two Environmental Transformation Products of 2,4,6-Trinitrotoluene. Abstract for presentation at Society of Environmental Toxicology and Chemistry Third Annual Meeting, Arlington, VA, 14-17 November 1982.

van der Schalie, W.H. and J.G. Pearson. Estimation of the Toxicity of Munitions-Related Materials to Fish and other Aquatic Organisms. For presentation at American Fisheries Society, Northeastern Division, Warm Water Workshop. Environmental Contaminants and Warm Water Fishes, Kearnysville, WV and for publication in Workshop Proceedings.

RESEARCH	AND TECHNOLOGY	Y WORK UNIT SI	JMMARY	DA OB 6230 82 09 30					DD-DR&E(AR)636		
81 10 01	K. COMPLETIC	B. SUMMARY SCTY	E. WORK SECURITY	7. REGR	A DING	P4 D4	NL	OL SPECIFIC CONTRACTOR		A WORK UNIT	
10. NO./CODES:*	PROGRAM ELEMENT	PROJECT		TASK A	REA NU	MBER		WORK UNIT	NUMBER		
- PRIMARY	62720A	3E162720	JA835		AA		127	APC F69	6		
b. CONTRIBUTING				Ī							
*********	STOG 80-8:14										
Operational	Wastes from					on Te	chn1ques	for Di	sposa	1 01	
12. SCIENTIFIC AND TEL 007800 Hygi	ene and Sanit	ation; 003			gine	_	; 003400		_	•	
7710		8209	LETION DATE	15. FUNI	DA	INCY	1	C. I	ance weve In-Hou		
17. CONTRACT/GRANT				16. RES		ESTIMATE	4 PROFESSI	ONAL MAN YR	L FUN	DE (In thousands)	
& DATES/EFFECTIVE:		EXPIRATION:			PHESEC						
À HUMBER:®				FISCAL		82] 1	5		81	
& TYPE:		4 AMOUNT:		YEAR	CORNER	V					
& KIND OF AWARD:		f. CUM. AMT.		L		83		0.0		00	
19. RESPONSIBLE DOD C				30. PERI		ORGANIZ					
	rmy Medical B	_	•	HAME:*			y Medica		_	•	
	arch & Develo	•	•	ł			ch & Dev	•		•	
ADDRESS:* FORT	Detrick, Fre	derick, MD	21701	ADDRES	· Fo	ort D	etrick,	Frederi	ick, M	D 21701	
	eau, T.L., CO		-2434	HAME:	• 1 • HONE: (Denni (301)	S, W.H. 663-203		•		
BI. GENERAL USE	<u> </u>			ASSOCIA	TE INVE	BTIGATOR	18				
Foreign Int	elligence Not	Applicable	•	HAME:	Kob	ylins	ki, E.A.	•			
	_			NAME:	•		•			POC:DA	
EZ KEYWOROS (Procedo	EACH with Southly Classific	sallen Codo) (U)	Hazardous	Wast	es: (U) F	iltratio	n:			

- (U) Pesticide Wastes; (U) Waste Treatment; (U) Water Treatment 13. TECHNICAL OBJECTIVE, * 24 APPROACH, 25. PROGRESS (Fumioh Individual perage
- 23. (U) To evaluate the use of filtration/adsorption techniques for treatment of wastes generated by Army installation pest control facilities.
- 24. (U) The filtration/adsorption system will be taken to Fort Eustis, VA, and set up within the new Fort Eustis Pest Control Facility for on-site testing. Wastewater from the Fort Eustis Facility will be collected, stored, and treated by the carbon adsorption system. Effluent samples from each carbon column will be collected on-site and analyzed at Fort Detrick's Environmental Protection Research Division Laboratory. From this data we will evaluate the performance of the absorption system.
- 25. (U) 8110 8209. Field testing of the flow-through series of carbon columns at Fort Eustis, VA, is over. This system operated at 0.2 gpm, will reliably remove malathion, baygon, diazinon and dimethoate from water. Dursban and 2,4-D ester are removed with difficulty and chlordane is only partially removed. Breakthrough data are available for some of these substances and a final report is in preparation. Concurrent with this work, we began the evaluation of a new carbon filtration system, the CARBULATOR . All tests with this system have been successful.

TITLE: (U) Evaluation of Filtration Techniques for Disposal of Operational Wastes from Army Pest Management Programs

FUNDING HISTORY: PY - 86K; CY - 81K; BY - 233K

THE RESERVE AND THE PROPERTY OF THE PARTY OF

PROBLEM DEFINITION: To evaluate the use of carbon adsorption techniques for treatment of wastes generated by Army installation pest control facilities.

IMPORTANCE: The US Army operates pest control facilities at its installations throughout the country. Federal law places the responsibility for safe disposal of pesticides and pesticide wastes on the user - DA. As a result, the Army is responsible for the safe disposal of the pesticide waste it generates.

APPROACH: The filtration/adsorption system was taken to Ft. Eustis, VA, and set up within the new Ft. Eustis Pest Control Facility for on-site testing. Wastewater from the Ft. Eustis Facility was collected, stored, and treated by the carbon adsorption system. Effluent samples from each carbon column were collected on-site and analyzed at Ft. Detrick's Environmental Protection Research Division Laboratory. From these data we will evaluate the performance of the adsorption system.

ACHIEVEMENTS: Laboratory tests of the carbon filtration system are complete. A recipe wastewater containing diazinon, dursban, malathion, baygon, and chlordane at a level of 1,200 mg/L total pesticide has been tested. Five-hundred gallons of such a wastewater may be treated and the effluent will show no diazinon, dursban, malathion, or baygon (below 1 ppm). Chlordane was found in the effluent at concentration near that of the input concentration. Aeration of the wastewater to remove volatile chlorinated solvents from wastewater did not improve performance of the adsorption system. Preliminary leaching tests of spent carbon indicate a very slow rate of pesticide leaching at pH 4.0. The wastewater being generated at Ft. Eustis shows pesticide concentrations much lower than expected. The first test at Ft. Eustis showed removal of all materials except chlordane. The input water contained 16 ppm chlordane while effluent showed 0.2 ppm. Other pesticides present in the input water were kelthane (42 ppm) and dursban (1 ppm); these were absent in the effluent. During the second field test, the Ft. Eustis input wastewater contained less than 0.5 ppm of any of the expected pesticides.

PUBLICATION/PRESENTATION: Dennis, W.H., Jr. and E.A. Kobylinski. Pesticide-Laden Wastewater Treatment for Small Waste Generators. For publication in Journal of Environmental Science and Health, Part A.

Dennis, W.H., Jr., C.W.R. Wade, and E.A. Kobylinski. Treatment of Pesticide-Laden Wastewater by Activated Carbon. Abstract for presentation at Middle Atlantic Regional Meeting, ACS, University of Delaware, Newark, DE.

RESEARCH	AND TECHNOLOG	Y WORK UNIT S	UMMARY			5852	82 09				
81 10 01	K. COMPLETIC		e, work security	7. REGR	DING	94.0	NL	OL SPECIFIC	DATA- R ACCESS D NO A WORK UNIT		
10. NO./CODES:*	PROGRAM ELEMENT	PROJECT	NUMBER	TASK A	REA P	NUMBER		WORK UNI	TNUMBER		
- PRIMARY	62720A	3E16272	JA835	I	AA		149	APC F8:	51		
b. CONTRIBUTING											
XXXXXXXXX	STOG 80-8:17	, 80-8:18									
(U) Environ	nental Fate S	-	2,4,6-Trich	loro	ani]	ine					
_	nic Chemistry										
12 START DATE		14. ESTIMATED SOM	PLETION DATE	IS FUND		BENCY			BANCE METHOD		
8010		8209			DA			C.	In-House		
T. CONTRACT/GRANT	_			10. RES	PRE	S ESTIMAT	E & PROFESS	HOWAL MAN YR	ts & FUNDS (In thousands)		
& DATES/EFFECTIVE:		EXPIRATION:					Ī				
b number:*				FISCAL	CURRI	82		1.6	160		
& TYPE:		4 AMOUNT:		YEAR	CUMM	E M Y					
& KIND OF AWARD:		f. CUM. AMT.				83		0.0	00		
19. RESPONSIBLE DOG O				30. PER	70 RMIN	G ORGANI	ZATION				
Resea	rmy Medical B arch & Develo Detrick, Fre	pment Labo	ratory	NAME:*	F	Resear	•	velopmen	ngineering nt Laboratory ick, MD 21701		
TELEPHONE: (301)	aL eau, T.L., CC) 663-2434; <u>A</u> elligence Not	UTOVON 343		NAME: TELEF SOCIAL ASSOCIA	PHONE: BECUI TE INV	Roset (301) RITY ACCO	DUNT NUMBER:	D.H. 34; AUT(ovon 343–2434		
	VIET VIE Secretor Classic			HAME:					POC:DA		

(U) 2,4,6-Trichloroaniline; (U) Environmental Fate

- 23. TECHNICAL OBJECTIVE. 24. APPROACH, 25. PROGRESS (Pumish Individual paragraphs Identified by number. Proceeds test of each with Socurity Classification Code.
- 23. (U) To determine selected physicochemical properties and aspects of microbiological degradation of 2,4,6-trichloroaniline, and to investigate its acute toxicity to daphnids and to one species of fish. This chemical substance has been found as an environmental contaminant in association with past industrial operations at Aberdeen Proving Ground (Edgewood area), Maryland, and is being studied in response to a request from the U.S. Army Toxic and Hazardous Materials Agency.
- 24. (U) Laboratory tests will be carried out on 2,4,6-trichloroaniline to determine various physicochemical properties, such as volatility, solubility, photodegradability, and octanol-water partition coefficient.
- 25. (U) 8110 8209. 2,4,6-TCA is volatilized rapidly from water. Certain sediments from Aberdeen Proving Ground were believed to contain TCA. However, analysis of these sediments by gas chromatography/mass spectrometry showed two major substances, 2,4,6-trichloroaniline and trichlorophenylisocyanate, in nearly equal concentrations. It was found that these substances arise by pyrolysis of N,N'-bis(2,4,6-trichlorophenyl) urea. This occurs when the urea is injected into the hot (250 $^{\circ}$ C) injection port of the gas chromatograph. The presence of N,N'-bis(2,4,6-trichlorophenyl) urea was also confirmed by high pressure liquid chromatography. This research has been completed.

TITLE: (U) Environmental Fate Studies of 2,4,6-Trichloroaniline

FUNDING HISTORY: PY - 163K; CY - 215K; BY - 0K

PROBLEM DEFINITION: The US Army Toxic and Hazardous Materials Agency had reported the occurrence of 2,4,6-trichloroaniline (TCA) in sediments of a small canal leading to the Gunpowder River, and in the river itself, in the vicinity of Aberdeen Proving Ground (APG). The present study was intended to provide basic information useful in predicting TCA's environmental fate.

IMPORTANCE: TCA was believed to be a major sediment contaminant resulting from past military industrial operations in the Edgewood Arsenal area of APG. As such, information was needed to permit prediction of TCA's impact on the ecology and on the health of humans exposed to TCA through the food chain.

APPROACH: Laboratory tests were to be carried out on TCA to determine physicochemical properties, such as photodegradability, solubility, volatility, octanol-water partition coefficient and soil-water equilibria.

ACHIEVEMENTS: TCA solubility in water (mg/L, $T^{O}C$) is: 22,10; 32,19; 46,32. UV maxima at 245 and 306 μ m. Sunlight photolysis gives four or more phenazine derivatives; conversion of 20 mg/L is complete in 48 hours of exposure (July). K_{OW} = 2,400 by HPLC; 3,500 by direct measurement. Sediments contained no TCA, but did contain a TCA precursor (a urea) that decomposed in column. TCA volatilizes rapidly from water.

PUBLICATIONS/PRESENTATIONS: Rosenblatt, D.H. Environmental Risk Assessment for Four Munitions-Related Contaminants at Savanna Army Depot Activity. Technical Report 8110.

Rosenblatt, D.H., M.J. Small, and R.J. Kainz. Application of the "PPLV" Environmental Risk Assessment Approach to Selected Land Uses. Abstract for presentation at 184th National Meeting, American Chemical Society, Kansas City, 12-17 Sep 82.

Rosenblatt, D.H. and R.J. Kainz and Appendix by George F. Fries, US Department of Agriculture, Beltsville, MD. Options and Recommendations for a Polybromo-biphenyl Strategy in the Vicinity of the Gratiot County, Michigan Landfill. Technical Report 8204.

Rosenblatt, D.H. Recommended Decisions about Two Environmental Pollutants: o-Chlorobenzalmalononitrile and Diphenylamine. For presentation at Society of Environmental Toxicology and Chemistry, Arlington, VA, and for publication in SETAC Journal.

Rosenblatt, D.H. and R.J. Kainz. Technical Issues Raised during Risk Assessment Case Studies. For Oral Presentation, and Extended Abstract, at American Society of Civil Engineers, National Conference on Environmental Engineering, Minneapolis, MN, July 14-16, 1982, and for publication in Proceedings.

Rosenblatt, D.H. and R.J. Kainz. Solving Environmental Problems Using the PPLV Approach and Guild Theory. For Oral Presentation at The Application of Guilding Workshop Corps of Engineers, Chicago, IL, 19-22 April 1982, and for publication in Proceedings of the Workshop.

222122				I. AGEN	CY AC	CESSION	2. DATE OF SU	MARY	REPORT C	CONTROL SYMBOL
RESEARCH	AND TECHNOLOGY	Y WORK UNIT S	UMMARY	DA	OG	9212	82 09	30	DD-DF	R&E(AR)636
1. DATE PREV SUMPRY	4. KIND OF SUMMARY	B. SUMMARY SCTY	S. WORK SECURITY	7. REGRA	DING	94.0	168'H HSTR'H	Ch SPECIFIC		. LEVEL OF SUM
81 10 01	K. COMPLETIO	N U	Ŭ				NL	CONTRACTOR	J MD	A WORK UNIT
10. NO./CODES:*	PROGRAM ELEMENT	PROJECT	NUMBER	TASK A	REA	NUMBER	I	WORK UNIT	NUMBER	
& PRIMARY	62720A	3E16272	0 A83 5		AA		157	APC F8	69	
b. CONTRIBUTING										
KXXXXXXXX	STOG 80-8:20									
11. TITLE (Procede with :	Security Classification Code						·			
	Osmosis Syst	ems			_					
12. SCIENTIFIC AND TE	CHNOLOGICAL AREAS									
010100 Micr	obiology; 007	800 Hygien	e and Sanit	atio	n_					
13. START DATE		14. ESTIMATED COMP	PLETION DATE	18. FUND	NNG A	BENCY		16. PERFORM	ANCE MET	HOD
8110		8209			DA			C. I	n-Hou	se
17. CONTRACT/GRANT				10. RESC		S ESTIMAT	E & PROFESS	IONAL MAN YRI	b FUN	DS (In thousands)
A DATES/EFFECTIVE:		EXPIRATION:			PRECI	EDING				
F MAMPEU:				FISCAL		82	1:	2.5	.]	243
G TYPE:		& AMOUNT:		YEAR	CUMMI	EMY		_		
& KIND OF AWARD:		f. CUM. AMT.				83		0.0		00
19. RESPONSIBLE DOD O	MONTATION			30. PERF	ORMIN	GORGANI	ZATION			
NAME:* US A	rmy Medical B	ioengineer	ing	MAME:*	Ţ	US Arı	ny Medica	al Bioen	ginee	ring
	arch & Develo				1	Reseas	rch & Dev	velop me n	t Lab	oratory
_	Detrick, Fre	•	•	ADDRESS	:•]	Fort 1	Detrick,	Frederi	.ck, M	D 21701
		-					•		•	
-				PRINCIPA	AL INV	ESTIGATO	R (Fumish SSAN	if U.S. Academic	[netfution]	•
RESPONSIBLE INDIVIDU	AL			HAME:	,	Dunca	an, J.B.			
HAME: Trud	eau, T.L., CO)L		TELEP	HONE:		663-20	36: AUTO	von 3	43-2036
) 663-2434: A		-2434	SOCIAL	SEC U	•	DUNT NUMBER:			
BI. GENERAL USE				ASSOCIA	7E INV	ESTIGATO	RS			
Foreign Int	elligence Not	Applicable	•	NAME:						
TOTOTON THE	orregence not		_	N AME:						POC:DA
	FACE with templin Classic	antier Andi								

- (II) Water Treatment; (II) Prechlorination; (II) Pretreatment System; (II) Reverse Osmosis

 B. TECHNICAL OBJECTIVE.* 24 APPROACH, 26 PROGRESS (Fumilal Individual paragraphs Identified by number. Procedulest of each with poeurity ClosestReaten Code.)
- 23. (U) To increase the efficacy of the Reverse Osmosis Water Purification Unit (ROWPU) in the pretreatment filtration train for the 600 gph and larger units. The military significance of this is that the ROWPU will be able to operate without the reverse osmosis at a rate of 1,800 gph (fresh water), with approximately 50% energy savings.
- 24. (U) From a single sample tank of recipe water, consisting of induced turbidity (2 levels), pHs (pH 5.5, 7.5, and 9.5), and total organic carbon (2 levels), prechlorination versus postchlorination will be investigated for the 600 gph ROWPU. The recipe will be used to formulate recipe water for the evaluation of different pre-RO treatment technology for the larger ROWPUs.
- 25. (U) 8110 8209. (U) Project completed. A Letter Report (LR) is drafted. Technical transfer to MERADCOM personnel on 8 Oct 1982.

TITLE: (U) Reverse Osmosis Systems

とは、これでは、これには、一種のこれには、これには、一般のなるのではなられています。これにはないと

FUNDING HISTORY: PY - 6K; CY - 243K; BY - 0K

PROBLEM DEFINITION: The exploration of the effects of prechlorination on the Mixed Media Filter (MMF) concerning the reduction of microbial populations across the MMF. This information will be utilized by MERADCOM to determine the feasibility of a fresh water by-pass for the reverse osmosis water purification units (ROWPU).

IMPORTANCE: If a fresh water by-pass becomes a reality, the savings in fuel would be substantial. For example, the intake pumps would operate at 40-50 psi and there would not be a need to operate the high pressure reverse osmosis pumps (400-800 psi).

APPROACH: A factorial design of three pHs (5.5, 7.5, 9.5), two turbidity levels (50 and 120 NUTs), two total organic carbon levels (10 and 100 ppm), and three replications. This yields a $3 \times 2 \times 2 \times 3 - 36$ runs.

ACHIEVEMENTS: Project completed - Technical transfer to MERADCOM representatives on 8 October 1982.

PUBLICATION: Small, M.J., J.B. Duncan, and P.H. Gibbs. The ROWPU Prefiltration System: Removal of Microorganisms. Technical Report 8104.

RESEARCH	AND TECHNOLOGY	WORK UNIT SI	UMMARY			9213	82 10		REPORT CONTROL STUEDL DD-DR&E(AR)636	
							1			
81 10 01	D. CHANGE	B. SUMMARY SCTY	U. WORK SECURITY	P. REGRA	roine.		NL	ON SPECIFIC CONTRACTOR		A WORK WHIT
e. NO./CODES:*	PROGRAM ELEMENT	PROJECT	NUMBER	TASK A	REA N	UMBER	T	WORK UNI	T NUMBE	R
- PRIMARY	62720A	3E162720	JA835	1	AA		158	APC	877	
. CONTRIBUTING										
XXXXXXXXXXX	STOG 80-8:18	:20:21								
(U) Treatme	nt of Nitrami	nes and Nit		. Cha	- 4 - 4-		· · · · · · · · · · · · · · · · · · ·			
LATABY DATE	ene and Sanit	ation; U121		: Uner				16. PERFORM	AMER ME	7400
8110			22	1.5 7 5			1			
OIIU 7. CONTRACT/GRANT		8212		 	DA			<u> </u>	n-Hou	
A DATES/EFFECTIVE:		EXPIRATION:		10. RES	PRECES	ESTIMAT SING	E A PROFESS	HONAL MAN YR	5 h FU	106 (In Mourands)
L NUMBER:* G TYPE:		4 AMOUNT:		FISCAL YEAR	CURRE	82 **		1.0	-	67
& KIND OF AWARD:		f. CUM. AMT.			1	83		0.0	l	00
is. RESPONSIBLE DOD	OREANIZATION			30. PERI	ORMINO	ORGANI	ZATION			I
Rese	rmy Medical B arch & Develo Detrick, Fre	pment Labor	ratory	NAME:*	Re F	esear ort I		velopmer Frederi	t Lab	ooratory ID 21701
	ual eau, T.L., CO <u>) 663-2434; A</u>		-2434	HAME:	MONE: (Burro (301)	WS, W.D 663-72	•		
Foreign Int	elligence Not		e	NAME:	14 1976					POC:DA

(U) RDX; (U) HMX; (U) TNT; (U) TAX; (U) SEX; (U) Ozone

- 23. (U) The purpose of this effort is to investigate methods for destruction of nitramines/nitrobodies in wastewaters from munitions manufacture. This study relates to evaluation of the public health and environmental health hazards associated with discharge of wastewater at Holston Army Ammunition Plant.
- 24. (U) Water samples containing RDX, HMX, TAX, SEX, or TNT will be treated by means of carbon adsorption, UV-ozone, hydrogen peroxide, or corona discharge.
- 25. (U) 8110 8209. Carbon adsorption studies are complete. Competition for adsorption sites by the various munitions suggests limited applicability of this method for treatment of wastewaters. Corona discharge studies are complete and demonstrate destruction of all munitions, though power requirements may be substantial.

TITLE: (U) Treatment of Nitramines and Nitrobodies

FUNDING HISTORY: PY - 1K; CY - 67K; BY - 8K

2221 CONTRACTOR STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET, STREET,

PROBLEM DEFINITION: The need exists to evaluate tertiary treatment modes for wastewater emanating from the Industrial Liquid Waste Treatment Facility at Holston AAP. There are no programs currently in progress to develop and/or evaluate technologies for the abatement of nitramine/nitrobody pollution. Programs are in progress to develop alternative technologies for the abatement of nitrobody (TNT, RDX/HMX) pollution at reduced cost, but their applicability for the treatment of nitramines is not known.

IMPORTANCE: Holston Army Ammunition Plant (HSAAP) will produce 125 million gallons of wastewater per day at full mobilization. The current design for the Industrial Liquid Waste Treatment Facility at HSAAP does not provide a tertiary mode of treatment for the removal of pollutant chemicals which survive primary and secondary treatment. There is evidence that RDX, HMX, and TNT, as well as biproduct nitramines will survive secondary biological treatment, and may adversely affect aquatic organisms in receiving waters. A problem is foreseen in complying with proposed ambient criteria.

APPROACH: Water samples containing TNT, RDX, HMX, TAX, and SEX will be subjected, alone and in combination, to treatment by carbon adsorption, corona oxidation, UV-ozone, and UV-hydrogen peroxide.

ACHIEVEMENTS: Final reports for carbon adsorption and corona oxidation studies are in press.

RESEARCH	AND TECHNOLOGY	YORK UNIT S	UMMARY		OG 921		82 10			CONTROL SYNGOL R&E(AR)636
1 DATE PREV SUMPRY 81 10 01	4. KIND OF SUMMARY D. CHANGE	S. SUMMARY SCTY	E. WORK SECURITY	7. REGR	ADING		en metru L	SPECIFIC I		A WORK WHIT
10. NO./CODES:8	PROGRAM ELEMENT	PROJECT		TASK /	AREA NUMB	ER		WORK UNIT		•
- PRIMARY	62720A	3E162720	JA835	L	AA	\Box	159	APC F8	78	
b. CONTRIBUTING						ä				
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	STOG 80-8:18	20:21								
(U) Evaluate	socurity closestisation code e Dimethylnit CHHOLOGICAL AREAS [®] ene and Sanit	rosamine	IOO Organic	Cher	nietry			<u> </u>		
IN START DATE	ene and Sante	14 ESTIMATED SOM			DING AGENCY	,		16. PERFORM	NCE MET	MÓD
8110		8212			DA		1		n-Hou	
D. CONTRACT/GRANT				10. RES	OURCES ESTI	MATE	& PROFESSI	DHAL MAN YRS	b FUI	DS (In thousands)
& DATES/EFFECTIVE:		EXPIRATION:			PRECEDING				1	
Б. NUMBER:®				FISCAL	82		0	•3		53
& TYPE:		4 AMOUNT:		YEAR	CURRENT					
& KIND OF AWARD:		f. CUM. AMT.			83		0	•1	1	04
19. RESPONSIBLE DOD	DREANIZATION			30. PER	FORMING ORG	ANIZA	TION			
MAME:* US AT	rmy Medical B	ioengineer	Ing	HAME:	US A	rmy	Medica	Bioeng	ginee	ring
Resea	arch & Develo	pment Labor	ratory		Rese	arc	h & Dev	elopmeni	Lab	oratory
ADDRESS:* FORT	Detrick, Fre	derick, MD	21701	ADDRES	• Fort	De	trick,	Frederi	ck, M	D 21701
TELEPHONE: (301) p1. general use	eau, T.L., CO) 663-2434; A elligence Not	UTOVON 343-		NAME! TELEF	• Bur	row 1)				-
l ĭ	•	- •		NAME:						POC: DA
EZ. KEYWORDS (Procedo	BACH with Society Classiff	talian Codo)								

- (U) RDX; (U) HMX; (U) TNT; (U) Biodegradation
- 13. TECHNICAL OBJECTIVE, 24. APPROACH. 25. PROGRESS (Pumish Individual patagraphs Identified by number. Procedo test of each with Security Classification Code.)
- 23. (U) The objective is to provide analytical support to contract DAMD17-81-C-1118 (Bell, George Washington University), which concerns munitions wastewater treatment in semi-continuous activated sludge treatment systems. This study relates to evaluation of the public health and environmental health hazards associated with discharge of wastewater at Holston Army Ammunition Plant.
- 24. (U) Methods will be developed for analysis of RDX, HMX, and TNT in wastewater using HPLC. Samples provided by the contractor will be analyzed. Satisfactory analytical methods have been developed.
- 25. (U) 8110 8209. Methods have been developed for analysis of RDX, HMX, and TNT down to detection levels of 0.29 mg/L, 0.29 mg/L, and 0.25 mg/L, respectively, as well as for the byproduct nitramines TAX and SEX, for which detection levels are 0.33 mg/L.

TITLE: (U) Evaluate Dimethylnitrosamine

CONTRACTOR CONTRACTOR DESCRIPTION OF THE PROPERTY OF THE PROPE

FUNDING HISTORY: PY - 1K; CY - 153K; BY - 4K

PROBLEM DEFINITION: The objective of this effort is to provide analytical support to contract DAMD 17-81-C-1118 (Bell, George Washington University), which concerns munitions wastewater treatment in semicontinuous activated sludge treatment systems for particular use in the manufacture of Composition B.

IMPORTANCE: This study relates to evaluation of the public health and environmental health hazards associated with discharge of wastewater at Holston Army Ammunition Plant.

APPROACH: Methods will be developed for analysis of RDX, HMX, and TNT in wastewater using HPLC. Samples provided by the contractor will be analyzed once satisfactory analytical methods have been developed.

ACHIEVEMENTS: Satisfactory HPLC methods have been developed for RDX, HMX, and TNT, as well as two co-products, TAX, and SEX.

PUBLICATION: Burrows, W.D. Tertiary Treatment of Effluent from Holston AAP Industrial Liquid Waste Treatment Facility I. Batch Carbon Adsorption Studies: TNT, RDX, HMX, TAX, and SEX. Technical Report 8207.

CARE OF COMBAT CASUALTY

Species December Sections of Sections of Sections of Sections of Sections (Sections) Sections of Sections (Sections)

				I. AGEN	CY ACC	ERRICH	2 DATE	07 BU	MARY	REPORT	CONTROL STREET
KESEARCH	AND TECHNOLOG	Y WURK UNIT S	UMMARY	DA	OB	6248	3 82	10	01	DD-D	R&E(AR)636
& DATE PREV SUMPRY	4. KIND OF SUMMARY	S. SUMMARY SCTY	L WORK SECURITY	7. 8808	ADING	90	D16 8" H 1H 6	TR'N	SPECIF	IC DATA-	. LEVEL OF SUM
81 10 01	D. CHANGE	U	บ				NL		VES	OR ACCESS	A WORK UMT
IO. NO./CODES:0	PROGRAM ELEMENT	PROJECT	NUMBER	TASK A	NEA N	UMBER	\mathbf{I}_{-}		WORK U	-	R
& PRMARY	62772A	3816277	2A874	BA			228	Ā	PC F71	3	
b. CONTRIBUTING											
CANTONIA	STOG 80-7.2	6								e (1971) de esti i Bissi estecci e i	
11. TITLE (Proceds with	Security Classification Code	98									
(U) Protect	tive Containe	rs, Field,	Medical De	vices	3						
12. SCIENTIFIC AND TE	CHHOLOGICAL AREAS										· · · · · · · · · · · · · · · · · · ·
002400 Bio	engineering: (009800 Medi	cal and Ho	spita	1 E	uipi	nent				
15. START DATE		14. ESTMATED COM	LETION DATE	IS FUNC	NNG AG	ENCY			16. PERFO	RMANCE ME	тнов
7812		8509		DA	. 1		1		c. I	n-Hous	e
17. CONTRACT/GRANT				10. RES		ESTIMA	TE & PE	O7E88	OHAL MAN	YRS & FU	HDS (In thousands)
& DATES/EFFECTIVE:		EXPIRATION:			PRECE	DINE					
b. NUMBER:*				FISCAL	l	82	1		0.5	J	43
G TYPE:		& AMOUNT:		YEAR	CURRE	NY					
& KIND OF AWARD:		f. CUM. AMT.		1	ŀ	83			0.3		27
19. RESPONSIBLE DOD	DREANIZATION			30. PERI	ORMIN	GORGAN	IZATION				
HAME:* US	Army Medical I	Bioengineer	ing	HAME:	1	US A	rmv Me	dic	al Bio	engine	ering
	earch & Develo	•	_	1							boratory
	t Detrick, Fro	•	•	ADDRES					•	rick,	
			• • •	1				•			•
				PRINCIP	AL INV	ESTIGAT	OR (Pumisi	SSAN I	I U.S. Acade	mic Jnelltutie	~
RESPONSIBLE INDIVIDU	IAL			HAME:	•	Arn	old, N	1.F.			
HAME: Alba	ertson, John I	N. Jr.		TELEP	HONE:				77: AU	TOVON	343-7277
	1) 663-2434:	•	-2434	SOCIAL	. SECUR		OUNT NUM	OER:	,		3 3 1-11
B1. GENERAL USE				ASSOCIA	TE INV	ESTIGAT	ORS				
				HAME:		Rea	ms. W.	н.			
				NAME:							POC:DA

- (II) Container: (II) Protective Container
- 23. (U) Design a family of strong, lightweight containers for fragile medical equipment that is presently authorized to field medical units.
- 24. (U) Identify physical characteristics of existing items to be protected. Determine similarities and then design a container or containers with various inserts to protect the items during handling, shipping, and storage.
- 25. (U) 8110 8209. Fourteen items have been identified as needing immediate packaging. These have been procured, and packaging for each has been designed. Drawings have been made for 10 items, and container fabrication has been initiated. The dimensions of 200 items needing containers have been computerized. Ten containers have been designed that will accommodate all items including the original 14. Methods of providing shock and vibration protection are being investigated.

TITLE: (U) Protective Containers, Field, Medical Devices

FUNDING HISTORY: PY - 111K; CY - 43K; BY - 27K

のでは、10mmのでは、

PROBLEM DEFINITION: To design a family of strong, lightweight shipping containers for fragile medical equipment issued to field medical units.

IMPORTANCE: The protection of the sensitive medical equipment is essential during loading, transportation, and unloading when being deployed in field locations. This equipment, properly protected, must be available for immediate use in patient care. Unprotected, the equipment may be damaged or misaligned requiring extensive repair or recalibration.

APPROACH: Medical equipment that requires packaging will be obtained. These items will be tested to determine the degree of protection required. Using this information, a family of containers will be designed to protect these and other pieces of equipment. A study will also be made to increase the capacity of the existing medical equipment field chests.

ACHIEVEMENTS: Fourteen items of field medical equipment have been obtained. These have been identified as needing immediate packaging. Seven containers that will accommodate all 14 items have been designed and fabricated. The dimensions of 200 items needing containers have been computerized, and 10 containers have been designed that will accommodate all items including the original 14. Methods of providing shock and vibration protection are being investigated.

RELATIONSHIP TO CORE PROGRAM: In order to provide adequate patient care, it is essential to provide equipment in working order to units in the field. This containerization program will also reduce the time spent packaging equipment developed by this Laboratory.

BATE PREV SUMPRY 4. HIMD OF SUMMARY B. SUMMARY SCTV® A. WORK SECURITY 81 10 01 D. CHANGE U U D. NO./CODES:® PROGRAM ELEMENT PROJECT NUMBER PRIMARY 62772A 3S162772A874 CONTRIBUTING STOG 80-7.2 6 TITLE (Precede with Security Closed Medical, Field ESCIENTIFIC AND TECHNOLOGICAL AREAS® 009800 Medical and Hospital Equipment ESTART BATE 7910 8209 CONTRACT/GRANT DATES/EFFECTIVE: EXPIRATION:	7. REGRADING PA D TASK AREA NUMBER BA	NL CONTRACTO	IT NUMBER
DATES/EFFECTIVE: \$35162772A874 35162772A874			
CONTRIBUTING CONTRIBUTING CONTRIBUTION CO	BA	221 APC F718	3
STOG 80-7.2 6 TITLE (Procedo with Security Closed Name and Security Closed Name and Security Closed Name and Security Closed Name and Security Closed Name and Security Closed Name and Security Closed Name and Security Closed Name and Security Complete Name and Se			
(U) Refrigerator, Medical, Field Escientific and technological areas* 009800 Medical and Hospital Equipment START DATE 7910 ESTIMATED SUBJECTION DATE ADATES/EFFECTIVE: EXPIRATION:			
(U) Refrigerator, Medical, Field SCIENTIFIC AND TECHNOLOGICAL AREAS* 009800 Medical and Hospital Equipment START DATE 7910 8209 CONTRACT/GRANT DATES/EFFECTIVE: EXPIRATION:			
O09800 Medical and Hospital Equipment START DATE 7910 CONTRACT/GRANT DATE/EFFECTIVE: EXPIRATION:			
O09800 Medical and Hospital Equipment START DATE 7910 CONTRACT/GRANT BATES/EFFECTIVE: EXPIRATION:			
THE STANT DATE 7910 8209 CONTRACT/GRANT DATES/EFFECTIVE: EXPIRATION:			
THE STANT DATE 7910 8209 CONTRACT/GRANT DATES/EFFECTIVE: EXPIRATION:			
CONTRACT/GRANT DAYES/EFFECTIVE: EXPIRATION:	15. FUNDING AGENCY	16. PERFOR	MANCE METHOD
DATESEPPECTIVE: EXPIRATION:	DA	c. 1	In-House
	16. RESOURCES ESTIMAT	E & PROFESSIONAL MAN Y	RS & FUNDS (In thousands)
· NUMBER:*	PRESEDING		
	FISCAL 82	0.2	28
TYPE: 4 AMOUNT:	YEAR CURRENT		
KIND OF AWARD: F. CUM. AMT.	83	0.4	38
RESPONSIBLE DOD ORGANIZATION	20. PERFORMING ORGANI	RATION	
US Army Medical Bioengineering Research & Development Laboratory Fort Detrick, Frederick, MD 21701	Resea	my Medical Bioe rch & Developme Detrick, Freder	ent Laboratory
esponsible individual NAME: Albertson, John N., Jr. TELEPHONE: (301) 663-2434: AUTOVON 343-2434 O GENERAL USE	HAME:* O*CO	RS .	·
	1	ay, W.H.	
(U) Biologic	1	ay, W.H.	POC:DA

(U) Biological Storage: (U) Blood Storage

- 23. (U) Identify a replacement item for the biological refrigerator that is currently in the inventory (NSN 4110-00-707-2550) but is no longer supportable.
- 24. (U) Locate a suitable commercially produced item that will satisfy requirements or that can be made to do so with minor modification. Should that effort fail, which is unlikely, a new development effort will be undertaken--probably on contract.
- 25. (U) 8110 8209. A new refrigerator design surfaced during the year that employs a cascade thermoelectric system and is configured specifically for field application. A specimen prototype unit was procured from the vendor and is currently being evaluated. The device shows promise of satisfying the required characteristics and is designed for low maintenance.

TITLE: (U) Refrigerator, Medical, Field

FUNDING HISTORY: PY - 31K; CY - 28K; BY - 38K

PROBLEM DEFINITION: The biological refrigerator currently in the inventory (NSN 4110-00-707-2550) is said to be no longer supportable, primarily due to high acquisition cost.

IMPORTANCE: A refrigerator for the storage of perishable medical supplies is a necessity for field military units. The special requirements brought about by the need to store such things as whole blood and the rugged operating environment eliminate a great many commercially available units from consideration.

APPROACH: The commercial market will be canvased for a machine that meets the required performance characteristics and that can be ruggedized to meet environmental and handling requirements. At the same time, consideration is to be given to reengineering the current design to modernize it and make it more easily and cheaply procurable.

ACHIEVEMENTS: Two commercial units have been identified that could possibly meet requirements with some modifications. Consideration was also given to upgrading the current military model to make it supportable again. A new thermoelectric model has surfaced, however, that is designed specifically for military use. This machine has substantial potential for satisfying the requirements and is being intensively evaluated.

RELATIONSHIP TO CORE PROGRAM: This task is consistent with the Laboratory's mission to develop equipment specific to field medical requirements.

KESEAKEN	AND TECHNOLOGY	WORK UNI 3	UMBAKT	D/	A OG O	651	82 10	0 0 1 I	DD-D	R&E(AR)636
& DATE PREV SUM'RY	4. KIND OF SUMMARY	R. SUMMARY SCTY	6. WORK SECURITY	7. REGR			O'N INSTR'H	ON SPECIFIC		S. LEVEL OF SUM
81 10 01	D. CHANGE	บ	U				NL	THE YES	□ MO	A WORK UNIT
16. NO./CODES:*	PROGRAM ELEMENT	PROJECT	NUMBER	TASK A	REA NUM	BER		WORK UNI	THUMBE	•
s. PRIMARY	62772A	3516277	72A874	B/	1		222	APC F719		
b. CONTRIBUTING		<u> </u>		<u> </u>						
c. <u>xxxxxxxxx</u> x	STOG 80-7.2			1						
	izer Surgica		nt and Dres	sing	- · · ·					
	ical and Hosp	ital Equipr	nent	TIS FUNC	NNG AGEN	· · · ·		Is. PERFORM	ANCE MEY	MOD
		2222			. 1		1			
7910		8209		D	DURCES ES		1	L C.	In-Ho	USE
& DATES/EFFECTIVE:		EXPIRATION:			PRECEDIA		- PROFESS	HONAL MAN YR	1 2 70	(th sistes-49)
M HUMBER:*		4 AMOUNT:		FISCAL	CUMMENT	2	ļ	0.9		67
A KIND OF AWARD:		f. CUM. AMT.			8	3		0.1		40
10. RESPONSIBLE DOD C	PREMITATION			30. PERI	ORMING O	IĞANIZ	ATION			
HAME:* US	Army Medical	Bioenginee	ring	HAME:*	US	Arı	ny Medio	cal Bioe	ngine	ering
	earch & Devel t Detrick, Fr	•	•	ADDRESS	Re	sea	rch & De		nt La	boratory
	al ertson, John 1) 663-2434;	•	3 -2 434	NAME:	P	rena 301	sky, W.() 663–72			, 343 - 7237
	Activistically goods	inles (=0)		NAME:	S	ali	sbury, l	L.L.		POC: DA

1. ACCRCY ACCESSION 2. DATE OF SUMMARY

- (U) Sterilizer, Field; (U) Sterilizer, Dental;
 (U) Sterilizer, Small

 13. †ECHNICAL OBJECTIVE, 24 APPROACH, 25. PROSMESS (Printels Individual peragraphs identified by number. Proceeds total of each with Security Classification Code.)
- 23. (U) Identify a small table-top sterilizer to replace NSN 6530-00-782-6503, NSN 6530-00-926-4857 and NSN 6530-00-926-2022 which are no longer supportable.
- 24. (U) Canvas the market for a commercial item that is suitable or that can be made so by minor modification. If this approach should fail, a new development is contemplated.
- 25. (U) 8110 8209. No further progress has been made on this task as it has remained in holding status awaiting reevaluation of requirements by the Combat Developer.

Sterilization Equipment in Support of the Army in the Field; Keyser, Collette P., Prensky, William C., Gohara, S. A., and J. H. Young. Proceedings, AAMI 17th Annual Meeting, San Francisco, CA, May 9-12, 1982. p. 60.

TITLE: (U) Sterilizer, Surgical Instrument and Dressing

FUNDING HISTORY: PY - 25K; CY - 67K; BY - 40K

PROBLEM DEFINITION: Three small tabletop sterilizers for field use (NSN 6530-00-782-6503, 6530-00-926-4857 and 6530-00-926-2022) are of aging designs and are no longer supportable. These units serve aid stations, field dental facilities, field laboratories, and the like. A need exists for a single small sterilizer, supportable in a field environment, to replace these obsolete units.

IMPORTANCE: A sterilization capability in small field medical elements such as those mentioned above is an evident necessity. The substitution of a single satisfactory item for the three separate units currently in stock will greatly improve the logistical support situation relative to this class of equipment while simultaneously allowing a move up to current technology.

APPROACH: The commercial market will be canvased for an item that is suitable or can be made so by minor modification. Failing this, a new development would be undertaken.

ACHIEVEMENTS: A preliminary evaluation was conducted on one commercial electrically powered unit and the results were promising. The Combat Developer advises, however, that sterilizer requirements relative to the Battalion Aid Station are undergoing study and probable revision. Since application is of paramount importance in selection of a design, this task is now being held in abeyance pending the outcome of that review process.

RELATIONSHIP TO CORE PROGRAM: This task falls in the realm of the Laboratory's mission to provide equipment to support the practice of medicine and dentistry in a field environment.

ABSTRACT: Sterilization Equipment in Support of the Army in the Field; Keyser, LTC Collette P., Prensky, William C., Gohara, S. A., and Dr. J. H. Young. Presented at AAMI 17th Annual Meeting, San Francisco, CA, May 9-12, 1982; published in Proceedings, p. 60.

RESEARCH AND TECHNOLOGY WORK UNIT SUMMARY					DA OG 9210 82 10 01							
81 10 01	D. CHANGE	S. SUMMARY SCTY	S. WORK SECURITY). REGR	ADING ^S De D	nl	ON SPECIFIC DI CONTRACTOR A VES		A. WORK UNIT			
16. NO./CODES:*	PROGRAM ELEMENT	PROJECT	NUMBER	TASK /	REA NUMBER	WORK UNIT NUMBER						
& PRIMARY	62772A	3S16277	2A874	B/	\	223 APC F730						
b. CONTRIBUTING												
C.X000000000000X	STOG 80-7.2											
	for Medical		ion				·					
	engineering;		0 Medica	l and Ho								
8201		14. ESTIMATED COMP 8512	LETION DATE	D#		1	C. In	Hou:				
17. CONTRACT/ GRANT				10. RES	DURCES ESTIMAT	E & PROFESSIONAL MAN YES & FL			D\$ (in thousands)			
& DATES/EFFECTIVE: & NUMBER:*		EXPIRATION:		FISCAL	82		0.1		36			
& TYPE: & KIND OF AWARD:		4 AMOUNT: f. CUM. AMT.		YEAR	83		1.6		209			
19. RESPONSIBLE DOD O	REANIZATION		1	20. PER	ORMH G ORGANI		Ĭ	•				
HAME:* US A	rmy Medical	Bioengineer	ing	HAME:	US Ar	my Medic	al Bioen	gine	ering			
Research & Development Laboratory ADDRESS:* Fort Detrick, Frederick, MD 21701					Research & Development Laboratory Fort Detrick, Frederick, MD 21701							
RESPONSIBLE INDIVIDUAL NAME: Albertson, John N., Jr. TELEPHONE: (301) 663–2434; AUTOVON 343–2434 D1. GENERAL USE				PRINCIPAL INVESTIGATOR (Pumish SSAN II U.S. Academic Institution) NAME: CONWAY, W.H. TELEPHONE: (301) 663-7237; AUTOVON 343-7237 SOCIAL SECURITY ACCOUNT NUMBER: ASSOCIATE INVESTIGATORS								
			···	NAME:			- ·		POC:DA			

- (U) Medical Gases; (U) Field Gas Generation; (U) Life Support; (U) Hospital Equipment

 B. TECHNICAL OBJECTIVE, 9 24 APPROACH. 25. PROGRESS (Purnles Individual peragraphs Identified by number. Procede text of each with Security Classification Code.)
- 23. (U) Develop the concept and requirements for generation of medical gases (principally oxygen) in the field, thus negating the need for moving large numbers of high pressure gas bottles through the supply system to forward areas.
- 24. (U) Assess existing technology and generate the necessary requirements to support the letting of a contract for the development of a gas generating system for field use. Such contract, when let, would be managed under this task.
- 25. (U) 8110 8209. Discussions have been held with manufacturers of oxygen generating equipment for the purpose of determining the state of the art. Field generation of medical oxygen by molecular sieve has been determined to be feasible. Contracting efforts are being held in abeyance, however, since a substantial doctrinal problem exists concerning the most effective level of field operations at which this type of equipment should be introduced. The doctrinal problem is currently under study.

TITLE: (U) System for Medical Gas Generation

FUNDING_HISTORY: PY - 0; CY - 36K; BY - 209K

PROBLEM DEFINITION: The need for medical gasses on an OCONUS battlefield gives rise to a logistical problem of large magnitude. The transport of large numbers of high pressure gas cylinders to a foreign theater of operations and the distribution of those cylinders within the theater directly conflict with the need to move large quantities of ammunition and other combat hardware and may, in fact, not be possible when combat operations are under way.

IMPORTANCE: The ability to produce at least some of the required medical gasses on site in the field could alleviate the logistical conflict between gas cylinders and combat materiel and may, in fact, be the only way to insure an adequate supply of these gasses for treatment of combat casualties.

APPROACH: Oxygen and nitrogen constitute the greatest volume of the medical gasses required, and a ready source for these exists in the atmosphere itself. Thus, the task effort will concentrate on producing these gasses through dissociation of air.

ACHIEVEMENTS: This task is in the planning stage, and requirements are being promulgated in concert with the Combat Developer.

RELATIONSHIP TO CORE PROGRAM: This task is consistent with the Laboratory's mission to develop equipment specific to field medical requirements.

RESEARCH AND TECHNOLOGY WORK UNIT SUMMARY			1. AGENCY ACCESSION		ION I			REPORT CONTROL STREEL				
KESEARCH	AND TECHNOLOG	T WURK UNIT S		DA OG 9206			82 10	01	DD-DR&E(AR)636			
81 10 01	D. CHANGE	8. SUMMARY SCTY	s. WORK SECURITY	7. REGRA	DING	[- J	b'n instr'n NL	Sh SPECIFIC I		A TORK UNIT		
10. NO./CODES:*	PROGRAM ELEMENT	PROJECT		TASK A	REA NUM	<u></u>	.,	WORK UNIT	NUMBER			
a PRIMARY	62772A	3816277	3S162772A874				226 A	PC F731				
X8600360606363C3C.>	STOG 80-7.2	6										
	sounty closestication code n-Free Integr		Support									
	ical and Hosp	ital Equipm			nical		icine					
			CETION DATE			.•	1	C. In-House				
8110		8309	<u> </u>	DA C.								
A DATES/EFFECTIVE:		EXPIRATION:	EXPLANTION:		PRECEDING		PROFESSI	ONAL MAN YRS	E PUN	b. FUNDS (In thousands)		
p nompeu:				FISCAL 82		2	0.4		48			
& TYPE:		4 AMOUNT:		YEAR	CUMMENT				 			
& KIND OF AWARD:		f. CUM. AMT.		83		3	1.4			123		
19. RESPONSIBLE DOD	PREAMIZATION			30. PERF	ORMING OR	GANIZA	TION					
HAME:* US	Army Medical	Bioengineer	ing	NAME:*	US	Arm	y Medica	al Bioer	ngine	ering		
Research & Development Laboratory ADDRESS:* Fort Detrick, Frederick, MD 21701					Research & Development Laboratory **Port Detrick, Frederick, MD 21701							
RESPONSIBLE INDIVIDUAL NAME: Albertson, John N., Jr.					PRINCIPAL INVESTIGATOR (Pumish SEAN II U.S. Acodemic Institution) NAME: Salisbury, L.L. TELEPHONE: (301) 663-7237; AUTOVON 343-7237							
TELEPHONE: (301) 663-2434; AUTOVON 343-2434				SOCIAL SECURITY ACCOUNT NUMBER:								
B1, GENERAL USE					TE INVESTI	GATOR						
				NAME:						D00+D4		
				- NAME:						POC:DA		

- (U) Pyrogen-free Water: (U) Injectables: (U) Reconstitution: (U) Clinical Medicine
 12. TECHNICAL OBJECTIVE: 24 APPROACH, 25. PROGRESS (Pumilsh individual paragraphs identified by number. Procedu test of each with Security Classification Code.)
- 23. (U) Supply pyrogen-free water for use in injectable, intravenous, and other field medical applications.
- 24. (U) Investigate various commercial and laboratory methods for the production of sterile pyrogen-free water. Methods of coupling the output of the system to suitable containers for distribution will be examined.
- 25. (U) 8110 8209. A prototype system has been assembled, and components are being optimized. Sterile docking methods are being investigated.

TITLE: (U) Pyrogen-Free Integrated System Support

FUNDING HISTORY: PY - 0; CY - 48K; BY - 123K

PROBLEM DEFINITION: Currently, pyrogen-free water for reconstituting blood substitutes, injectables, and the lavage of wounds must be obtained from commercial sources and shipped into combat areas. This logistic burden could be eliminated or greatly reduced if pyrogen-free water could be produced where it will be needed.

IMPORTANCE: The availability of pyrogen-free water in a combat area is of extreme importance. The reconstitution of blood substitutes, injectables, and the lavage of wounds all require pyrogen-free water.

APPROACH: Current reverse osmosis technology, coupled with the Limulus Amebocyte Lysate (LAL) test for pyrogenicity, will be investigated. Commercial sources will be surveyed for availability of field compatible equipment.

ACHIEVEMENTS: A prototype system has been assembled, and components are being optimized. Sterile docking methods are being investigated.

RELATIONSHIP TO CORE PROGRAM: This program is directly related to the Laboratory's mission of developing field medical equipment.

RESEARCH AND TECHNOLOGY WORK UNIT SUMMARY						2. DATE OF SUMMA		DD-DR&E(AR)636		
	A KIND OF SUMMARY		L WORK SECURITY	4	OG 9204	82 10 0	1 SPECIFIC O	<u> </u>		
81 10 01	D. CHANGE	E. SUMMARY SCTY	U U	7. REGRAD	HIG. BY DI	CO	MTRACTOR A			
10. NO./CODES:*	PROGRAM ELEMENT	PROJECT	NUMBER	TASK AR	EA NUMBER			UNIT NUMBER		
- PRIMARY	62772A	3S16277	2A874	BA		227 APC	F732			
b. CONTRIBUTING										
e XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	STOG 80-7.2	6								
	Radiography	,•								
009800 Medi	ical and Hosp	ital Equip	ent; 00350	O Clin	ical Med	dicine	DE 0500MA	NCE METHOD		
8110		8309		DA				n-House		
W. CONTRACT/GRANT		EXPIRATION:		M. RESOURCES ESTIMATI				b. FUNDS (In thousands)		
b. HUMBER:* & TYPE:		4 AMOUNT:		FISCAL YEAR	82 URRENY	0.	2	40		
& KIND OF AWARD:		f. CUM. AMT.		1 - 1	83	0.	8	108		
19. RESPONSIBLE DOD C	PREMITATION			30. PERFO	RMING ORGANIZ	ATION				
Rese	army Medical I earch & Develo Detrick, Fro	ratory	NAME:*	Resear	my Medical rch & Deve Detrick, F	lopmen	t Laboratory			
RESPONSIBLE INDIVIDUAL NAME: Albertson, John N., Jr. TELEPHONE: (301) 663-2434; AUTOVON 343-2434 BI. GEMERAL USE					PRINCIPAL INVESTIGATOR (Pumish SEAN II U.S. Academic Institution) HAME: Salisbury, L.L. TELEPHONE: (301) 663-7237; AUTOVON 343-723 SOCIAL SECURITY ACCOUNT NUMBER: ASSOCIATE INVESTIGATORS HAME:					
	EACH with somethy Classic			NAME:				POC:DA		

- (U) X-ray System; (U) Digital Radiography; (U) Imaging, Medical; (U) Teleradiography at technical objective, 24 APPROACH, 28. PROGRESS (Pumish individual paragraphs identified by number. Proceeds to at all each with Socurity Classification Code.)
- 23. (U) Develop a digital radiographic/fluoroscopic system for field use. The elimination of film, film processor, and chemicals will do much to minimize the logistic burden associated with the use of conventional X-ray systems in a military medical environment.
- 24. (U) Using commercial, modified commercial, and in-house developed subsystems, develop a detector, digital processor, display, and recording system for the acquisition, display, recording, and transmission of radiographic information.
- 25. (U) 8110 8209. A contract is being let for the development of a solid state detector. Information is being gathered to support the development of an RFP for an integrated system.

TITLE: (U) Digital Radiography

FUNDING HISTORY: PY - 0; CY - 40K; BY - 108K

PROBLEM DEFINITION: Currently available radiographic equipment requires a large amount of support equipment and supplies (film, processor, water, chemicals, etc.). Technology exists that would permit the elimination of these support items and provide the capability of telemetering the radiographic information from remote locations.

IMPORTANCE: The importance of reducing the logistic burden in a combat area is well documented. In addition, the elimination of shelf life items reduces the problems of stockage during peacetime.

APPROACH: Using solid-state detectors, microprocessor data handling, magnetic storage media, and video display technology, a system concept will be developed. Commercial sources will be investigated, and a system will be implemented.

ACHIEVEMENTS: A contract has been let for the development of a new detector. Information is being gathered to support the development of a Request for Proposal for an integrated system.

RELATIONSHIP TO CORE PROGRAM: This program is directly related to the Laboratory's mission of developing field medical equipment.

RESEARCH	I AND TECHNOLOGY							MARY	REPORT CONTROL STREEL				
RESEARCH AND TECHNOLOGY WORK UNIT SUMMARY					DA OB 6172			01	DD-DR&E(AR)636				
& DATE PREV SUMPRY	4. KIND OF SUMMARY	S. SUMMARY SCTY	S. WORK SECURITY	7. REGRA	DING	4 DIS	'N 105TH'N	OL SPECIFIC		S. LEVEL OF SUB			
81 10 01	H.TERMINATIO	N U	U			1	NL		O NO	A WORK UNIT			
10. NO./CODES:*	PROGRAM ELEMENT	PROJECT	TASK AREA NUMBER			WORK UNIT NUMBER							
& PRIMARY	62772A	3816277	2A874	BA		1	225 A	PC F762	·				
b. CONTRIBUTING													
*X9PXXXPXXXXXX	STOG 80-7.2	6											
11. TITLE (Procedo with	Security Classification Code	•											
(U) Whole	Body Diagnost:	ic X-Ray Sc	anner										
18. SCIENTIFIC AND TO										-			
003500 Cli	nical Medicine	e: 009800 M	edical and	Hosp	<u>ital E</u>	qui	pment						
18. START DATE		14. ESTIMATED COMP	PLETION DATE	IL FUND	ING ABENCY		16. PERFORMANCE METHOD						
7602		8309		DA	_ i		l	C. In	-Hous	ouse			
17. CONTRACT/GRANT				16. RESOURCES ESTIMATE		MATE	A PROFESSIONAL MAN YRS		ts b FU	NDS (In theveands)			
& DATES/EFFECTIVE:		EXPIRATION:		- Tab									
& NUMBER:*				FISCAL 82			0.1			26			
G TYPE:		& AMOUNT:		YEAR	CURRENT								
& KIND OF AWARD:		f. CUM. AMT.		1 1	83		l	0.0		0			
19. RESPONSIBLE DOD	ORGANIZATION			20. PERF	ORMING OR	ANIZA	TION						
NAME:* US	Army Medical I	Bioengineer	ing	HAME:*	US	Arm	v Medic	al Bioe	ngine	ering			
				Research & Development Laboratory									
Research & Development Laboratory **Port Detrick, Frederick, MD 21701					ADDRESS:* Fort Detrick, Frederick, MD 21701								
l '°'	10.0 200.200, 110.201.200, 12												
	PRINCIPAL INVESTIGATOR (Pumish SSAN If U.S. Academic Institution)												
RESPONSIBLE INDIVIDUAL				NAME: Salisbury, L.L.									
NAME: Albertson John N. Jr.													
					SOCIAL SECURITY ACCOUNT NUMBER:								
11. GENERAL USE					ASSOCIATE INVESTIGATORS								
				HAME:									
				NAME:						POC:DA			
NAME: Albertson, John N., Jr. TELEPHONE: (301) 663-2434: AUTOVON 343-2434					Salisbury, L.L. TELEPHONE: (301) 663-7237; AUTOVON 343-7 SOCIAL SECURITY ACCOUNT NUMBER: ASSOCIATE INVESTIGATORS								

- (U) Scanner: (U) Flying Spot: (U) Field Medicine: (U) Field Equipment

 TECHNICAL OBJECTIVE 24 APPROACH. 25. PROBREM (Pumish individual paragraphs identified by number. Proceeds test of each with Society Closelfication Code.)
- 23. (U) Provide engineering assistance in evaluating new diagnostic X-ray scanners being evolved for military field use.
- 24. (U) Professionally evaluate and assess new equipment as required.
- 25. (U) 8110 8209. A contract has been let for the development of an electronic flying spot X-ray source. Several tubes have been fabricated with an electron beam deflection system externally providing vertical and horizontal scanning of the anode. Heat and gas problems have limited the life of the early models. The contractor has constructed models with longer life, but low beam current has precluded obtaining a useful radiographic image. The contractor was unable to meet the design requirements, and this effort was terminated.

TITLE: (U) Whole Body Diagnostic X-Ray Scanner

FUNDING HISTORY: PY - 69K; CY - 26K; BY - 0

PROBLEM DEFINITION: Currently available radiographic equipment requires high radiation exposure to obtain diagnostic quality radiographs. In addition, these systems require a large amount of support (chemicals, film, water, processors, etc.) as well as operator and patient shielding. The technology exists that would permit diagnostic quality radiographs to be made while reducing radiation exposure by a factor of 100.

IMPORTANCE: The importance of reducing patient and operator exposure to ionizing radiation is well documented. The elimination of the requirements for the ancillary support items (water, film, film processors, etc.) has a direct impact on support of field medicine.

APPROACH: A contract has been let for the development of an electronic flying spot X-ray source.

ACHIEVEMENTS: The contractor has a basic patent on an electronically scanned electron beam and pinhole collimator that should produce a flying spot of X-rays. Several models have been fabricated that do produce X-rays. Gas and heat problems have limited the beam current obtained. The contractor was unable to meet the design requirements, and this effort was terminated.

RELATIONSHIP TO CORE PROGRAM: The program is directly related to the Laboratory's mission of developing field medical equipment.

RESEARCH AND TECHNOLOGY WORK UNIT SUMMARY				1. AGENCY ACCESSION			2. DATE OF SUMMARY			REPORT CONTROL STREEL				
RESEARCH	TAND TECHNOLOG	Y WORK UNIT S			OB 6			0 0	1	סם-סם	R&E(AR)636			
& DATE PREV SUMRY	4. KIND OF SUMMARY	R. SUMMARY SCTY	S. WORK SECURITY	7. REGR	ADING ^B	9A 04	SO'N INSTR'N	OP.	SPECIFIC	DATA	. LEVEL OF SUM			
81 10 01	D. CHANGE	U	ַ				NL			□ #0	A. WORK UNIT			
IO. NO./CODES:®	PROGRAM ELEMENT	PROJECT	PROJECT NUMBER			TASK AREA NUMBER			WORK UNIT NUMBER					
& PRIMARY	62772A	3816277	3S162772A874			BA			232 APC F793					
b. CONTRIBUTING														
CXYCXXYYCXXXXX	STOG 80-7.2	6												
11. TITLE (Proceds with	Security Classification Code) •								•				
(U) Tactica	al Ambulance	Adaptation,	Feasibili	tv St	udy o	f								
12. SCIENTIFIC AND TE	CHNOLOGICAL AREAS		_											
002400 Bio	engineering: (009800 Medi	cal and Ho	spita	ıl Eau	iome	ent							
13. START DATE		14. ESTIMATED COM	PLETION DATE	IS FUN	DING AGEN	CY		16.	PERFOR	ANCE MET	HOD			
7705	7705 8209			DA I			C. In-House							
17. CONTRACT/GRANT				16. RESOURCES ESTIMATE						b. FUNDS (In Mousands)				
& DATES/EFFECTIVE:		EXPIRATION:			PRECEDIT	16								
№ NUMBER:*				FISCAL	8	2	}	0.0	6		52			
G TYPE:		& AMOUNT:		YEAR	CURRENT					1				
& KIND OF AWARD:		f. CUM. AMT.				0.3		j	26					
19. RESPONSIBLE DOD	DREANIZATION			30. PER	PORMING O	RGANIZ	MOITA							
HAME:* US A	Army Medical 1	Bioengineer	ing	HAME:	US	Art	nv Medi	cal	Bige	ngine	ering			
	earch & Develo			WAME:* US Army Medical Bioengineering Research & Development Laboratory										
	t Detrick, Fr	•	•	ADDRESS:* Fort Detrick, Frederick, MD 21701										
	b boot ton, it	oder ter, the	21101	ł			JOUI TOR	, -	cuei	ick,	21101			
	PRINCIPAL INVESTIGATOR (Fumish SSAN II U.S. Academic Institution)													
RESPONSIBLE INDIVIDUAL					NAME: Conway, W.H.									
NAME: Albertson, John N., Jr.				TELEPHONE: (301) 663-7237; AUTOVON 343-7237										
TELEPHONE: (301) 663-2434: AUTOVON 343-2434					SOCIAL SECURITY ACCOUNT NUMBER:									
11. GENERAL USE				ASSOCIATE INVESTIGATORS										
					HAME:						B00-B4			
OF DECEMBER /	EACH with Somethy Classis	entles Asial									POC:DA			

(U) Ambulance; (U) Tactical Ambulance;

(II) Emergency Medical Vehicle: (II) Medical Transport.

3. TECHNICAL OBJECTIVE. 24. APPROACH, 28. PROGRESS (Pumilsh Individual paragraphs Identified by number. Proceeds tout of each with Socurity Classification Code.

- 23. (U) Conduct a study of the Army's needs in tactical ambulances and their capabilities in preparation for the next major procurement.
- 24. (U) Initiate a study program to identify the number and type of vehicles needed, the required medical capabilities of each, and the logistical implications. The results of this study will be a comprehensive requirements document.
- 25. (U) 8110 8209. A West German hard mounted litter rack for the M113 has been recommended for adoption with some minor modifications that are currently being discussed with the manufacturer. Also, a number of M113 ambulance equipage schemes have been explored with the information thus generated passed on to the Combat Developer. Work has also been performed on the packaging of a functional mobile aid station in a larger armored, tracked vehicle with the developmental Fighting Vehicle System (FVS) vehicle being used as a model for this work. This Laboratory is now engaged in supporting the Combat Developer in the integration of these developments into the medical system.

Avellable to contractors upon originator's correvel.

TITLE: (U) Tactical Ambulance Adaptation, Feasibility Study of

FUNDING HISTORY: PY - 84K; CY - 52K; BY - 26K

TOTAL AND COURTE ALL CALLEGE THE COURTER. LEWIS BOTH

PROBLEM DEFINITION: To assist the Combat Developer in determining the level of medical treatment that can practically be provided in tactical ambulances by studying items of equipment and layout of tactical vehicles for compatibility.

IMPORTANCE: The "Division 86" study has mandated expansion of the level of medical treatment in the forward area including ambulance vehicles. In view of the decision that tactical ambulances will be adaptations of combat vehicles, it becomes important to know what equipment can logically be placed in those vehicles and how well the medical personnel function with it.

<u>APPROACH</u>: Specimen tactical vehicles will be procured and equipped as medical treatment/evacuation vehicles based on guidance from the Combat Developer and medical consultants. These trial configurations will then be evaluated for functional practicability, and the results will be transmitted for use in "Division 86" or other studies.

ACHIEVEMENTS: It has been determined that the M113A1 will be the principal front-line ambulance for the foreseeable future. A specimen M113A1 hull was procured, equipped with stabilized litter racks, and provisioned with the medical equipment specified by the Academy of Health Sciences. The data generated has been presented to the Academy, and this Laboratory is now supporting the Academy in the integration of these concepts into the medical system.

RELATIONSHIP TO CORE PROGRAM: Development of ambulance internal configuration comes under the mission of this research area to develop field medical treatment and evacuation equipment.

RESEARCH AND TECHNOLOGY WORK UNIT SUMMARY						5856	82 10		REPORT CONTROL SYMBOL DD-DR&E(AR)436		
8 BATE PREV SUMPRY	D. CHANGE	8. SUMMARY SCTY	S. WORK SECURITY				SE'N MSTE'N NL	STECIFIC	DATA .	LEVEL OF SUM	
19. NO./CODES:*	PROGRAM ELEMENT	PROJECT		(E2 785					INIT NUMBER		
- PRIMARY	62772A	3516277		BA 236 APC F794							
b. CONTRIBUTING		32,0211		 							
·X9PXXIIIXXXIIX	CARDS NO: 12	36R		 							
	Security Classification Code							<u> </u>			
(U) Field C	Jurnev										
12. SCIENTIFIC AND TE		· · · · · · · · · · · · · · · · · · ·							<u>.</u>		
009800 Medi	ical and Hosp	ital Equipm	ent; 00240	O Bio	engi	neer	ing				
15. START DATE		14. ESTIMATED COM	PLETION DATE	IL PUND	ING AG	ENCY		16. PERFORM	ANCE METH	0.00	
8009		8406		DA	ł		1	C. In	n-Hous	e	
17. CONTRACT/GRANT								of (In thousands)			
A DATES/EFFECTIVE:		EXPIRATION:			PRECE	DIM 4	1		1		
b. HUMBER:*				FISCAL		82	- (0.5	ļ	62	
G TYPE:		4 AMOUNT:		YEAR	CORNE	NY					
& KIND OF AWARD:		f. CUM. AMT.				83		2.0	}	44	
19. RESPONSIBLE DOD C	PREAMIZATION			30. PERF	ORMING	ORGANIZ	ATION				
HAME:* US A	Army Medical I	Bioengineer	ing	NAME:*			my Medica				
	earch & Develo t Detrick, Fro			ADDRESS			rch & De Detrick,			oratory D 21701	
RESPONSIBLE INDIVIDU	IAL			PRINCIPA			er, C.R.	f U.S. Academic	[nelifution]		
MAME: Albe	ertson, John 1	N., Jr.		TELEPH		(301)) 663 – 72:	37; AUT	OVON 3	43-7237	
TELEPHONE: (301	1) 663-2434:	AUTOVON 343	1-2434	SOCIAL	SECUR	17Y ACCO	UNT NUMBER:				
21. GENERAL USE				ASSOCIAT	E INVE	STIGATO	R 8				
				NAME:		Conw	ay, W.H.				
·	As tal 3 or lightenin			HAME:						POC:DA	

- (U) Mobile Litter: (U) Litter Carrier: (U) Wheeled Litter
- 23. (U) Develop a device that enables a standard Army litter to be converted into a wheeled "Gurney" type of patient conveyance that can be moved over field terrain by one or, at worst, two litter bearers. The purpose is to reduce the number of personnel required in field hospitals to move patients and to facilitate the use of female soldiers in the role of litter bearer.
- 24. (U) Procure and evaluate specimens of foreign equipment that address this need and are known to exist. Failing that, a new development effort will be undertaken.
- 25. (U) 8110 8209. A West German litter cart has been procured and evaluated from an engineering standpoint. This unit shows promise with incorporation of a few modifications, and these are being made on an experimental basis. An aluminum version of the West German device has been fabricated in an effort to lighten the weight, and a set of snap-on wheel cleats are being developed to provide a soft terrain capability.

vallable to controctore upon eridinator's approva

TITLE: (U) Field Gurney

FUNDING HISTORY: PY - 56; CY - 62K; BY - 44K

PROBLEM DEFINITION: In a mass-casualty situation, the need to move litter patients between the dispersed elements of a field hospital or clearing station would put a severe strain on the available manpower. A conveyance is needed to reduce the number of litter bearers required per carry from four to not more than two, and preferably one.

IMPORTANCE: The intense combat predicted by current European scenarios indicates that mass-casualty situations at field hospitals will be a more common occurrence. This fact, coupled with increased use of female soldiers in roles such as litter bearer, makes it necessary that manpower required for the movement of litter patients in and around field treatment facilities be reduced to a minimum and that the physical demands made on litter bearers be lessened.

APPROACH: A wheeled litter carrier will be developed, after the fashion of a hospital Gurney, that is capable of being operated over moderately rough terrain by one, or not more than two, litter bearers of unremarkable physical stature.

ACHIEVEMENTS: A test bed was constructed to evaluate various wheel configurations operating on different types of terrain. Also, a West German wheeled litter carrier was procured and evaluated for this application. The West German device, which was designed for field military use, has a number of excellent features but is made of steel and uses Moped wheels. Studies are under way to lighten the device and to provide a wheel configuration having greater surface contact.

RELATIONSHIP TO CORE PROGRAM: This task is consistent with the Laboratory's mission of developing field medical equipment.

RESEARCH AND TECHNOLOGY WORK UNIT SUMMARY					OG 5		82 10		DD-DR&E(AR)636		
	H.TERMINATI	1	E. WORK SECURITY				NL	ON SPECIFIC OF	ACCESS	A WORK UNIT	
	ROGRAM ELEMENT	PROJECT			REA NUM	DER	WORK UNIT NUMBER				
- PRIMARY	62772A	3516277	2A874	BA	L		224 A	PC F795			
S. CONTRIBUTING				<u> </u>							
	STOG 80-7.2										
TI. TITLE (Procedo with Son (U) Vital Si 12. SCIENTIFIC AND TECHN	gns Monitor	•	loise/Vibra	tion	Envir	onme	ent	· · · · · · · · · · · · · · · · · · ·			
009800 Medic	al and Hosp	ital Equips	ent; 00240				ing				
13. START DATE		14. ESTIMATED SOME	PLETION DATE	IS FUNC	HIG AGEN	CY		16. PERFORMA	NCE MET	HOD	
8010		8510		DA				C. In	-Hou	se	
17. CONTRACT/GRANT A DATES/EFFECTIVE:		EXPIRATION:		10. RESC	PRECEDIA		& PROFESSI	OHAL MAN YRS	h FUN	OS (In thousands)	
b number:*				PISCAL 82		1 .	0.4	İ	39		
G TYPE:		4 AMOUNT:		YEAR	CURRENY		 		┼		
& KIND OF AWARD:		f. CUM. AMT.			8	3		0.0	1	0	
19. RESPONSIBLE DOG ORG	ANIZATION			30. PERF	ORMING O	RGANIZ	ATION	1	-A		
Resea	my Medical l rch & Develo Detrick, Fr	opment Labo	oratory	MAME:*	Re	seai		velopmen	t La	ering boratory MD 21701	
RESPONSIBLE INDIVIDUAL NAME: Albertson, John N., Jr. VELEPHONE: (301) 663-2434: AUTOVON 343-2434 BI. GENERAL USE				HAME:* TELEP	' Т номе: (haye 301	JHT NUMBER:			343 - 7237	
			!	NAME:	C	conwa	ay, W.H.			POC:DA	

(U) Vital Signs; (U) Blood Pressure; (U) Pulse; (U) Respiration Rate; (U) Body Temperature

TECHNICAL OBJECTIVE, 24 APPROACH, 28 PROGRESS (Provide individual paragraphs identified by number. Proceeds text of each with Society Classification Code.)

- 23. (U) Develop an equipment set that provides the capability to monitor medical vital signs of patients in a high noise or high vibration level environment. The principal use will be in armored vehicles and helicopters functioning as battlefield ambulances. Traditional methods of measuring vital signs cannot be used in such an environment.
- 24. (U) Investigate new commercial developments in new techniques such as ultrasonics, electronic artifact rejection, etc., and determine their suitability for the problem area of consideration. If nothing suitable exists, development of new techniques in-house or in collaboration with the private sector will be attempted. The ultimate goal of this task is to provide a family of vital signs monitors for the problem environment.
- 25. (U) 8110 8209. A variety of commercial vital signs monitors have been tested, encompassing ausculatory and oscillometric blood pressure techniques and various electronic schemes for artifact rejection. All have failed to perform in the harsh environment of an M113 armored personnel carrier. It appears that obtaining such information may not be possible since tracked vehicles tend to produce high energy vibration and shock pulses at exactly the frequencies of interest, and organs of the human body tend to become resonant within that same frequency range. Consequently, this requirement has been made a subordinate issue on another task dealing with development of a noninvasive monitor for use in a chemical environment. Since the new task involves some research and development, it is hoped that a new technique might evolve that can satisfy the requirement. The efforts under this work unit summary are therefore terminated as a separate task. 149

voilable to contractors upon originator's correvel.

TITLE: (U) Vital Signs Monitor for High Noise/Vibration Environment

FUNDING HISTORY: PY - 28K; CY - 39K; BY - 0

PROBLEM DEFINITION: The ability to quantitatively measure the vital signs of a combat casualty in the high noise, high vibration environment of a moving tactical ambulance is needed. This is particularly difficult to achieve in tracked vehicles moving across unpaved terrain, and the common methods of measuring heart rate, blood pressure, etc., are probably not adequate.

IMPORTANCE: Current scenarios for future combat predict that casualties being transported by tactical ground ambulances will spend much more time in transit. This situation mandates that treatment capabilities in these vehicles be upgraded. The ability to adequately measure vital signs of the patient is fundamental to that upgraded treatment.

APPROACH: The efficacy of existing technology when applied to this problem will be evaluated, and new techniques will be sought where existing ones are not adequate.

ACHIEVEMENTS: All currently available technology has been evaluated and has failed to perform. It has been determined that tracked vehicles produce substantial vibrational energy at the exact frequency of interest and that the resonant frequency of many human organs also lies within the vehicle vibration spectrum. Thus, it may not be possible to accomplish this task. The requirement has, therefore, been made a "desirable" characteristic of a new task dealing with monitoring of chemical casualties, and the effort under this work unit is terminated.

RELATIONSHIP TO CORE PROGRAM: This task is consistent with the mission of this Laboratory to develop field medical equipment.

RESEARCH AND TECHNOLOGY WORK UNIT SUMMARY					A OG		2 DATE OF SUI 82 10			CONTROL SYMBOL R&E(AR)636
81 10	D. CHANGE	6. SUMMARY SCTY	A. WORK SECURITY	7. REGR	ADING	De Di	NL	OL SPECIFIC CONTRACTOR	DATA · ACCESS	A WORK UMT
i0. NO./CODE		PROJECT	NUMBER	TASK AREA HUMBER WORK UNIT NUMBER					A	
& PRMARY	62772A	3516277	2A874	В	A		235 A	PC F798		
. CONTRIBUT										
c-)C200C2000CC		, - ·								
(U) Ap	odo with socially classification code paratus, X—Ray, De AND YECHNOLOGICAL AREAS	ental, Fiel								
002400	Bioengineering;						ent			
	•	14. ESTIMATED COMP	PLETION DATE		DING AGEI	ICY.		16. PERFORM		
8005		8303		Di	A L			C.	In-Ho	use
17. CONTRACT/		EXPIRATION:		18. RES	PRECEDI	•	A PROFESSI	OHAL MAN YR	L FUI	IDS (In thousands)
A HUMBER: •		4 AMOUNT:		FISCAL	CURREN	82	<u> </u>	0.5		56
S KIND OF AW	ABO:	f. CUM. AMT.		'		83		0.1		27
	E DOD ORGANIZATION	1		20. PER	FORMING					
NAME:*	US Army Medical Research & Develor Fort Detrick, From	opment Labo	oratory	NAME:0	U. Re	S Arı	my Medic rch & De	velopme	nt La	ering boratory MD 21701
RESPONSIBLE INDIVIDUAL HAME: Albertson, John N., Jr. TELEPHONE: (301) 663-2434: AUTOVON 343-2434 B1. GEMERAL USE				PRINCIPAL INVESTIGATOR (Pumion SSAN II U.S. Academic Institution) HAME: Malek, J.W. TELEPHONE: (301) 663-7277; AUTOVON 343- SOCIAL SECURITY ACCOUNT NUMBER: AMOCIATE INVESTIGATORS NAME:						•
	Proceeds BAGH with Security Glassillia			NAME:						POC:DA

(U) Dental X-Ray: (U) Low Dose X-Ray: (U) Dental Apparatus

3. TECHNICAL GRACTIVE. 24 APPROACH: 28 PROBRESS (Pumish individual paragraphs identified by number Proceeds and of spech with Security Cleret Specific Cards.)

TECHNICIE CONTROL OF THE PROPERTY OF THE PROPE

- 23. (U) Obtain a low capacity radiographic apparatus suitable to meet the requirements of portable field dental units.
- 24. (U) Evaluate commercial sources for a functional device that can be adapted to meet the requirements.
- 25. (U) 8110 8209. A decision was made to evaluate commercial X-ray units in their commercial containers. Modified DT I was conducted and completed during 2nd Quarter FY 82. OT I was conducted and completed during 3rd Quarter FY 82. The final test report was forwarded during 4th Quarter FY 82. A visit was made to the contractor to review findings and determine course of design modifications.

TITLE: (U) Apparatus, X-Ray, Dental, Field

FUNDING HISTORY: PY - 36K; CY - 56K; BY - 27K

PROBLEM DEFINITION: New Federal Drug Administration (FDA) regulations preclude use of previous X-ray units in field units, necessitating investigation of new X-ray units that will meet these regulations.

IMPORTANCE: Current field dental TOE units do not have an authorized/certified X-ray unit.

APPROACH: Commercial sources were searched for devices that will meet the requirements.

ACHIEVEMENTS: Radiation leakage tests were completed. A modified DT I was also completed. A single commercial prototype was subjected to OT I; testing was completed.

RELATIONSHIP TO CORE PROGRAM: This program is directly related to the Laboratory's mission to develop field medical materiel.

PREVENTION OF MILITARY DISEASE HAZARDS

DESEADON	RESEARCH AND TECHNOLOGY WORK UNIT SUMMARY				CY ACCES	· · · · · · · · · · · · · · · · · ·	2. DATE OF SU	MMARY	REPORT CONTROL SYNEOL		
RESEARCH	I AND TECHNOLOG	. WURK UNE 1 3	URBAKT	DA	OG 8	679	82 10	01	DD-D	R&E(AR)636	
1. DATE PREV SUM'RY	4. KIND OF SUMMARY	& SUMMARY SCTY	S. WORK SECURITY	7. REGR	ADING	92 DH	O'N INSTR'N	OL SPECIFIC		B. LEVEL OF SUM	
81 10 01	D. CHANGE	ט	U	1		1	NL		□ mo	A WORK UNIT	
10. NO./CODES:*	PROGRAM ELEMENT	PROJECT	NUMBER	TASK	AREA NUI	IDER		WORK UNIT NUMBER			
& PRIMARY	62770A	3M16277	0A871	CE	3		261 A	PC F901			
b. CONTRIBUTING											
-X900X30000X	STOG 80-7.2	2									
II. TITLE (Proceds with	Security Classification Code)**									
(U) Vector	Control Metho	ods. Materi	al. Equipm	ent							
18. SCIENTIFIC AND TE	CHHOLOGICAL AREAS										
002600 Bio	logy; 009800 I	Medical and	Hospital	Eauir	ment						
13. START BATE		14. ESTMATED COM	LETION DATE	IL FUN	DING AGEN	CY		16. PERFORM	IANCE ME	HOD	
8110		8410		DA	۱ I		1	C.	In-Ho	use	
17. CONTRACT/GRANT	·	<u> </u>			OURCES E		& PROFESS	HOMAL MAN YR		HDS (In thousands)	
& DATES/EFFECTIVE:		EXPIRATION:			PRECEDI	NÆ					
NUMBER:*				FISCAL	l a	2		0.1		5	
G TYPE:		4 AMOUNT:		YEAR	CUNNEN						
& KIND OF AWARD:		f. CUM. AMT.			1	3		1.5		44	
19. RESPONSIBLE DOD	ORGANIZATION			20. PER	FORMING C		A TION				
HAME:* IIS A	Army Medical I	Ricengineer	ing	HAME:*	115	Ann	w Media	al Bioe	ngine	ening	
	earch & Develo	_	•				•		•	boratory	
	t Detrick, Fr	-	•	ADDRES	•			Freder		•	
ror	b Detrick, Fre	ederick, MD	21701	}	FC	ir.c r	eurick,	rreder	TCK,	מש בון טו	
				PRINCIP	AL INVEST	TIGATOR	t (Fumioh SSAN	if U.S. Academi	c Inelikulie	a)	
RESPONSIBLE INDIVIDU	u a t.			NAME:	•				-		
		N T		TELES			n, J.H.		OVON	2112 7227	
	ertson, John I	•	aliali	1			' 003-12	3/; AUI	OVUN	343-7237	
TELEPHONE: (30)	1) 663-2434;	AUTOVON 343	-2434	4	TE INVEST		•				
	GENERAL VIE			HAME:	_			_			
				NAME:	15		her, M.	ν.			
	SACE WIS SOMETHY CLASSIS	Cotton Codel		N AME:	Р	ierc	e, P.E.			POC:DA	

- (U) Vector Control: (II) Equipment: (II) Methodology: (II) Surveillance
 2. TECHNICAL OBJECTIVE, 24. APPROACH, 25. PROGRESS (Pumilsh Instituted paragraphs Identified by Number: Proceeds text of each with Security Closelfication Code.
- 23. (U) Develop threat projections, technological forecasts, and interagency planning to determine operational capabilities, doctrine, organization and potential systems to meet Army vector control needs.
- 24. (U) Investigate and analyze pertinent studies on vector control systems and develop and evaluate experimental and commercial hardware and control formulations to develop strategies for control of militarily important vectors.
- 25. (U) 8110 8209. The critical field data derived from the integrated vector control program for mosquitoes and black flies clearly indicated that a microbial insecticide can be used effectively in large-scale field control of mosquito and black fly disease vectors. As a spin-off of this research effort, the existence of a dose-time relationship between an insecticide and black flies was demonstrated which enables Army TOE units to apply more accurate methods for black fly control in the field.

TITLE: (U) Vector Control Methods, Material, Equipment

FUNDING HISTORY: PY - 0; CY - 5K; BY - 44K

PROBLEM DEFINITION: Development of threat projections, technological forecasts, and extensive interagency planning to determine operational capabilities, doctrine, organization, and potential systems is essential to meet the needs of the Army. The basis for future investigations must be established, and concept formulation must be initiated through early on studies of vector control systems and development and evaluation of experimental and commercial hardware.

IMPORTANCE: Identification and resolution of technical issues, operational issues, and logistical support problems are critical to the timely incorporation of new methodology, materials, and equipment into the Army's vector control program.

<u>APPROACH</u>: Pertinent studies on vector control systems, development and evaluation of experimental and commercial hardware, and control formulations will be analyzed and investigated to develop strategies for control of vectors of military importance.

ACHIEVEMENTS: The critical field data derived from the integrated vector control program for mosquitoes and black flies clearly indicated that a microbial insecticide can be used effectively in large-scale field control of mosquito and black fly disease vectors. As a spin-off of this research effort, the existence of a dose-time relationship between an insecticide and black flies was demonstrated which enables Army TOE units to apply more accurate methods for black fly control in the field.

RELATIONSHIP TO CORE PROGRAM: This task is an integral portion of the Laboratory's research and development mission of providing vector control methods, material, and equipment to support the field Army.

RESEARCH AND TECHNOLOGY WORK UNIT SUMMARY					1. AGENCY ACCESSION				DD-DR&E(AR)636		
					OB 62		82 10			· ` ` ·	
A DATE PREV SUM'RY			S. WORK SECURITY	7. REGR	OING	- DIS		Sh SPECIFIC C		LEVEL OF SUM	
81 10 01	D. CHANGE	U	Ü	<u> </u>		1	NL	₩ ves [) MO	A WORK UMT	
10. NO./CODES:*	PROGRAM ELEMENT	PROJECT		TASK A	REA NUMB	ER		WORK UNIT NUMBER			
& PRIMARY	62770A	3M16277	OA871	CE	<u> </u>		262 AF	°C F902			
b. CONTRIBUTING											
*XYPK NEW NEWS	CARDS NO: 14	06A									
11. TITLE (Procedo with	Security Classification Code	,•					-				
(U) Integra	ted Pest Mana	agement - B	lack Flies								
12. SCIENTIFIC AND TE											
005900 Envi	ronmental Bio	ology; 0026	00 Biology								
13. START DATE		14. ESTIMATED COMP	PLETION DATE	IL FUNC	HNG AGENCY	,		16. PERFORMA	NCE MET	HOD	
7810		8309		DA			1	C. I	n-Hou	ıse	
17. CONTRACT/GRANT			· · · · · · · · · · · · · · · · · · ·	18. RES	OURCES EST	MATE	& PROFESSIO	DHAL MAN YRS	$\overline{}$	DS (In thousands)	
& DATES/EFFECTIVE:		EXPIRATION:			PRECEDING						
F HUMBER:*				FISCAL	82		1	1.5	1	65	
G TYPE:		4 AMOUNT:		YEAR	CURRENT						
& KIND OF AWARD:		f. CUM. AMT.			83		1	1.3		102	
19. RESPONSIBLE DOD (PREMITATION			20. PERI	ORMING OR						
NAME:* US A	Army Medical H	Bioengineer	ing	HAME:	US	Arm	v Medica	al Bioen	gines	ring	
	earch & Develo	•	_				•		_	oratory	
	Detrick, Fre			ADDRES	_			•		D 21701	
101	boolier, il	outlier, in	21101	1	101	0 20	col lon,	r reder r	.ck, i	L 21101	
				PRINCIP	AL INVESTIG	ATOR	Fumioh SSAN II	U.S. Academic	(na litution	1	
RESPONSIBLE INDIVIDU	IAL			NAME:		-	tts, L.		•		
	ertson. John 1	Į V							VON 3	343-7237	
WIDE	1) 663-2434: /		_3h3h	SOCIAL	C / TECURITY .			or, Rolo	A OIA 3	1631=64	
1. GENERAL USE	U 005-2434; J	TOTOYON 343	-6474	A850C1A	TE INVESTIG	ATORS					
				HAME:							
				HAME:	Ne	TSO	n, J.H.				
				HAME:						POC:DA	

- (II) Integrated Pest. Management: (II) IPM: (II) Riological Control

 13. TECHNICAL OBJECTIVE. 24 APPROACH, 28. PROGRESS (Purilsh Individual peragraphs identified by number. Precede text of each with Socurity Classification Code.)
- 23. (U) Develop methods of long-term suppression of immature stages of black flies and short-term suppression of adults without adverse effect on the environment. Currently, black flies seasonally restrict use of vast military training areas at several CONUS installations. Overseas, they are the primary vector of onchoceriasis or river blindness, a disease of military importance in parts of Africa and Central and South America. Effective vector control strategies will permit increased military training at the affected installations and will reduce the potential threat of noncombat casualties due to onchoceriasis.
- 24. (U) Growth regulator hormones or synthetic chemical analogues will be applied in the aquatic habitat in laboratory and field evaluations in such a manner to attach to specific substrates and with slow release action provide long lasting control. Attention will also be directed to the use of biological control agents including pathogenic bacteria and fungi. Improvement of standardized methods for making evaluations of such agents will be emphasized because present methodology does not provide results which can be utilized in interlaboratory comparisons. The use of diluents to improve the activity of adulticides will be studied as a possible approach for suppression of adult black flies.
- 25. (U) 8110 8209. Terms completed during the 2nd Quarter FY 82 demonstrated the efficacy of <u>Bacillus thuringiensis israelensis</u> which is now registered for use against black fly larvae. Preliminary investigations of a juvenile hormone analogue indicate possible direct toxic effects on larvae as well as inhibition of development during the pupal stage. Improvement and standardization of testing methods now under way appear to provide a better means for detecting the existence of a true biomodal mortality curve. This improved methodology also appears to be useful for evaluating a newly acquired fungal pathogen of black flies, Culicinomyces sp.

157

veilable to contractors upon originator's approval.

TITLE: (U) Integrated Pest Management - Black Flies

FUNDING HISTORY: PY - 92K; CY - 65K; BY - 102K

PROBLEM DEFINITION: To develop a program of long-term suppression of black fly populations without adverse effects on the environment.

IMPORTANCE: Black flies are major vectors of onchoceriasis and rank high as military nuisance pests. In areas where onchoceriasis occurs, blindness due to this filarial infection is epidemic. In areas where large populations of black flies occur, training and marshalling areas cannot be used in presence of these pests. No effective means for control of these insects currently exists.

APPROACH: Growth regulator hormones or synthetic chemical analogues and chemical pesticides will be applied in the aquatic habitat in laboratory and field evaluations in such a manner to attach to specific substrates and with slow-release action provide long lasting control. Attention will also be directed to the use of biological control agents including pathogenic protozoa, bacteria, and microsporidia. Insect pathogens or hand will be evaluated against black flies. Further, naturally occurring black fly pathogens will be collected and evaluated. Laboratory and field testing are to develop methods for manipulation, storage, and application of these agents.

ACHIEVEMENTS: Tests completed during the 2nd Quarter FY 82 demonstrated the efficacy of <u>Bacillus thuringiensis israelensis</u> which is now registered for use against black fly larvae. Preliminary investigations of a juvenile hormone analogue indicate possible direct toxic effects on larvae as well as inhibition of development during the pupal stage. Improvement and standardization of testing methods now under way appear to provide a better means for detecting the existence of a true biomodal mortality curve. This improved methodology also appears to be useful for evaluating a newly acquired fungal pathogen of black flies, <u>Culicinomyces</u> sp.

RELATIONSHIP TO CORE PROGRAM: This project is the first systematic approach to providing a vector control program for management of a medically important insect. The project is in keeping with mission for research in applied military vector control.

RESEARCH AND TECHNOLOGY WORK UNIT SUMMARY					DA OG 8684 82 10 01 PD-DR						CONTROL STREET. R&E(AR)636	
81 10 01	H. TERMINATI		CONTR				SPECIFIC DONTRACTOR		A. WORK UNIT			
10. NO./CODES:*	PROGRAM ELEMENT	PROJECT	NUMBER	TASK A	REA	NUMBER		WORK UNIT NUMBER				
- PRIMARY	62770A	3M16277	OA871				263	AP	C F903			
b. CONTRIBUTING												
*************	STOG 80-7.2											
·	anagement-Art		rol									
	logy; 009800	Medical and		Equip				7.6	- PERFORMA	ire wet	WO.	
8110		8510	2011011 0 11 10	DA		••••	1	"				
T. CONTRACT/GRANT		0510					- 			n-Ho		
& DATES/EFFECTIVE:		EXPIRATION:		10. RES		S ESTIMAT		PESSION	AL MAN YRS	E FUI	IDE (In thousands)	
b number:*		5-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1		FISCAL		82	1	0		1	0	
C TYPE:		4 AMOUNT:			CURR	ENT	+	U		 	0	
& KIND OF AWARD:		f. CUM. AMT.				83		0		Ì	0	
19. RESPONSIBLE DOD	PREMITATION			20. PER	PORMI	G ORGAN	ZATION		1		- ĭ	
_	Army Medical	_	_	HAME:*			_		Bioen	_	_	
	earch & Development Detrick, Front Property Communication (Communication)	•	•	ADDRES	6: ⁶				elopmen Frederi		boratory MD 21701	
	ertson, John	•		PRINCIP HAME:	•	Nels	on, J	.н.	s. Acedeaic i		, 343 - 7237	
	1) 663-2434;	AUTOVON 343	-2434	SOCIAL		RITY ACC		9E9:				
B1. GENERAL USE				1	TEIN	ESTIGATO						
				NAME:		Pier	ce, P	.E.				
				NAME:		Ande	rson.	L.M.			POC:DA	

- (U) Pest Management; (U) Methodology; (U) Insect Control; (U) Equipment

 3. TECHNICAL OBJECTIVE,* 24 APPROACH, 26. PROGRESS (Furnish individual paragraphs identified by number. Procede test of each with Security Classification
- 23. (U) Develop and refine methodology that will enable field entomology detachments to increase their efficiency and effectiveness in the areas of insect control. Utilization of this state-of-the-art methodology will insure that maximum effectiveness is obtained against arthropod disease vectors by field Army personnel.
- 24. (U) As new control agents and equipment become available, develop and coordinate new insect control programs.
- 25. (U) 8110 8209. This task overlaps with another 871 task. USAMBRDL has no line under Task Area Number CA. This research and technology work unit summary is terminated.

TITLE: (U) Pest Management-Arthropod Control

FUNDING HISTORY: PY - 0; CY - 0: BY - 0

という 単かいいのから 無難いのみとのから しんなんのから

<u>PROBLEM DEFINITION</u>: Development and refinement of methodology is essential to enable field entomology detachments to increase their efficiency and effectiveness in the areas of insect control.

IMPORTANCE: Utilization of this state-of-the-art methodology will insure that maximum effectiveness is obtained against arthropod disease vectors by field Army personnel.

APPROACH: As new control agents become available, new insect control programs will be developed and coordinated with user organizations.

ACHIEVEMENTS: This task overlaps with another 871 task. USAMBRDL has no line under Task Area Number CA. This research and technology work unit summary is terminated.

RELATIONSHIP TO CORE PROGRAM: The project is in keeping with mission for research in applied military vector control.

0515400	RESEARCH AND TECHNOLOGY WORK UNIT SUMMARY					ESSION	2. DA	TE OF SU	MARY	REPORT	CONTROL STREET
RESEARC	H ARD !ECHROLOG	WORK URIT 5	UMMART	D.	AO A	629	6	82 10	01	DD-D	R&E(AR)636
2. DATE PREV SUMPRY	4. KIND OF SUMMARY	S. SUMMARY SCTY	6. WORK SECURITY	7. REGR	ADING	90	DIS 8"N (INSTR'H	SE SPECIFIC		D. LEVEL OF SUM
81 10 01	D. CHANGE	U	U				NL			□ mg	A WORK UNIT
10. NO./CODES:*	PROGRAM ELEMENT	PROJECT		TASK AREA NUMBER WORK UNIT NUMBER						R	
- PRIMARY	62770A	3M16277	OA871	CE	3		26	4 A	PC F904		
b. CONTRIBUTING											
c.)0300)(10000(1000K	STOG 80-7.2	2									
11. TITLE (Procedo wid	Security Classification Code	y •		_							
	tion of Skid I	Mounted and	Special P	urpos	se Pe	esti	cide	Disp	<u>ersal E</u>	quipm	ent
18. SCIENTIFIC AND T	ECHNOLOGICAL AREAS										
009800 Med	ical and Hosp	ital Equipm	ent: 00240	O Bio	eng:	inee	ring				
15. START DATE		14. ESTIMATED COM	PLETION DATE	IS. PUNI	DING AG	ENCY			16. PERFOR	IANCE ME	THOD
7503		CONT		D/					C. In	-Hous	e
IT. CONTRACT/GRANT				10. RES		ESTIMA	TE &	PROFESS	IONAL MAN YR	s b Fu	NDS (In thousands)
& DATES/EFFECTIVE	:	EXPIRATION:			PRECE	DINE					
M NUMBER:*				FISCAL		82			0.1	i	3
& TYPE:		& AMOUNT:		YEAR	CURRE	NY					
& KIND OF AWARD:		f. CUM. AMT.		<u> </u>	<u> </u>	83			0.2		22
19. RESPONSIBLE DOD	ORGANIZATION			30. PER	FORMIN	GORGAI	HZATIO	4			
NAME:* US	Army Medical 1	Bioengineer	ing	HAME:*	1	US A	rmv	Medic	al Bioe	ngine	ering
	earch & Develo	•	•				_			-	boratory
	t Detrick, Fro	•	•	ADDRES					Freder		
			_,,,					,		,	
				PRINCIP	AL INV	ESTIGAT	OR (Fun	WAS SEAN	il U.S. Acedemi	c [nellfulle	۹)
RESPONSIBLE INDIVID	WAL			NAME:	•	Pie	rce.	P.E.			
NAME: Alb	ertson, John 1	N., Jr.	TELEPHONE: (301) 663-7237; AUTOVON 343-7					343-7237			
	1) 663-2434:	•	-2434	SOCIAL	L SECUP	RITY AC			- .,	· •	
B1. GENERAL USE				ASSOCIA	TE INV	ESTIGAT	ORS				
				NAME:		And	erso	n, L.	м.		
				MAME:				,			POC:DA

- (U) Insect Control; (U) Pesticide Dispersal;
- (U) Engineer Tests: (II) Illtra-Low Volume (III.V): (II) Skid Mounted Sprayer
 12. TECHNICAL OBJECTIVE. 24 APPROACH. 25. PROGRESS (Furnish Individual peregraphs Identified by number. Procedo test of soch with Society Classification Code.)
- 23. (U) Determine the durability of commercially available ultra-low volume (ULV) and power pesticide dispersal equipment by comparative type engineering tests. Units will be used by military medical and engineer personnel for controlling mosquito and other flying insects. Results will provide user agencies with comparative durability data for purchase through military channels.
- 24. (U) Determine the operational capabilities of skid mounted and special purpose ULV pesticide dispersal equipment by quantitative and qualitative methods. Measurable quantitative parameters include particle size determination and maintenance of desired pressure and flow rate. General engineering design observations will include corrosive effect of pesticide used during tests; verification of manufacturers' claims of performance specifications; general durability definitions as applied to mean time between breakdown, maintenance time, gas and oil consumption; and definition of high mortality repair parts.
- 25. (U) 8110 8209. Evaluations of Yellow Devil skid mounted power sprayer, Micron ULVA, Mini ULVA, and Herbie were completed. Evaluations of Hudson model 98600 and Turbaire models Sprite, Fox, XJ, and Weeder will be conducted during FY 83.

TITLE: (U) Evaluation of Skid Mounted and Special Purpose Pesticide
Dispersal Equipment

FUNDING HISTORY: PY - 20K; CY - 3K; BY - 32K

PROBLEM DEFINITION: To continuously evaluate the basic engineering design, durability, and operational effectiveness of commercial pest control equipment.

IMPORTANCE: New and improved commercial items are frequently presented to the DOD as potential standard items. Most of these are suitable for DOD use. Others are unfit and should not be procured. Centralized, uniform testing of these items, on a request basis, is essential to maintain state-of-the-art technology in pest control and to keep from wasting tax dollars on unacceptable equipment.

APPROACH: Extensive equipment engineering and operational evaluations are conducted when requested by DOD agencies. These evaluations will include specification design, quality assurance testing as required by specification and procurement documents, and individual item reliability and durability analyses.

ACHIEVEMENTS: Evaluation of Yellow Devil skid mounted power sprayer, Micron ULVA, Mini ULVA, and Herbie was completed. Evaluations of Hudson model 98600 and Turbaire models Sprite, Fox, XJ, and Weeder will be conducted during FY 83.

RELATIONSHIP TO CORE PROGRAM: This project involves continuous evaluation of commercially available pesticide dispersal equipment. The project provides a technology base for pest control equipment evaluation and development.

2000				1. A0EM	CA VCC	ESSION	2. DATE OF SUM	ARY	REPORT	CONTROL STREET
RESEA	RCH AND TECHNOLOG			4		6058	82 10	01	DD-D	R&E(AR)636
& BATE PREV SUI	PRY 4. KIND OF SUMMARY	8. SUMMARY SCTY	. WORK SECURITY	. REGRA	DING	DA 04	50'H INSTR'H	SPECIFIC	DATA -	S. LEVEL OF SUM
81 10 01	D. CHANGE	Ü	U						□ № 0	A WORK UNIT
10. NO./CODES.*		PROJECT		TASK AREA HUMBER WORK UNIT NUMBER						R
& PRIMARY	62770A	3M1627	70A871	CI	3		265 AF	C F905	5	
b. CONTRIBUTING				<u> </u>						
c. X260030000000				<u> </u>						
11. TITLE (Procedo	with Security Classification Code	,•								
	cicide Dispersal	Evaluation	n Set							
	D TECHNOLOGICAL AREAS									
009800 M	Medical and Hosp	ital Equip	ment; 00240	O Bio	oeng:	ineer	ing			
12 START DATE		14. ESTIMATED SOM	PLETION DATE	IS FUNC	DING AG	ENCY	. I	16. PERFÖR	TANCE ME.	THOO
7504		8509		D/	A		<u> </u>	C	In-Ho	ouse
TT. CONTRACT/GR	AN T			16 RESOURCES ESTIMATE & PROFESSIONAL MAN YES & FUND				HDS (In thousands)		
& DATES/EFFECT	IVE:	EXPIRATION:								
P HOMPEN:*				FISCAL	CURRE	82).3		18
& TYPE:		4 AMOUNT:		YEAR	CURRE	- T				
& KIND OF AWARD	*	f. CUM. AMT.			<u> </u>	83		1.2		16
19. RESPONSIBLE	DOD GREAMIZATION			30. PERF	ORMAN	ORGANIZ	ATION			
HAME:* U	JS Army Medical	Bioenginee	ring	HAME:*	1	US Ar	my Medica	al Bioe	engine	ering
R	Research & Devel	opment Labo	oratory	ţ	1	Resea	rch & Dev	relopme	ent La	boratory
ADDRESS:* F	fort Detrick, Fr	ederick, M	21701	ADDRES	^{;•}]	Fort	Detrick,	Freder	rick,	MD 21701
							•		·	
				1		STIGATO	R (Fumioh SSAN 11	U.S. Academi	c [nelifutio	n)
RESPONSIBLE IND	IVIDUAL			MANE	•	Pier	ce, P.E.			
HAME: A	lbertson, John	N., Jr.		TELEP	HOME	(301) 663-723	37; AUI	NOVO	343-7237
	301) 663-2434:	AUTOVON 341	3-2434	SOCIAL	. SECUR	ITY ACCO	UNT NUMBER:			
DI. GENERAL USE				1	TE INVE	STIGATO	RS			
				NAME:		Nels	on, J.H.			
		author Code)		HAME:		Ande	rson I.	1		POC:DA

- (U) Pesticide Dispersal; (U) Droplet Size; (II) Insect Control; (II) EPA Requirements is rechnical objective. 24 APPROACH, 28 PROSRESS (Pumilia Individual perographs identified by number. Proceeds text of each with Socurity Classification Code.)
- 23. (U) Develop a pesticide field evaluation set capable of measuring ultra-low volume (ULV) droplet size and total pesticide amounts applied by military dispersal equipment utilized in insect control operations at military installations in CONUS and overseas.
- 24. (U) Review commercial or military sources and, if the search is unsuccessful, fabricate new equipment and field evaluate for efficacy of design.
- 25. (U) 8110 8209. A Defense Small Business Advanced Technology Program contract was awarded to KLD Associates to develop and refine the "hot wire device" for characterization of liquid aerosol particles. As the monitor for this contract, USAMBRDL personnel are planning several comparative studies with this device and the Particle Measuring System model 200, as well as with the slide wave method of aerosol droplet collection.

TITLE: (U) Pesticide Dispersal Evaluation Set

FUNDING HISTORY: PY - 34K; CY - 18K; BY - 16K

<u>PROBLEM DEFINITION</u>: To develop instrumentation that can accurately measure droplet size distribution in pesticide aerosols, thus providing precise calibration for pesticide dispersal units.

IMPORTANCE: Accurate calibration of dispersal equipment is essential for the effective and economical usage of ultra-low volume (ULV) pesticide formulations to provide protection for the soldier from disease vectors and pest arthropods. The dissemination of droplets that are too large for effective control are capable of adverse environmental effects.

APPROACH: An optical imaging aerosol droplet sizing spectrometer has been secured and has been calibrated. A ground aspirator which produces a constant speed airflow past the sampling region of the spectrometer has been secured. The aspirator will provide isokinetic conditions at the sampling region and will also enable the data processing system of the spectrometer to provide aerosol concentration information. Various nonvolatile droplet aerosols will be dispersed, and information on their size distribution and propagation will be gathered.

Additional experiments are planned in which the results of the aerosol spectrometer are compared with other droplet sizing techniques (e.g., slidewave, settling, hot wire sampler).

ACHIEVEMENTS: A Defense Small Business Advanced Technology Program contract was awarded to KLD Associates to develop and refine the "hot wire device" for characterization of liquid aerosol particles. As the monitor for this contract, USAMBRDL personnel are planning several comparative studies with this device and the Particle Measuring System model 200, as well as with the slide wave method of aerosol droplet collection.

RELATIONSHIP TO CORE PROGRAM: This item of medical surveillance equipment will enable the TOE entomology service units to insure application of proper droplet sizes by their ULV dispersal equipment. The program is related to the core program in the areas of medical equipment development and integrated pest management systems.

RESEARCH AND TECHNOLOGY WORK UNIT SUMMARY					OG 0				DD-DR&E(AR)636	
81 10 01	D. CHANGE	8. SUMMARY SCTY ⁸ U	6. WORK SECURITY	7. REGRADING DA DISS'N INSTR'N SA SPECIFIC DAYA- D. CONTRACTOR ACCESS NL YES MO				A WORK UNIT		
10. NO./CODES:*	PROGRAM ELEMENT	PROJECT	NUMBER	TASK AREA NUMBER WORK UNIT NUMBER						
- PRIMARY	62770A	3M16277	OA871	CE	3		266 AP	C F906		
b. CONTRIBUTING				[
eKSEMMSSSCMRK	CARDS NO: 11	05A								
(U) Integral SCIENTIFIC AND TE		agement - M								
005900 Env	ironmental Bio	ology; 0026	00 Biology							
			PLETION DATE		DING AGEN	iC¥	. '	6. PERFORM		
7910		8509		DA	<u> </u>			С.	In-Hou	se
				10 RES	OURCES ES		A PROFESSION	IAL MAN YR	S & FUNC	% (In thousands)
& DATES/EFFECTIVE: & NUMBER:*		EXPIRATION:		FISCAL		12	լ	.2		204
& TYPE:		d AMOUNT:		YEAR	CURRENT	_	 	<u> </u>	+	
& KIND OF AWARD:		f. CUM. AMT.			l 8	3	1 3	.2		129
19. RESPONSIBLE DOD	ORGANIZATION		1	20. PERI	ORMING D			T		T
Res	Army Medical I earch & Develo t Detrick, Fro	opment Labo	ratory	NAME:*	Re	esear	ny Medica rch & Deve Detrick, l	elopme	nt Lab	oratory
	ertson, John 1 1) 663-2434;		-2434	PRINCIPAL INVESTIGATOR (Pumies SSAN II U.S. Academic Incitional) NAME: Vorgetts, L.J. TELEPHONE: (301) 663-7237; AUTOVON 343-72 SOCIAL SECURITY ACCOUNT NUMBER: ASSOCIATE INVESTIGATORS					43-7237	
				NAME:			on, J.H.			
				NAME:						POC:DA

- (U) Integrated Pest Management; (U) IPM; (U) Biological Control & TECHNICAL OBJECTIVE. 24 APPROACH, 28. PROGRESS (Pumish Individual paragraphs Identified by number. Procede test of each w
- 23. (U) Develop methods for mosquito control that integrate physical, chemical, and
- biological control methods for mosquito control that integrate physical, chemical, and biological control methods so as to maintain effective control economically without undue damage to the environment. Provide baseline laboratory and field data on the efficacy of various insecticides for control of mosquito larvae from which field application rates and methods will be developed.
- 24. (U) Define mosquito problems at a US Army installation using previously accumulated data and on-site observations. Propose strategies for control of the problems which integrate physical, chemical, and biological methods. Proposed strategies will be implemented on-site to test the integrated pest management concept as it applies to mosquitoes.
- 25. (U) 8110 8209. Studies of the bacterial pathogen Bacillus thuringiensis israelensis (Bti) demonstrated that wettable powder (WP) formulations are extremely effective against mosquito larvae, but the duration of activity is very short (< 24 hr). Tests are being continued to determine if a slow-release formulation can be developed. Preliminary results from field trials indicate that the addition of diluents increases the effectiveness of ground applications of mosquito adulticides without increasing the amount of active ingredient applied.

Simulated Field Studies with Four Formulations of <u>Bacillus thuringiensis</u> varisraelensis Against Mosquitoes: Residual Activity and <u>Effect of Soil Constituents</u>. Van Essen, Frank W., and Stephen C. Hembree. <u>Mosq. News</u> 42:66-72, 1982.

TITLE: (U) Integrated Pest Management - Mosquitoes

FUNDING HISTORY: PY - 157K; CY - 204K; BY - 129K

PROBLEM DEFINITION: Rapid advances are being made in insect pest management technology in the civilian sector. Among those not yet fully capitalized on by military pest management are ultra-low volume pesticide dispersal technology, controlled release and microencapsulation formulations, use of hormone analogues, and the impending availability of effective, economical biological control agents for mosquitoes and blackflies. While evaluation and assimilation of some of this technology by the Army is under way, a context is needed in which to tie together conventional and developing technology into an integrated pest management system for use by the military to control mosquitoes efficiently, economically, and with minimal environmental insult.

IMPORTANCE: Vector control is the only way to protect the American fighting man from many vector-borne diseases. Military medical history demonstrates that protection of troops from vector-borne diseases may be vital to the outcome of armed conflict in many parts of the world. Therefore, it is of critical importance that insect pest/vector control technology in the military be developed and maintained at the highest state-of-the-art. The requirement that insect pest management be done with minimal environmental insult in CONUS and in host countries where host-country agreements so specify focuses special attention on hormone analogues and candidate biological control agents.

<u>APPROACH</u>: Field study areas will be identified at which developing mosquito control technology can be evaluated for suitability for use by the Army. Of immediate interest are hormone analogues and biological control agents nearing commercial availability.

ACHIEVEMENTS: Studies of the bacterial pathogen <u>Bacillus thuringiensis</u> <u>Israelensis</u> (<u>Bti</u>) demonstrated that wettable powder (<u>WP</u>) formulations are extremely effective against mosquito larvae, but the duration of activity is very short (<24 hr). Recently completed tests indicate that specially modified granular formulations can be used to extend the period of activity. Tests are being continued to determine if a true slow-release formulation can be developed.

Preliminary results from field trials indicate that the addition of diluents increases the effectiveness of ground applications of mosquito adulticides without increasing the amount of active ingredient applied. If this method can be adapted to existing operating procedures, it should reduce the monetary cost and environmental impact of insecticide application.

RELATIONSHIP TO CORE PROGRAM: This project is a systematic approach to providing a vector control program for management of mosquitoes. The project is in keeping with mission for research in applied military vector control.

MANUSCRIPTS: Simulated Field Studies with Four Formulations of <u>Bacillus</u> thuringiensis var. <u>israelensis</u> Against Mosquitoes: Residual Activity and <u>Effect of Soil Constituents</u>. Van Essen, Frank W., and Stephen C. Hembree. Mosq. News 42:66-72, 1982.

Dose-Time Response Between Simulium Vittatum Zetterstedt Larvae and Abate 200 E (Temephos). Frommer, Dr. R. L., Nelson, Dr. J. H., Remington, M. P., Gibbs, P. H., and Dr. L. J. Vorgetts. Mosq. News. In press.

HEALTH HAZARDS OF MILITARY MATERIEL

25.54.20	AND TECHNISH AS	V 1000 V 1000 C	I AMM A BY	I. AGEN	CY AC	ENGINE	2. DATE OF E	VIOLA	~	REPORT	CONTROL STREET		
KESEARCH	AND TECHNOLOG	WORK UNII 3	UMMART	DA	OG	6778	82 1	0 0	1	DD-D	R&E(AR)636		
& DATE PREV SUM'RY	4. KIND OF SUMMARY	S. SUMMARY SCTY	S. WORK SECURITY	7. REGR	ADING	94.0	65 B'N 1M5 TR'N		SPECIFIC	DATA-	. LEVEL OF SUM		
81 10 01	D. CHANGE	U	ַ ע	<u> </u>		i	NL		KYES	□ mo	A WORK UNIT		
10. NO./CODES:*	PROGRAM ELEMENT	PROJECT		TASK AREA NUMBER					WORK UNIT NUMBER				
- PRMARY	62777A	3E16277	7A878		CA		241	A'	PC F9	55			
b. CONTRIBUTING													
C MODERATE OF THE COLUMN TO	STOG 80-7.2												
1	Socurity Classification Code	-											
(U) Field P	rovision of 1	Wonpyrogeni	c Water										
12. SCIENT: FIC AND TE	CHNOLOGICAL AREAS												
007800 Hygi	ene and Sanit	ation; 010	100 Microb	iolog	y: (00830	0 Inorg	anie	c Cher	nistr	7		
13. START DATE		14. ESTIMATED COM	PLETION DATE	15. FUN	DING A	BENCY		16.	PERFORM	IANCE MET	HOD		
8103		8309		<u> </u>	_DA				C.	In-Hoi	186		
17. CONTRACT/GRANT				16. RES	OURCE	ESTIMAT	E A PROFE	5510H /	L MAN YE	s h ru	IDS (In thousands)		
& DATES/EFFECTIVE:		EXPIRATION:			-	. O.M.	1						
P HOMPEN:				FISCAL	टणममा	82		ـم	5		69		
C TYPE:		d AMOUNT:		YEAR			İ						
& KIND OF AWARD:		f. CUM. AMT.		<u> </u>	<u> </u>	83		اسل	8		122		
19. RESPONSIBLE DOD	DRGÁNI ZATION	Ĺ	L	30. PER	FORMIN	G ORGANI	ZATION		L				
HAME:* US A	rmy Medical E	Bioengineer	ing	NAME:*	1	US Ar	my Medi	cal	Bioe	ngine	ering		
Rese	arch & Develo	pment Labo	ratory	Į]						oratory		
ADDRESS: Fort	Detrick, Fre	derick, MD	21701	ADDRES			Detrick		-		-		
ġ.	-	·		1				•		•			
I				PRINCIP	AL INV	ESTIGATO	R (Fumish SSA	M II U.	S. Academi	: Inelituties	v		
RESPONSIBLE INDIVIDU	IAL			NAME	•	Dunca	an, J.B						
Trudeau, T.L., COL				TELEPHONE: (301) 663-2036; AUTOVON 343-2036									
TELEPHONE: (301) 663-2434: AUTOVON 343-2434			-2434	SOCIAL SECURITY ACCOUNT NUMBER:									
81. GENERAL USE			ASSOCIATE INVESTIGATORS										
Foreign Int	Foreign Intelligence Not Applicable			MAME:									
L				NAME:							POC - DA		
ZZ. KEYWORDS (Procedo	BACH with Society Classifi	cation Code)											

- 23. (U) The objective is to ascertain the feasibility of current off-the-shelf technology for use in the production of pyrogen-free water. The field production of pyrogen-free water would eliminate the logistical problem of supply to field hospitals during combat operations. The influent for a pyrogen-free water unit would be comprised of the effluent from the ROWPU at a water point.
- 24. (U) The treatment train will consist of a roughing filter, reverse osmosis unit, carbon filter, ion exchange unit, pyrogen filter, and 0.22 µm filter. Product water will be evaluated for pyrogens (LAL), cellular toxicity (HeLa) and conform to US Pharmacopeia (USPXX).
- 25. (U) 8110 8209. A Letter of Agreement has been staffed through the Academy of Health Sciences (FSH), and it is to be sent to HQDA. The treatment train is intact and two reverse osmosis units will be evaluated, i.e., a cellulose acetate spiral wound configuration and an inside-skinned polyamide hollow filter RO.

TITLE: (U) Field Provision of Nonpyrogenic Water

FUNDING HISTORY: PY - 24K; CY - 69K; BY - 122K

PROBLEM DEFINITION: To ascertain the feasibility of off-the-shelf technology for the production of nonpyrogenic water in a field environment.

IMPORTANCE: If generation of nonpyrogenic water can be accomplished in the field, it will alleviate a large logistical burden on the resupply of parental solutions.

APPROACH: A treatment train consisting of turbidity filter, reverse osmosis, carbon filter, ion exchange, pyrogen filter, and a 0.22 µm filter will be evaluated.

ACHIEVEMENTS: The above materials have been received. LOA staffed through AHS, FSH to be sent to HQDA. Treatment train built.

DISTRIBUTION LIST

No. of Copies	
5	Commander US Army Medical Research and Development Command SGRD-RMS Fort Detrick Frederick, MD 21701
1	Commander US Army Research Institute of Environmental Medicine (USARIEM) Bldg. 52 Natick, MA 01760
1	Commander US Army Medical Research Institute of Infectious Diseases (USAMRIID) Bldg. 1425 Fort Detrick Frederick, MD 21701
1	Commander Letterman Army Institute of Research (LAIR) Bldg. 1110 Presidio of San Francisco, CA 94129
1	Director Walter Reed Army Institute of Research (WRAIR) Bldg. 40 Washington, DC 20307
1	Commander US Army Medical Research Institute of Chemical Defense (USAMRICD) Bldg. E3100 Edgewood Area Aberdeen Proving Ground, MD 21010
1	Commander * US Army Institute of Dental Research (USAIDR) Bldg. 40 Washington, DC 20307
1	Commander US Army Aeromedical Research Laboratory (USAARL) Bldg. 8708 Fort Rucker, AL 36362

No. of Copies	
1	Commander US Army Institute of Surgical Research (USAISR) Bldg. 2653 Fort Sam Houston, TX 78234
12	Defense Technical Information Center ATTN: DTIC-DDA Alexandria, VA 22314
1	Commandant Academy of Health Sciences, US Army ATTN: AHS-CDM Fort Sam Houston, TX 78234
1	Dir of Biol & Med Sciences Div Office of Naval Research 800 N. Quincy Street Arlington, VA 22217
1	CO, Naval Medical R&D Command National Naval Medical Center Bethesda, MD 20014
1	HQ AFMSC/SGPA Brooks AFB, TX 78235
1	Director of Defense Research and Engineering ATTN: Assistant Director (Environmental & Life Sciences) Washington, DC 20301
1	Department of Veteran's Affairs Central Development Unit 131 Sturt Street SOUTH MELBOURNE, VIC. 3205 AUSTRALIA
2	OTSG (DASG-HCL-P) WASH DC 20310

MANUSCRIPTS CLEARED FOR PUBLICATION/PRESENTATION 1 October 1981 - 30 September 1982

1. Competitive Pathways in Chlorine Dioxide Oxidation of Amines: Amide Formation from Cyclic Amines, Burrows, Elizabeth P. and David H. Rosenblatt. Technical Report #8109.

- Concentration of Trace Amounts of Organophosphorus Pesticides from Water by Sep Pak C₁₈ Cartridges, Dennis, William H. Jr., Wade, Clarence W.R., Rosencrance, Alan B., Trybus, Theresa M. and Ernst E. Bruggemann. Technical Report #8107.
- 3. Utilization of Aquatic Organisms for Continuously Monitoring the Toxicity of Industrial Waste Effluents, van der Schalie, William H. Oral presentation at Twelfth Conference on Environmental Toxicology, Dayton, Ohio, and for publication in Conference Proceedings.
- 4. Enteric Virus Removal in Wastewater Treatment Lagoon Systems, Bausum, Howard T., Schaub, Stephen A., Rose, William E. and Paul H. Gibbs. For publication in EPA Technical Report.
- 5. Estimation of the Toxicity of Munitions-Related Materials to Fish and other Aquatic Organisms, van der Schalie, William H. and J.G. Pearson. For presentation at American Fisheries Society, Northeastern Division, Warm Water Workshop. Environmental Contaminants and Warm Water Fishes, Kearnysville, WV and for publication in Workshop Proceedings.
- 6. Analysis of Unquenched Reaction Mixtures of Chlorine Dioxide and Phenols by Reversed Phase High Performance Liquid Chromatography, Brueggemann, Ernst, Wajon, J. Edmund, Wade, Clarence W.R. and Elizabeth P. Burrows. For publication in Journal of Chromatography.
- 7. Recommended Decisions about Two Environmental Pollutants: o-Chlorobenzalmal-ononitrile and Diphenylamine, David H. Rosenblatt. For presentation at Society of Environmental Toxicology and Chemistry, Arlington, VA and for publication in SETAC Journal.
- 8. Quantitative Analyses of Pesticides by TLC under Field Conditions, Wade, Clarence W.R., Dennis, William H., Jr. and Theresa M. Trybus. Oral presentation at American Chemical Society Meeting at Las Vegas, Nevada.
- 9. Evaluation of a Controlled-Release Silicate Formulation of Temephos against Aedes Aegypti Larvae in the Laboratory and Psorophora Columbiae Larvae in Rice Field Plots, Anderson, L.M., Nelson, J.H., Thies, C. and M.V. Meisch. For publication in Journal of Medical Entomology.
- 10. Catalytic Degradation of Trihalomethanes, Burns, Michael (Summer Student). Baxter, Louanna and Steven H. Hoke. Abstract for presentation at Middle Atlantic Regional ACS Meeting, Newark, DE.
- 11. Treatment of Pesticide-Laden Wastewater by Activated Carbon, Dennis, W.H., Jr., Wade, C.W.R. and E.A. Kobylinski. Abstract for presentation at Middle Atlantic Regional Meeting, ACS, University of Delaware, Newark, DE.

- 12. Sterilization Equipment in Support of the Army in the Field, Keyser, LTC Collette P., Young, Dr. J.H., Prensky, William C. and S.A. Gohara. Abstract for presentation at AAMI 17th Annual Meeting, San Francisco, CA, and for publication in the Proceedings.
- 13. Letter to the Editor of Fundamentals and Applied Toxicology, by Jack C. Dacre. For publication in Fundamentals and Applied Toxicology.
- 14. The Care and Grooming of Commissioned Mobilization Designees, Rosenblatt, Dr. David H., Kainz, CPT Robert and COL J.D. Gensler. For publication in Commanders Call. (This draft was never cleared by this office).
- 15. Clinical Studies to Assess the Health and Performance Effects of Carbon Monoxide (CO) on Combat Weapons System Crewmembers, CPT James W. Carroll. For publication in MRDC Newsletter.
- 16. Field Drinking Water Standards, by Jay D. Gensler. For publication in USAMRDC Research Newsletter.
- 17. Dose-Time Response Between <u>Simulium Vittatum</u> Zetterstedt Larvae and Abate 200E (Temephos), Frommer, R.L., Nelson, J.H., Remington, M.P. and P.H. Gibbs. For publication in Mosquito News.
- 18. Free Available Chlorine Disinfection Criteria for Fixed Army Installation Primary Drinking Water by Katheryn Kenyon. Technical Report #8108.
- 19. Comparison of Several Methods for the Determination of Chlorine Residuals in Drinking Water, Cooper, W.J., Mehran, M.F., Slifker, R.A., Smith, D.A., Villate, J.T. and P.M. Gibbs. For publication in the Journal of the American Water Works Association.
- 20. Material for Special Issue featuring Army Research and Development Laboratories, by Colonel Duane G. Erickson. For publication in RDA Magazine, July/August 1982, Issue.
- 21. Considerations for a Patient Wrap, by Major James T. Kardatzke. For presentation at Medical R&D Command Bioscience Review, Edgewood Arsenal, MD, 14 May 1982.
- 22. Integration of Health Effects Research with Systems Development: Recent Funding Policy Guidance, by CPT David L. Johnson. For presentation at Smoke Symposium VI, Adelphia, MD, 27-29 Apr 82, and for publication in Proceedings of Smoke Symposium VI (PM Smoke Technical Report).
- 23. Technical Issues Raised during Risk Assessment Case Studies, Rosenblatt, David H., and Robert J. Kainz. For Oral Presentation, and Extended Abstract, at American Society of Civil Engineers, National Conference on Environmental Engineering, Minneapolis, MN, July 14-16, 1982, and for publication in Proceedings,

- 24. Development of Colorimetric Methods for Chemical Agent Detection in Water, Wade, Clarence W.R., and Evelyn H. McNamee. For Oral Presentation at Bioscience Review, Aberdeen Proving Ground, MD, 13-14 May 82.
- 25. Solving Environmental Problems Using the PPLV Approach and Guild Theory, Rosenblatt, David H. and Robert J. Kainz. For Oral Presentation at The Application of Guilding Workshop Corps of Engineers, Chicago, IL, 19-22 April 1982, and for publication in Proceedings of the Workshop.
- 26. Consequences Associated with the Inhalation of Uncombusted Diesel Vapor, Kainz, Robert J. and Lu Ann E. White. Abstract for presentation at American Petroleum Institute, Washington, DC, 11-13 May 82, and for publication in Abstract and Proceedings.
- 27. Generation of Vapors by Partial Evaporation of Diesel Fuel, Kainz, Robert J., and Terry C. Lee. Abstract for Oral Presentation at American Industrial Hygiene Association, Cincinnati, Ohio, 11 June 82.
- 28. Neurotoxic Effect and Performance Deterioration Resulting from Uncombusted Diesel Vapor Inhalation, Kainz, CPT Robert J., and Lu Ann E. White. Abstract for Oral Presentation at Society of Environmental Toxicology and Chemistry, Arling, VA, 14-17 November 1982, and for publication in Abstracts.
- 29. Application of the "PPLV" Environmental Risk Assessment Approach to Selected Land Uses, Rosenblatt, D.H., Small, M.J. and R.J. Kainz. Abstract for presentation at 184th National Meeting, American Chemical Society, Kansas City, 12-17 Sep 82.
- 30. Article for US Medicine, by John N. Albertson, Jr., COL, MSC. Article for publication in US Medicine.
- 31. Persistence and Partition of Pesticides in Primary Sewage Sedimentation, Bausum, Howard T., and William H. Dennis, Jr. Abstract for Oral Presentation at Division of Pesticide Chem., American Chemical Society, Kansas City, MO, Sep 82, and for publication in Division of Pesticide Chemistry, ACS, Proceedings.
- 32. Biodegradation of 1,3 Dinitrobenzene, Mitchell, Wayne R. and William H. Dennis. For publication in Environmental Science and Engineering.
- 33. Kinetics and Products of Hydrolysis of 1,2-Dibromo-3-chloropropane (DBCP), Burlinson, N.E., Lee, L.A. and D. H. Rosenblatt. For publication in Environmental Science & Technology.
- 34. The Rowpu Prefiltration System: Removal of Microorganisms, Small, Mitchell J., Duncan, James B. and Paul H. Gibbs. Technical Report #8104.
- 35. Preparation of Kilogram Quantities of SEX and TAX: HMX and RDX Intermediates, Bedford, Clifford D., Rosenblatt, and Maria A. Geigel. Abstract for presentation at Explosives Safety Board Seminar, Norfolk, VA, 24-26 Aug 82.

- 36. A Comparison of Early Life Stage Effects and Histopathology with the Chronic Life Cycle Effects of 2,4 Dinitrotoluene on the Fathead Minnow (Pimephales promelas), Broich, S.G., van der Schalie, W.H., and W.R. Hartley. Abstract for Oral Presentation at the Society of Environmental Toxicology and Chemistry Third Annual Meeting, Arlington, VA, 18 June 1982.
- 37. Army Provides Vector Control Assistance, by Dr. James H. Nelson, with rewrite by LTC William H. Hames, Jr. Article for publication in Fort Detrick Newspaper "Standard."
- 38. Environmental Risk Assessment for Four Munitions-Related Contaminants at Savanna Army Depot Activity, by Dr. David H. Rosenblatt. Technical Report #8110.
- 39. Microbial Interactions with Several Munitions Compounds: 1,3-Dinitrobenzene, 1,3,5-Trinitrobenzene, and 3,5-Dinitroaniline, Mitchell, Wayne R., Dennis, William H. and Elizabeth P. Burrows. Technical Report 8201.
- 40. Acute and Chronic Toxic Interactions of Two Environmental Transformation Products of 2,4,6-Trinitrotoluene, van der Schalie, W.H., Gibbs, P.H. and T.R. Shedd. Abstract for presentation at Society of Environmental Toxicology and Chemistry Third Annual Meeting, Arlington, VA, 14-17 November 1982.
- 41. Equivalency Testing of the Free Available Chlorine Test with Syringaldazine, Facts, Cooper, W.J. and P.H. Gibbs. Report of Work to USEPA.
- 42. Daily Oviposition Rates in Reared Female Antheraea polyphemus (Saturniidae), Miller, Thomas A., and William J. Cooper. For publication in the Journal of the Lepidopterists' Society (General Note).
- 43. Mechanism of Oxidation of Trialkylamines by Ferricyanide in Aqueous Solution, Burrows, Elizabeth P. and David H. Rosenblatt. For publication in Journal of the American Chemical Society.
- 44. Pesticide-Laden Wastewater Treatment for Small Waste Generators, Dennis, William H., Jr. and Edmund A. Kobylinski. For publication in Journal of Environmental Science and Health, Part A.
- Anaerobic Digestion of Lime Sludge, Kobylinski, Edmund A., and Bruce A. Bell, Associate Professor at George Washington University. Technical Report #8205.
- 46. Tertiary Treatment of Effluent from Holston AAP Industrial Liquid Waste Treatment Facility I. Batch Carbon Adsorption Studies: TNT, RDX, HMX, TAX, and SEX, by W. Dickinson Burrows. Technical Report #8207.
- 47. Preparation of Specific Selective Adsorbents for Pollutants in Wastewater, Kulkarni, Dr. R.K., and Ms. T. Trybus. Article for publication in MRDC Research Newsletter.

- 48. Options and Recommendations for a Polybromo-biphenyl Strategy in the Vicinity of the Gratiot County, Michigan Landfill, Rosenblatt, Dr. David H., Kaintz, CPT Robert J., and Appendix by George F. Fries, US Department of Agriculture, Beltsville, MD. Technical Report #8204.
- 49. Delousing Outfit, Power Driven: 10 Gun, Leroy M. Anderson. Article for MRDC Newsletter. To be published in the MRDC Newsletter.
- 50. Malathion Susceptibility of Eggs and 1st-Instar Larvae of <u>Callosamia</u> promethea and <u>Antheraea</u> polyphemus, Miller, Thomas A. and <u>Jerry Highfill</u>.

 Article for publication in Journal of Economic Entomology.

